



**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
84 CANNIFTON ROAD NORTH, BELLEVILLE, ONTARIO**

Prepared for:

2267178 Ontario Inc.
1117 Casey Road
Belleville, ON K8N 4Z6

Prepared by:

BluMetric Environmental Inc.
825 Milner Avenue
Toronto, ON M1B 3C3

Project Number: 220456-00
13 February 2023

**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
84 CANNIFTON ROAD NORTH
BELLEVILLE, ONTARIO**

Prepared for:

2267178 Ontario Inc.
1117 Casey Road
Belleville, ON K8N 4Z6

Prepared by:



BluMetric Environmental Inc.
825 Milner Avenue
Toronto, ON M1B 3C3

Project Number: 220456-00

13 February 2023

TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	1
2.0	INTRODUCTION	5
2.1	PHASE ONE PROPERTY INFORMATION	5
2.2	PROPERTY OWNERSHIP	6
2.3	TERMS OF REFERENCE	6
3.0	SCOPE OF INVESTIGATION	7
4.0	RECORDS REVIEW	8
4.1	GENERAL.....	8
4.1.1	Phase One Study Area.....	8
4.1.2	First Developed Use Determination	9
4.1.3	Fire Insurance Plans	9
4.1.4	Chain of Title	10
4.1.5	Directory Search	10
4.1.6	Environmental Reports Pertaining to the Phase One Property.....	11
4.2	ENVIRONMENTAL SOURCE INFORMATION.....	11
4.2.1	Federal, Provincial and Private Environmental Databases.....	11
4.2.2	Ontario Ministry of Environment, Conservation and Parks (MECP)	14
4.2.3	Ministry of Labour (MOL)	14
4.2.4	Technical Standards and Safety Authority (TSSA).....	14
4.2.5	Waste Disposal Sites.....	15
4.2.6	Coal Gasification Plants and Coal Tar Sites.....	15
4.3	PHYSICAL SETTING SOURCES.....	15
4.3.1	Aerial Photos.....	15
4.3.2	Topography, Hydrology, and Geology.....	16
4.3.3	Fill Materials.....	16
4.3.4	Water Bodies and Area of Natural Significance	17
4.3.5	Well Records	17
4.4	SITE OPERATING RECORDS.....	17
5.0	INTERVIEWS	19
6.0	SITE RECONNAISSANCE	21
6.1	GENERAL REQUIREMENTS	21
6.2	SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY.....	21
6.2.1	Structures and Other Improvements	21
6.2.2	Underground Utilities and Service Corridors	23
6.2.3	Interiors of Structures and Buildings	23



6.2.4	Exterior Portions of the Phase One Property.....	25
6.2.5	Parts of the Phase One Property Not Covered by Buildings or Other Structures ...	25
6.2.6	Enhanced Investigation at the Property.....	26
6.2.7	Potential Asbestos Containing Materials.....	26
6.3	WRITTEN DESCRIPTION OF THE INVESTIGATIONS.....	27
7.0	REVIEW AND EVALUATION OF INFORMATION.....	28
7.1	CURRENT AND PAST USES.....	28
7.2	POTENTIALLY CONTAMINATING ACTIVITY.....	29
7.2.1	Phase One Property.....	29
7.2.2	Phase One Study Area	30
7.2.3	Information Gaps in the Phase One Investigation.....	32
7.3	AREAS OF ACTUAL OR POTENTIAL ENVIRONMENTAL CONCERN	33
7.3.1	Contaminants of Potential Concern	34
7.4	PHASE ONE CONCEPTUAL SITE MODEL	34
8.0	CONCLUSIONS	39
8.1	IS A PHASE TWO ESA REQUIRED BEFORE AN RSC IS SUBMITTED?	39
8.2	CAN AN RSC BE SUBMITTED ON THE PHASE ONE ESA ALONE?.....	39
8.3	LIMITING CONDITIONS, QP STATEMENT, AND QP SIGNATURE	39
9.0	REFERENCES.....	41
10.0	APPENDICES.....	42
10.1	PLAN OF SURVEY	42
10.2	TOPOGRAPHIC MAP	45
10.3	FIGURES	46
10.4	ENVIRONMENTAL SOURCE INFORMATION.....	53
10.5	SITE PHOTOGRAPHS.....	363

LIST OF FIGURES

- Figure 1: Phase One Study Area
- Figure 2: Phase One Property Site Features
- Figure 3: Topographic Map, Areas of Natural Significance and Water Bodies
- Figure 4: MECP Water Well Records
- Figure 5: Conceptual Site Model – Phase One Study Area
- Figure 6: Conceptual Site Model – Phase One Property



1.0 EXECUTIVE SUMMARY

In May 2022, BluMetric Environmental Inc. (subsequently referred to as “BluMetric®”) was retained by 2267178 Ontario Inc. to complete a Phase One Environmental Site Assessment (ESA) for the commercial property located at 84 Cannifton Road North, in Belleville, Ontario (subsequently referred to as the “Phase One Property”).

It is our understanding that this Phase One ESA report is required for rezoning the land for residential purposes. This report was therefore prepared in the spirit of the requirements of Ontario Regulation 153/04 referred to herein as O. Reg. 153/04. The purpose of a Phase One ESA is to assess whether the Phase One Property has been subject to any actual or potential contamination.

The Phase One Property is located on the east side of Cannifton Road North and west side of Lywood Street, approximately 115 m north of Black Diamond Road and 500 m east of the Moira River, in Belleville, Ontario. The Phase One Property is approximately 0.45 hectares in size and consists of two 2-storey buildings, a dwelling (having a basement) reportedly built in the early 1900s, and a workshop building built in the 1960s, both with municipal addresses of 84 Cannifton Road North.

In the 1977, Vincent and Vernon Golden of ‘Golden’s Trucking’ acquired the Phase One Property. No observations or historical records showed any evidence of any automotive operations on the Phase One Property. Vincent Golden subsequently took over ownership of the Phase One Property in 1987, and the workshop building was subsequently occupied by St. Lawrence Pools.

In 2016, the current owner, 2267178 Ontario Inc., acquired the property. The Phase One Property has since been occupied by Main Event Tent Rentals and is also currently occupied by a small woodwork shop (tenant). The dwelling has remained used for residential purposes and is currently leased. The remainder of the Phase One Property consists of grassy areas and a gravel-covered and asphalt-paved parking lot and driveways. A truck trailer and a storage container are also located adjacent to the workshop building on the west side of the property, both used for storage of equipment and materials.

The Phase One Study Area consists of a mix of residential, commercial, and industrial land uses. West of the Phase One Property is Cannifton Road North. East of the Phase One Property is Lywood Street. Adjacent to the north of the site are residential dwellings. Further north of site is MacPherson Motors Car Dealer at 115 Cannifton Road North and THF Auto Centre at 108 Cannifton Road North. Adjacent to the south of the site is residential dwellings and a workshop building. Further south of the site is McCaffrey’s Garage & Towing Ltd. at 46-54 Cannifton Road North.



There are no water features or areas of natural significance on the Phase One Property. The Moira River channel is located approximately 50 m west of the site. Moira River flows in a south-southeastward direction into Lake Ontario, which is located approximately 4.9 km south of the Phase One Property. In addition, woodland areas are found 100 m east of the Phase One Property and 76 m west of the Phase One Property, and an unevaluated wetland area is found 182 m northeast of the Phase One Property.

Two domestic water supply well records located on the Phase One Property, installed in 1959 and 1977. Numerous other potable wells were also found within the study area. However, at the time of inspection, the Phase One Property was noted to be connected to municipal water supply system. The Phase One Property is not located in an area designated in a municipal official plan as a well-head protection area or other designation identified by the municipality for the protection of ground water.

Based on the findings of this Phase One ESA which included a review of historical records and environmental source information, site reconnaissance, and interview; the QP determined the following potentially contaminating activities (PCAs) have the potential to result in areas of potential environmental concern (APECs) on the Phase One Property:

Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA)	Location of PCA (On-site or Off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Ground Water, Soil and/or Sediment)
A	Exterior Portions of Phase One Property	PCA 1: #Other – Application of De-Icing Agent for purpose of Pedestrian & Vehicular Safety under Conditions of Snow or Ice** The Phase One Property consists of gravel-covered and asphalt-paved parking areas and driveway. The east and west portions of the Phase One Property are also bordered by pedestrian sidewalks and public roadways. It is anticipated that de-icing agents will likely have been applied to these surfaces for purposes of pedestrian and vehicular safety under conditions of snow or ice.	On-Site	EC, SAR,	Soil
				Na, Cl-	Ground Water
B	Entire Phase One Property	PCA 2: #Other –Fill Material of Unknown Quality Fill material (and gravel) is expected to have been brought on-site and distributed throughout the site for grading purposes.	On-Site	PHC, PAH, BTEX, Metals, As, Sb, Se, Cr (VI), Hg, B-HWS, CN-	Soil and Ground Water



Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA)	Location of PCA (On-site or Off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Ground Water, Soil and/or Sediment)
C	Northwest Portion of the Phase One Property	PCA3: #28 – Gasoline and Associated Products Storage in Fixed Tanks Based on the age of the building, a concrete pedestal found in the basement, and a vent pipe observed along the northwest wall of the building, it is suspected that the dwelling on the Phase One Property was likely formerly heated using an oil-fired heating system.	On-Site	PHCs, PAHs, BTEX, Metals	Soil and Ground Water
D	East Portion of Phase One Property	PCA 4: #Other – Paint Spray Booth There is a paint spray booth used in the workshop building. Observations on-site included pails and cans of wood finishing lacquers, stains, and thinners stored in the paint spray area, and significant staining and debris on the floors.	On-Site	PHCs, PAHs, Metals (lead), VOCs	Soil and Ground Water
E	Northeast Portion of Phase One Property	PCA 5: #55 – Transformer Manufacturing, Processing and Use Hydro One pole-mounted transformer noted along the periphery of the Phase One Property, at the northeast corner of the site along Lywood Street.	Off-Site	PHCs, PCBs	Soil and Ground Water

Notes:

Acronyms are defined as follows:

- UST – Underground Storage Tank
- PHC – petroleum hydrocarbons
- PAH – polycyclic aromatic hydrocarbons
- EC – Electrical Conductivity
- Na – sodium
- As – arsenic
- Se – selenium
- Sb – antimony
- Cr (VI) – chromium (VI)
- Metals –metals
- BTEX – benzene, toluene, ethylbenzene, and xylene
- SAR –sodium adsorption ratio
- Cl- – chloride
- VOC – volatile organic compounds
- CN- – cyanide
- Hg – mercury
- B-HWS – boron (hot water soluble)

** Section 49.1 paragraph 1 of Ontario Regulation 153/04 has been relied upon and the site condition standards are deemed to have been met for contaminants associated with applications of substances to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both. Further consideration of this PCA/APEC through sampling and analyses is not required as part of a Phase Two ESA.

Given the presence of the above APECs on the Phase One Property, a Phase Two ESA is recommended to assess any subsurface impacts.

The scope of the Phase Two ESA should entail drilling of boreholes for the purpose of collecting soil samples, and the installation of ground water monitoring wells to further evaluate the significance of the APECs identified above. Representative soil and ground water samples should be analyzed for the contaminants of potential concern identified, including metals, PHC, PAH, BTEX, VOCs, pH, As, Sb, Se, Cr (VI), Hg, B-HWS, CN-.



Upon the completion of the Phase Two ESA and any remediation (if required), a Record of Site Condition may be filed in the Environmental Site Registry.



2.0 INTRODUCTION

BluMetric Environmental Inc. (subsequently referred to as “BluMetric®”) was retained by 2267178 Ontario Inc. to complete a Phase One Environmental Site Assessment (ESA) for the property located at 84 Cannifton Road North, in the City of Belleville, Province of Ontario (subsequently referred to as the “Phase One Property”).

2.1 PHASE ONE PROPERTY INFORMATION

The Phase One Property is located on the east side of Cannifton Road North and west side of Lywood Street, approximately 115 m north of Black Diamond Road and 50 m east of the Moira River, in Belleville, Ontario.

The legal description of the Phase One Property is as follows:

PIN #	Legal Description
40433-0018 (LT)	Lots 6 & 7, east side of Front Street; Lot 5 and Part of Lot 6, west side of Centre Street; Plan 36 Thurlow; Belleville, County of Hastings

The Phase One Property is approximately 0.45 hectares (4,515 sq. m) in area and consists of two 2-storey buildings, a dwelling (having a basement) and a workshop building, both with municipal addresses of 84 Cannifton Road North. The dwelling was occupied by a residential tenant. The workshop building was occupied by Main Event Tent Rentals and a small woodworking shop (tenant). There is a truck trailer and a storage container located adjacent to the workshop building on the west side of the property, both used for storage of equipment and materials. The remainder of the Phase One Property consists of grassy areas and a gravel-covered and asphalt-paved parking lot and driveways.

The Phase One Study Area consisted of a mix of residential, commercial, and industrial land uses. West of the Phase One Property is Cannifton Road North. East of the Phase One Property is Lywood Street. Adjacent to the north of the site is residential dwellings. Further north of the Phase One Property is MacPherson Motors Car Dealer at 115 Cannifton Road North and THF Auto Centre at 108 Cannifton Road North. Adjacent to the south of the site are residential dwellings and a workshop building. Further south of the site is McCaffrey’s Garage & Towing Ltd. at 46-54 Cannifton Road North.

Features of interest on and around the Phase One Property are highlighted on Figures 1 and 2 in Section 10.3.



2.2 PROPERTY OWNERSHIP

The particulars for the Phase One Property owner are summarised in the following table:

Property Owner	2267178 Ontario Inc.
Owner's Address	1117 Casey Rd. Belleville, ON, K8N 4Z6
Authorized Signing Officer	Wes Cawker 613-827-7355 wescawker@icloud.com

2.3 TERMS OF REFERENCE

BluMetric was retained by 2267178 Ontario Inc. to complete a Phase One ESA for the property municipally known as 84 Cannifton Road North, in the City of Belleville, Province of Ontario, as illustrated on Figure 2, provided in Section 10.3.

This Phase One ESA report is being performed to understand historical activities at the Phase One Property to determine likely locations where sampling of soil and ground water would be required to verify or refute assumptions about conditions. It is our understanding that this Phase One ESA is being prepared for due diligence purposes. This report has been prepared to in the spirit of the *“Mandatory Requirements for Phase One Environmental Site Assessment Reports”* in O. Reg. 153/04.

In general terms, the purpose of a Phase One ESA is to determine if a property is subject to actual or potential contamination. Because Phase One ESAs do not include the testing of samples or the measuring of environmental parameters, the conclusions presented in a Phase One ESA report often are limited to identifying potentially contaminating activities that may contribute to areas of potential environmental concerns at the property. Areas of potential environmental concern can be investigated subsequently through a Phase Two ESA. In general terms, the purpose of a Phase Two ESA is to characterize environmental conditions at a property. The sampling activities and chemical analysis undertaken in a Phase Two ESA generate information that can be used to identify those conditions that might be categorized as “contaminated”, or that need to be remediated, improved or otherwise managed.



3.0 SCOPE OF INVESTIGATION

The Phase One ESA was conducted in the spirit of the requirements of Schedule D of *Ontario Regulation 153/04* under the Environmental Protection Act (EPA).

The tasks of a Phase One ESA typically include:

- Reviewing environmental source information about the Phase One Property and Phase One Study Area;
- Inspecting the Phase One Property for evidence of current or past potentially contaminating activities (PCAs) that could contribute to areas of potential environmental concern (APECs);
- Noting PCAs in the Phase One Study Area that could contribute to APECs at the Phase One Property;
- Interviewing site personnel or other knowledgeable parties about past and present operations and activities at the Phase One Property;
- Reviewing environmental documentation and site operating records that the property owner, operator, or client can provide;
- Making inquiries to provincial and municipal agencies about environmental records on file related to the Phase One Property;
- Identifying PCAs on the Phase One Property and on properties within the Phase One Study Area and assessing whether the identified PCAs represent an APEC for the Phase One Property; and
- Using the assembled information to prepare a report.



4.0 RECORDS REVIEW

4.1 GENERAL

Requests for information were filed with the Ministry of Environment, Conservation and Parks (MECP), Technical Standards and Safety Authority (TSSA), and OPTA Information Intelligence (OPTA). A database search was also requested from Environmental Risk Information Services Inc. (ERIS). Copies of records and correspondence are reproduced in Section 10.4.

The following sources of information were subsequently reviewed to determine the historical development of the Phase One Property and Phase One Study Area:

- A review of historical ownership and property use was completed using fire insurance plans (FIPs) (see Subsection 4.1.3), land title information (Section 4.1.4), available city directories (see Subsection 4.2.2), and aerial photographs (see Subsection 4.3.1).
- A review of existing environmental reports was completed. Pertinent information is presented in Section 4.1.5.
- A review of records received from the MECP Freedom of Information (FOI) and Protection of Privacy Office, TSSA, OPTA, and ERIS. This information is discussed in Section 4.2; and
- An assessment of the physical site conditions. This information is presented in Section 4.3.

4.1.1 Phase One Study Area

The QP determined that the conventional distance of 250 m from the Phase One Property was adequate for defining the Phase One Study Area for all records reviewed with the exception that a distance of 2 km was appropriate for reviewing records that pertain to active or former waste disposal sites, coal gasification plants, and coal tar sites, given that such sources can cause impacts that extend for distances of more than 250 m.

The search radius for historical records requested from ERIS (discussed in Sections 4.2.1 and 4.2.2) was set to 250 m from the boundaries of the Phase One Property. To conduct the database searches, each property is identified as a specific geographical point. The inclusion or exclusion of properties located partially within the Phase One Study Area depends on whether this point is located within the study area boundary.

The Phase One Property and the Phase One Study Area are outlined in Figures 1 and 2 in Section 10.3.



4.1.2 First Developed Use Determination

First developed use is defined as the earlier of “the first use of the Phase One Property in or after 1875 that resulted in the development of a building or structure on the property, and the first potentially contaminating use or activity on the Phase One Property” (O. Reg. 153/04).

The earliest entry in the land registry shows a transfer of 100 acres from the Crown to a Peter McDougall in 1802. However, the earliest account of the use of the property was acquired from Goad’s illustrated atlases dated in 1800s which showed the Phase One Property to consist of undeveloped vacant land, part of a larger tract of land on the east side of the Moira River, which was owned by J. Canniff. No Fire Insurance Plans were available for review.

Aerial photographs from 1956 subsequently showed the Phase One Property to consist of a residential building on the west side of the property, fronting Cannifton Road North. Based on interviews discussed in Section 5.0, the dwelling was reportedly built in the early 1900s. Aerial photographs from 1974 subsequently showed an additional rectangular building on the northeast side of the property, reportedly built in the 1960s. The remainder of the property was undeveloped.

Based on the chain of title, the Phase One Property was owned by private individuals until 1977 when the property was acquired by Vincent and Vernon Golden who used the Phase One Property to operate ‘Golden’s Trucking’ until 1987. Vincent Golden subsequently took over ownership of the property. St. Lawrence Pools occupied the workshop building until approximately 2016, when the Phase One Property was transferred to the current owner, 2267178 Ontario Inc. The Phase One Property has since been occupied by Main Event Tent Rentals and is also currently occupied by a small woodwork shop. The dwelling has also remained on the property and is leased for residential use.

Based on the above information, the first developed use of the Phase One Property is believed to have been ‘residential’ use in the early 1900s.

4.1.3 Fire Insurance Plans

A search for available fire insurance plans (FIPs) retained by OPTA Information Intelligence was completed through a request filed with ERIS in June 2022. In a response received on 24 June 2022, it was revealed that no fire insurance documents were found for Phase One Property.



4.1.4 Chain of Title

A historical title search was prepared by ERIS for the Phase One Property, which included details of ownership to present day. A copy of the above chain of title search results is summarized below and is provided in Section 10.4.

The Phase One Property has the following history of ownership:

Date	Owner(s)
Prior to 1802	Crown
1802	Peter McDougall
1811	John Canniff
1843	John V. Farley
1846	Thomas Adams
1850	Dunbar Ockerman
1871	Eddy Tick
1873	William Ferguson
1876	Dunbar Ockerman
1878	William Haight
1910	Catherine Gertude Callery
1936	Alfred Henry Harrow & John Batty
1941	Jock Richard Williams & Meta Elizabeth Williams
1956	Herbert Alan McCormick
1969	William Frederick Post & Mary Kathleen Post
1970	Delbert Thomas Latchford & Janet Latchford
1977	Vincent Joseph Golden & Vernon Anthony Golden as Golden's Trucking
1987	Vincent Joseph Golden
2016	2267178 Ontario Inc. (Present Owner)

Based on the above chain of title, the Phase One Property was owned by private individuals until 1977 when it was acquired by Vincent and Vernon Golden for use as Golden's Trucking. Vincent Golden continued to own the property until 2016, when it was transferred to the current owner, 2267178 Ontario Inc.

4.1.5 Directory Search

A request for a search of city directories was made with ERIS in June 2022. City Directory Information from the Vernon's Belleville, Ontario, City Directory for the years 1924 to 2006 was provided which revealed that listings for Cannifton Road North (including 84 Cannifton Road North) were not found.

A search conducted using Google Streetview revealed that the workshop building on the Phase One Property was previously occupied by St. Lawrence Pools in 2009 and 2012. In 2018, the building was shown to be occupied by the current occupant, Main Event Tent Rentals.



4.1.6 Environmental Reports Pertaining to the Phase One Property

No previous environmental reports were provided for review.

4.2 ENVIRONMENTAL SOURCE INFORMATION

4.2.1 Federal, Provincial and Private Environmental Databases

Schedule D, Part II, subsection 3 (2), paragraph 7 of O. Reg. 153/04 lists 11 types of information to be obtained and presented in this section of the Phase One ESA report as shown below:

Information Type	Locations and Areas of Interest	ERIS Databases Searched
National Pollutant Release Inventory information maintained by Environment Canada	Phase One Property and 250 m radius around Phase One Property	NPRI
PCB information maintained by the MECP	Phase One Property and 250 m radius around Phase One Property	OPCB
Certificates of approval, permits to take water, certificates of property use or similar instruments issued by the MECP related to the environmental condition	Phase One Property and any adjacent property	CA, CPU, EBR, EASR, ECA, PTTW
Inventory of coal gasification plants that is maintained by the MECP	Phase One Property and 250 m radius around Phase One Property	COAL
Reports of environmental incidents, orders, offences, spills, discharges of contaminants or inspections by the MECP	Phase One Property and any adjacent property	CONV, EMHE, HINC, MISA PENALTY, NCPL, ORD, SPL
Waste management records, including current and historical waste storage locations and waste generator and waste receiver information	Phase One Property and any adjacent property	ANDR, GEN LIMO, NDWD, REC, WDS, WDSH
Reports submitted to the MECP related to environmental conditions	Phase One Property and any adjacent property	OOGW, RSC, WWIS
Retail fuel storage tank information maintained by the Technical Standards and Safety Authority	Phase One Property and 250 m radius around Phase One Property	CFOT, EXP, HINC, INC, PINC, VAR
Notice and instruments, including records of site condition, posted in the Environmental Registry	Phase One Property and 250 m radius around the Phase One Property	EBR, PES, PTTW, RSC, SRDS
Area of natural significance maintained by the Ministry of Natural Resources	Phase One Property and 2,000 m radius around Phase One Property	ANSI
Information about landfills maintained by the MECP	Phase One Property and 250 m around Phase One Property	LIMO, WDS, WDSH

A search of the following additional federal, provincial, and private source databases was undertaken by Environmental Risk Information Services Inc. (ERIS) in June 2022 for the Phase One Property and Phase One Study Area:



Information Type	Locations and Areas of Interest	ERIS Databases Searched
Provincial and private databases of locations of mineral occurrences, mines, pits and quarries	Phase One Property and 250 m radius around Phase One Property	AAGR, AGR, AMIS, MINE, MNR
Private databases of location and description of various industrial and commercial operations	Phase One Property and 250 m radius around Phase One Property	AUWR, CHEM, PAP, SCT
Federal database of dry cleaners using tetrachloroethylene	Phase One Property and 250 m radius around Phase One Property	CDRY
Federal databases of pulp and paper mills	Phase One Property and 250 m radius around Phase One Property	EEM
Federal database of location and severity of contaminated sites on inhabited First Nation reserves, Federal lands, and contaminated sites for which the federal government has some or all financial responsibility	Phase One Property and 250 m radius around Phase One Property	EIIS, FCS
Federal reports of environmental incidents, orders, offences, spills, discharges of contaminants or inspections	Phase One Property and 250 m radius around Phase One Property	FCON, NATE, NDSP, NEBI, NEES
Federal and private databases of fuel storage tanks	Phase One Property and 250 m radius around Phase One Property	CNG, FOFT, FST, FSTH, IAFI, NDFT, PCFT, PRT, RST, TANK, TCFT
Federal database of large facilities with greenhouse gas emissions	Phase One Property and 250 m radius around Phase One Property	GHG
Federal and private databases of oil and gas wells	Phase One Property and 250 m radius around Phase One Property	NEBW, OGW
PCB information maintained by the MECP	Phase One Property and 250 m radius around Phase One Property	NPCB

Descriptions of these databases and detailed records can be found in the ERIS report appended in Section 10.4.

Phase One Property

Based on the search of the aforementioned federal, provincial and private databases, no pertinent records were listed for the Phase One Property (84 Cannifton Road North).

Phase One Study Area

Relevant records found for the Phase One Study Area, based on the aforementioned federal, provincial and private databases, were as follows:



Address	Location of PCA on Phase One Property		PCA		Notes
	Distance from Site (m)	Direction from Site	#	Description	
54 Cannifton Road North	88	S	Other	Subject Waste Generator	GEN records for McCaffrey's Garage & Towing Ltd. for light fuels in 2019 to 2022, as well as Aliphatic solvents and residues, Waste crankcase oils and lubricants in 2021 and 2022.
51 Cannifton Road North	127	SW	Other	Subject Waste Generator	GEN records for Pinchin Ltd. for Light fuels in 2020 and 2021.
1 Black Diamond Road	122	SSW	N/A	No PCA Identified	SPL record for Black Diamond Cheese for 132 kg Freon; vented in the building, due to overstress on valve in 2000 causing air pollution.
			Other	Subject Waste Generator	GEN records for Black Diamond Cheese for acid waste - other metals, PCB's, waste oils & lubricants in 1992 to 1999.
Cannifton Road at Black Diamond Road	133	NW	Other	Spill Incident	SPL record detailing gasoline found while blasting the sewer main line in 1989.
38 Black Diamond Road	136	SE	Other	Spill Incident	SPL record for Hydro One Inc. for a spill of 75 L of transformer oil in 2015 onto the land due to human error. PCBs were suspected.
121 Parks Drive	200	WNW	Other	Subject Waste Generator	GEN records for McInroy-Maines Construction Ltd. for aliphatic solvents and residue, and waste oils & lubricants between 1992 and 2022.
131 Parks Drive	190	W	28	Gasoline and Associated Products Storage in Fixed Tanks	FSTH and FST records for Penske Truck Leasing Canada Inc. for four fuel oil USTs (steel) with capacities of 50,000 L (2) and 25,000 L (2), installed in 1988. EXP and DTNK records Penske Truck Leasing Canada Inc. and Rentway Canada Ltd. for an expired gasoline station. PRT records for Rentway Canada Ltd. for a retail fuel supply license with a capacity of 32,996 L.
			Other	Subject Waste Generator	GEN records for Rentway Canada Ltd. for waste oils & lubricants, detergents/soaps, aliphatic solvents, petroleum distillates, oil skimmings & sludges between 1988 and 2001. GEN records for Penske Truck Leasing Canada Inc. for waste oils & lubricants, detergents/soaps, aliphatic solvents, petroleum distillates, oil skimmings & sludges between 2000 and 2022.
109 Parks Drive	240	WNW	27	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	EASR record for Davidson's Blasting & Painting related to approvals for an Automotive Refinishing Facility.



In addition to the above records, the following records were found within the Phase One Study Area (250 m radius of the site boundary), but were not considered to identify any environmental concerns for the Phase One Property:

- Seven EHS records related to ERIS historical searches.

Sixty-one (61) WWIS records were found within 250 m of the Phase One Property and are discussed in Section 4.3. No BORE database records were found within 250 m of the Phase One Property.

4.2.2 Ontario Ministry of Environment, Conservation and Parks (MECP)

A request for information about the Phase One Property was filed by BluMetric with the Freedom of Information (FOI) office of the Ontario Ministry of the Environment, Conservation and Parks (MECP) on 19 July 2022. No response has been received to date.

A copy of the above MECP request form is provided in Section 10.4.

4.2.3 Ministry of Labour (MOL)

A request for information about the Phase One Property was filed by BluMetric with the Freedom of Information (FOI) office of the Ontario Ministry of Labour (MOL) on 19 July 2022. No response has been received to date.

A copy of the above request is provided in Section 10.4.

4.2.4 Technical Standards and Safety Authority (TSSA)

A request for information about the Phase One Property was filed with the Technical Standards & Safety Authority (TSSA) on 19 July 2022 by BluMetric. An e-mail response received on 20 July 2022 indicated that no records were found in their database of any fuel storage tanks at the Phase One Property.

A copy of the above TSSA correspondence is provided in Section 10.4.

The TSSA cannot guarantee having information on sites that have not been licensed since 1987. It should be noted that the Fuels Safety Division did not register private fuel underground/above ground storage tanks prior to January 1990 or furnace oil tanks prior to 01 May 2002. Also note that the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences etc. or above ground gas or diesel tanks.



4.2.5 Waste Disposal Sites

The document entitled *Waste Disposal Site Inventory* (MOE, 1991) contains a listing of active and closed waste disposal sites in Ontario as of 31 October 1990. This inventory uses the Universal Transverse Mercator (UTM) grid system to locate the waste disposal sites. The UTM at the centre of the Phase One Property are approximate 308878.91 m E 4896807.61 m N (Zone 18).

Active Waste Disposal Sites

No records were found for active waste disposal sites within 2 km of the Phase One Property.

Closed Waste Disposal Sites

No records were found for closed waste disposal sites within 2 km of the Phase One Property.

No WDS or ANDR records were identified on the Phase One Property or within the Phase One Study Area in the ERIS database report (Appendix 10.4).

4.2.6 Coal Gasification Plants and Coal Tar Sites

Inventories of coal gasification plants (Intera, 1987) and industrial sites where coal tar was produced or used (Intera, 1988) listed no sites located within 3 km of the Phase One Property.

4.3 PHYSICAL SETTING SOURCES

4.3.1 Aerial Photos

All available aerial photographs for the Phase One Property and study area were reviewed for between 1956 and 2020. Pertinent events are documented in the following table:

Year	Phase One Property	Phase One Study Area
1956	The Phase One Property appears to be developed with a building (likely a dwelling) on the west side of the property.	A river is shown approximately 150 m west of the Phase One Property. Wooded areas are shown approximately 200 m east of the Phase One Property. The remainder of the study area is sparsely developed with buildings, likely used for residential purposes.
1962	No significant changes were noted.	No significant changes were noted.
1974	A rectangular building is shown on the northeast side of the property with a smaller rectangular building on the west side of the property. The remainder of the property appears to be undeveloped.	No significant changes were noted.
1981	No significant changes were noted.	Other than more buildings constructed south-southeast of the site, no other significant changes were noted.



Year	Phase One Property	Phase One Study Area
2002	A T-shaped building is shown on the northeast side of the Phase One Property, with a smaller rectangular building shown fronting Cannifton Road North on the west side of the property. There also appears to be several vehicles on site, and three storage containers along the southeast side of the larger building.	The Phase One Study Area is developed with residential and commercial buildings to the north, south, east, and west side of Cannifton Road North. Moira River is west of the site and wooded areas remain further east of the site. Cultivated fields are northeast of the site.
2015	No significant changes were noted since 2002.	No significant changes were noted.
2020	No significant changes were noted since 2015.	No significant changes were noted.

4.3.2 Topography, Hydrology, and Geology

The Phase One Property is located on the east side of Cannifton Road North and west side of Lywood Street, approximately 115 m north of Black Diamond Road, in the City of Belleville, Ontario. The physiography of the area has been described as limestone plains that are part of the broad physiographic region known as the Napanee Plain (Chapman and Putnam, 2007). The topography of the Phase One Property is generally flat with an average geodetic ground surface elevation of 97 m above sea level (ASL). The grade of the Phase One Property is similar to the adjacent properties. Regional topography generally slopes towards the west-southwest towards Moira River channel, located 20 m west of the site.

Regional stratigraphy primarily consists of Paleozoic bedrock that is either exposed or has less than 1 m of drift cover, consisting of clay, silt, sand, gravel, and diamicton deposits (OGS, 2010). These surficial deposits are underlain by “Middle Ordovician” age bedrock of the “Ottawa Group” consisting of limestone, dolostone, shale, arkose, and sandstone (OGS, 2011).

Two domestic water supply well records were found within the boundaries of the Phase One Property. Sixty-five other well records were found within the Phase One Study Area in the Water Well Information System (WWIS) and MECP well records databases. Surficial materials on the Phase One Property were described as topsoil or clay to approximately 0.6 m below grade surface (bgs), underlain by shale and grey limestone bedrock to a depth of 15.2 m bgs. Ground water was found at approximately 8 m bgs.

4.3.3 Fill Materials

Based on the information presented in well records, the subsurface materials on the Phase One Property did not consist of fill material, as discussed in Section 4.3.2.



4.3.4 Water Bodies and Area of Natural Significance

There are currently no waterbodies or water features on the Phase One Property. The Moira River channel is located approximately 120 m west of the site, as shown in Figure 3. Moira River flows in a south-southeastward direction into Lake Ontario, which is located approximately 4.9 km south of the Phase One Property.

There are no areas of natural significance on the Phase One Property. However, woodland areas are found 100 m east of the site and 76 m west of the site, also shown in Figure 3. Unevaluated wetland areas are also found 182 m northeast of the site. According to MECP Source Protection Information Atlas, the Phase One Property is not located in an area designated in a municipal official plan as a well-head protection area.

4.3.5 Well Records

A review of the MECP Well Records dataset under the Ontario Regulation 903 of the Water Resources Act and the ERIS Water Well Information System (WWIS) database revealed two domestic water supply well records located on the Phase One Property, installed in 1959 and 1977. Sixty-five other well records were located within the Phase One Study Area, most of which were domestic or commercial water supply wells. Well record details are available in the database report in Section 10.4.

As indicated in Section 4.3.4, and according to the MECP Source Protection Information Atlas, the Phase One Property is not located in an area designated in a municipal official plan as a well-head protection area or other designation identified by the municipality for the protection of ground water.

The Phase One Property is connected to municipal water supply lines from Cannifton Road North. No municipal sanitary sewer connections are available on the Phase One Property.

4.4 SITE OPERATING RECORDS

According to title search records, the Phase One Property was also previously occupied by Golden's Trucking between 1977 and 1987; however, no details or site operating records were available for review. No evidence of any vehicle repairs or maintenance were observed during the site inspection on 22 July 2022. No drains, or evidence of hoists, or any other below ground structures were noted on-site.



Between the 1980s and 2016, the workshop building was occupied by a Pool sales and maintenance company, St. Lawrence Pools, which stored concentrated chlorine liquid in two aboveground storage tanks along the southeast wall of the building. These storage tanks were removed before the current owner acquired the property in 2016. No site operating records were available for review.

The building is currently occupied two businesses, Main Event Tent Rentals, which uses the workshop building for the storage of materials and equipment, and a small woodworking shop, occupying the east side of the building. The only chemical storage observed associated with the event rentals operation was small quantities of detergents and soaps used for cleaning of equipment and materials. The woodworking shop stored pails and cans of wood finishing lacquers, stains, and thinners and utilized a small paint spray booth, which was vented by a stack through the southeast wall of the building. No Certificates of Approval (CofA) or Environmental Compliance Approvals (ECA) records were available for our review. No vehicle maintenance or repairs were reported to be done on the property.

Based on the above information, no 'enhanced investigation' uses of the Phase One Property were found. No relevant site operating records were available for the Phase One Property.



5.0 INTERVIEWS

An in-person interview was conducted with Mr. Wes Cawker, the owner of Phase One Property, on 22 July 2022. The interview was undertaken by Paul Bandler, Senior Scientist of BluMetric. Interview questions were designed under the supervision of David Hopper, QP_{ESA}, of BluMetric.

Mr. Cawker indicated that he has been the owner of the Phase One Property and operator of Main Event Tent Rentals which has occupied the Phase One Property since approximately 2016. Therefore, Mr. Cawker is considered to have thorough knowledge of the current operations conducted on the Phase One Property.

Mr. Cawker confirmed that the Phase One Property is developed with a two-storey workshop building, currently occupied by the event rentals business, as well as a small woodworking shop, and a separate two-storey duplex (dwelling) building. Both the woodworking shop and the dwelling are currently occupied by tenants. The workshop building was reportedly built in the 1960s (with an addition in the 1990s), and the dwelling was reported to have been built approximately 120 years ago. Mr. Cawker also confirmed that he maintains the exterior areas of the property himself, and that no de-icing salts or chemicals are applied to the parking areas.

Mr. Cawker indicated that the workshop building has always been heated via a natural gas forced air furnace and that the dwelling is currently heated via a natural gas fired hot water boiler system and radiators installed in 1980s and replaced in 2017. He was not aware of any previous heating systems used in the dwelling. The dwelling was cooled via window mounted air conditioning units. The workshop building is cooled via an exterior air conditioning unit.

Mr. Cawker confirmed that no vehicle or equipment repairs or maintenance is conducted on-site. Likewise, no liquid or solid subject wastes were reported to be generated on the Phase One Property. However, there is a paint spray booth in the woodwork shop which is vented through the southeast side of the building. Mr. Cawker indicated that to his knowledge there have been no spills on the Phase One Property. Mr. Cawker also indicated that the property was formerly occupied by a pool sales and maintenance business that stored concentrated chlorine liquid in aboveground storage tanks along the southeast wall of the building. These tanks were removed prior to 2016.

Mr. Cawker did not know of any areas of contamination on-site, previous remediation work, or any other environmental investigations done on the Phase One Property. The only wastes reportedly generated on-site are solid wastes and recycling which are stored in bins and picked up at the curb side by the municipality.



Potentially Contaminating Activities Identified Through Interviews

The following potentially contaminating activities were identified from the above interview:

PCA#	PCA Description	Notes
28	Gasoline and Associated Products Storage in Fixed Tanks	Based on the age of the building, a concrete pedestal found in the basement, and a vent pipe observed along the northwest wall of the building, it is suspected that the dwelling on the Phase One Property was likely formerly heated using an oil-fired heating system.
Other	Paint Spray Booth	There is a paint spray booth used in the workshop building. Observations on-site included pails and cans of wood finishing lacquers, stains, and thinners stored in the paint spray area, and significant staining and debris on the floors.

Assessment of Information Gleaned Through Interviews

The information obtained during the above interview was deemed reliable and generally concurred with information acquired from our historical records review (Section 4.1) and environmental source information (Section 4.2) pertinent to the Phase One Property.



6.0 SITE RECONNAISSANCE

6.1 GENERAL REQUIREMENTS

The Phase One Property was visited by Paul Bandler of BluMetric on 22 July 2022, between 10:30 am and 12:30 pm. The weather was clear and sunny. Nothing impeded the visual inspection of the ground surface on the Phase One Property.

The Phase One Property is developed with two buildings at 84 Cannifton Road North, including a two-storey workshop building located on the north-northeast side of the property occupied by Main Event Tent Rentals and a small woodworking business with a paint spray booth, and a two-storey dwelling located on the northwest side of the property occupied by a residential tenant.

The property also consisted of a storage trailer on the west side of the property used for tent storage and a shipping container used for storage by the woodworking shop. The remainder of the site consisted of grassy areas on the west and east sides of the property and an asphalt paved and gravel covered parking area and driveway. No wells or evidence of any septic systems were noted on-site. Photographs of the exterior and interior portions of buildings and corresponding written descriptions and explanations of the photographs are provided in Section 10.5.

BluMetric staff also surveyed the Phase One Study Area including a 250 m radius area from the Phase One Property boundaries and noted occupants of neighboring properties. The Phase One Property is currently surrounded by residential, commercial, and industrial land uses, including McCaffrey's Garage & Towing Ltd. at 46-54 Cannifton Road North, MacPherson Motors Car Dealer at 115 Cannifton Road North, THF Auto Centre at 108 Cannifton Road North. An aboveground storage tank was observed along the west wall of the building at 46-54 Cannifton Road North. Two pole-mounted transfers were also noted along the periphery of the Phase One Property, one at the northeast side of the site along Lywood Street and one along the west side of the site along Cannifton Road North. No staining was noted in the vicinity of the transformers.

6.2 SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY

6.2.1 Structures and Other Improvements

i. General Description of Structures and Other Improvements

The Phase One Property was developed with two 2-storey buildings, a dwelling and workshop building, both of which are municipally known as 84 Cannifton Road North.



The workshop building was a slab on grade building, with wood and metal cladding walls and an asphalt shingled roof. There was no basement. The interior consisted of drywall and suspended ceiling, with concrete, carpeted, and vinyl floors. Lighting was provided by fluorescent lights.

The dwelling consisted of a limestone block foundation, with stone walls, and an asphalt-shingled roof. No access was provided to the living areas of the dwelling. The interior of the basement of the dwelling consisted of wood joist and plywood ceilings, concrete and gravel floors, and incandescent lighting.

No other buildings or structures were observed on the Phase One Property.

ii. Below Ground Structures

The workshop building did not have a basement or any other below ground structures associated with it.

The dwelling had a basement which comprised concrete and gravel floors, and stone walls. The basement consisted of the utility areas for the dwelling. Two sumps were observed in the basement and were noted as dry at the time of the inspection. An old cistern was also observed, which was reportedly used for storing water.

No other below ground structures were observed or noted on the Phase One Property.

iii. Tanks

At the time of the site visit on July 22, 2022, the workshop building on the Phase One Property was heated via a natural gas fired forced air furnace and cooled via an exterior stand-alone air conditioning unit located along the east wall of the building. No evidence of any existing storage tanks was observed.

The dwelling was heated via a gas-fired hot water boiler system located in the basement of the building and cooled via window-mounted air conditioning units observed on the second storey. No storage tanks were noted on the Phase One Property. However, a concrete pedestal was noted in the basement along the northwest wall of the dwelling, indicative of a potential former aboveground storage tank. A vent pipe was also observed along the exterior of the northwest wall of the building, in the vicinity of the existing gas meter. No staining was observed on the floors in the vicinity of the pedestal. No information regarding the removal or volume of the former tank was available.

In addition, an old cistern was also noted in the basement of the dwelling but was used for the storage of water.



iv. Potable and Non-Potable Water Sources

No wells were observed on the Phase One Property at the time of the inspection. The buildings on the Phase One Property were reportedly serviced by the municipal water and sanitary system, which connects to the property from the adjacent roadway (Cannifton Road North).

As discussed in Section 4.3.5, a review of the MECP Well Records dataset under the Ontario Regulation 903 of the Water Resources Act and the WWIS database revealed two domestic water supply well records were located on the Phase One Property, installed in 1959 and 1977. No decommissioning records were available for our review. The owner did not have any further details about the wells.

6.2.2 Underground Utilities and Service Corridors

Underground utilities on, in, and under the Phase One Property include Enbridge Gas and Bell Canada communication lines, and municipal water and sanitary sewer lines. No specific details are available regarding the exact locations of buried municipal water lines on the Phase One Property.

Underground Enbridge Gas lines enter the property from Cannifton Road North and connect to both buildings at the northwest corner.

Hydro One power lines run overhead along the roadways and connect to the south side of the dwelling from poles along Cannifton Road North, and to the east side of the workshop building from Lywood Street. No exterior electrical transformers were observed on the Phase One Property. However, two pole mounted transformers were observed bordering the west and east sides of the property.

No catch basins were observed on the Phase One Property. Catch basins connected to the municipal sanitary sewer system were observed along Cannifton Road North. Drainage ditches were observed along the west side of Lywood Street.

6.2.3 Interiors of Structures and Buildings

The Phase One Property was developed with two 2-storey buildings, a dwelling and workshop building. The dwelling was built in the early 1900s and at the time of the inspection, was occupied by a residential tenant. The dwelling consisted of a limestone block foundation, with stone walls, and an asphalt-shingled roof. No access was provided to the living areas of the dwelling. The interior of the basement of the dwelling consisted of utility areas, with two sumps (which were dry) and an old cistern that was reportedly used to store water. The basement comprised wood joist and plywood ceilings, broken concrete and gravel floors, and incandescent lighting.



The dwelling was heated via a gas-fired hot water boiler system located in the basement. The building was cooled via window-mounted air conditioning units observed in the second storey windows. No existing storage tanks were noted. However, a concrete pedestal was noted in the basement along the northwest wall of the dwelling, indicative of a potential former aboveground storage tank. In addition, a vent pipe was also observed along the exterior of the northwest wall of the building, in the vicinity of the existing gas meter. No staining was observed on the floors in the vicinity of the pedestal. No information regarding the removal or volume of the former tank was available.

The workshop building consisted of a slab on grade building, with wood and metal cladding walls and an asphalt shingled roof. There was no basement. The interior consisted of drywall and suspended ceiling, with concrete, carpeted, and vinyl floors. Lighting was provided by fluorescent lights. The building was divided into two units, the west side of the building was occupied by Main Event Tent Rentals and stored materials and equipment used for the rental business, as well as small quantities of soaps and detergents used for cleaning. The east portion of the building was occupied by a small woodworking shop with a paint spray booth.

The workshop building was heated via a natural gas fired forced air furnace and cooled via an exterior stand-alone air conditioning unit located along the west wall of the building. No evidence of any existing storage tanks was observed. However, interviews revealed that the previous occupant of the building was a pool installation and maintenance company which stored concentrated chlorine liquid in aboveground storage tanks located along the southeast wall of the building. These tanks were removed prior to 2016.

Electrical power is provided to the buildings by hydro power lines that run overhead and connect to the south side of the dwelling from poles along Cannifton Road North, and to the east side of the workshop building from Lywood Street. No exterior electrical transformers were observed on the Phase One Property. However, two pole mounted transformers were observed bordering the west and east sides of the Phase One Property.

Both buildings were reportedly connected to the municipal water supply lines coming from the roadways. No wells or septic systems were observed on the Phase One Property. No catch basins or drains were observed on the Phase One Property. Surface water drainage is believed to either infiltrate the permeable surfaces on the Phase One Property, and/or flow overland to the south-southwest towards a low point in the centre of the parking area.

Photographs of the interior portions of the building and corresponding written descriptions and explanations of the photographs are provided in Section 10.5.



6.2.4 Exterior Portions of the Phase One Property

i. Current and Former Wells

No potable or non-potable water wells were observed on the Phase One Property during the inspection.

As discussed in Section 4.3.5, a review of the MECP Well Records dataset under the Ontario Regulation 903 of the Water Resources Act and the WWIS database revealed two domestic water supply well records were located on the Phase One Property, installed in 1959 and 1977. No decommissioning records were located.

ii. Sewage Works

The Phase One Property is serviced by the municipal water supply and sanitary sewer system running along the public roadways. No evidence of a septic system or tile bed was observed on the Phase One Property; however, it is expected that a septic system would have previously been present on-site in the grassy area to the south of the dwelling. It is unknown if the septic system remains on-site or if it has been removed.

iii. Ground Surface Details

The exterior areas of the Phase One Property consists of grassy areas on the west and east sides of the property and an asphalt paved and gravel covered parking area and driveway. No wells or septic systems were observed on the property. The Phase One Property is bordered by public roadways (Lywood Street and Cannifton Road North) to both the east and west of the site.

iv. Railway Lines and Spurs

No former or current rail lines or spurs are known to exist on the Phase One Property.

6.2.5 Parts of the Phase One Property Not Covered by Buildings or Other Structures

i. Stained Soil, Vegetation or Pavement

No stained soil, vegetation, or pavement was observed at the Phase One Property.

ii. Stressed Vegetation

No stressed vegetation was observed on the Phase One Property.



iii. Area Where Fill or Debris May Have Been Placed or Graded

No evidence of stockpiled fill materials was observed on the Phase One Property. However, fill material (and gravel) was likely brought on-site and distributed throughout the Phase One Property for grading purposes.

iv. Potentially Contaminating Activities in Areas Not Covered by Buildings or Other Structures

Portions of the Phase One Property consist of an asphalt-paved and gravel-covered parking lot and driveway, and the east and west portions of the Phase One Property are bordered by pedestrian sidewalks and public roadways. It is anticipated that de-icing agents will likely have been applied to some of these surfaces for purposes of pedestrian and vehicular safety under conditions of snow or ice. The application of de-icing agents is considered to be a PCA on the Phase One Property.

v. Unidentified Substances in Areas Not Covered by Buildings or Other Structures

No unidentified substances were observed in areas not covered by buildings or other structures.

6.2.6 Enhanced Investigation at the Property

At the time of our inspection on 22 July 2022, the Phase One Property comprised two buildings, one being a dwelling and one being a workshop building occupied by an event rental business and a small woodworking shop. Therefore, the Phase One Property is not currently being used (in whole or in part) for any industrial purposes, as an automotive repair garage, a bulk liquid dispensing facility, or as a dry-cleaning facility.

Based on the above observations and documented historical uses, described in Section 4.0 (Summarized in Subsection 4.1.2), the Phase One Property is not considered to be an “enhanced investigation property”.

6.2.7 Potential Asbestos Containing Materials

This Phase One ESA did not include any analytical testing of building materials for designated substances. Quantification of types and amounts of ACM at the phase one property was outside the scope of the current investigation. No suspected ACMs were observed in accessed areas of the dwelling and the workshop building.



6.3 WRITTEN DESCRIPTION OF THE INVESTIGATIONS

The investigations conducted for this assessment are described in Sections 4 through 6.

Chronologically, the first task was obtaining and reviewing available historical information about the Phase One Property by searching archival records and filing requests with organizations such as ERIS and OPTA intelligence (see Section 4.2). Physical setting sources were also obtained and reviewed at this time. BluMetric conducted interviews (see Section 5) and the Phase One Property and Phase One Study Area were visited (see Section 6.1) on the 22 July 2022.

The review and evaluation of the assembled information is presented in Section 7 and Conclusions are presented in Section 8. Aside from the reconnaissance visit, interviews, and review of information collected from numerous sources, no other investigations were conducted.

Based on the results of the above investigation, it is believed that the Phase One Property is supplied by the municipal drinking-water system as defined in the Safe Drinking Water Act, 2002. However, potable wells records were found located on the Phase One Property and within the Phase One Study Area (see Figure 5).



7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 CURRENT AND PAST USES

The current and past uses of the Phase One Property are described in the table below:

Year Acquired	Name of Owner(s)	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
Prior to 1802	Crown	The Phase One Property was undeveloped	Agricultural or Other Use	Chain of title search: 1802 is when the earliest entry in the land registry shows the first transfer of 100 acres of land from the Crown to an individual. The earliest account of the use of the property was acquired from Goad's illustrated atlases dated in 1800s which showed the Phase One Property to consist of undeveloped vacant land part of a larger tract of land on the east side of the Moira River, owned by J. Canniff. No Fire Insurance Plans or city directories were available for review.
1802	Peter McDougall			
1811	John Canniff			
1843	John V. Farley			
1846	Thomas Adams			
1850	Dunbar Ockerman			
1871	Eddy Tick			
1873	William Ferguson			
1876	Dunbar Ockerman			
1878	William Haight			
1910	Catherine Gertude Callery	The Phase One Property was developed with a 2-storey dwelling on the west side of the property.	Residential Use	Interviews conducted on-site on 22 July 2022, revealed that the Phase One Property was developed with the existing dwelling in the early 1900s. Aerial photographs from 1956 showed the Phase One Property to consist of a residential building on the west side of the property, fronting Cannifton Road North.
1936	Alfred Henry Harrow & John Batty			
1941	Jock Richard Williams & Meta Elizabeth Williams			
1956	Herbert Alan McCormick			
1969	William Frederick Post & Mary Kathleen Post	The Phase One Property was developed with the original 2-storey dwelling on the west side of the property and a 2-storey workshop building located on the northeast side of the property.	Commercial Use	Aerial photographs from 1974 subsequently showed an additional rectangular building (likely a workshop) on the northeast side of the property, reportedly built in the 1960s. Title search results revealed that the Phase One Property was owned by Golden's Trucking between 1977 and 1987. Vincent Golden subsequently took over ownership of the property.
1970	Delbert Thomas Latchford & Janet Latchford			
1977	Vincent Joseph Golden & Vernon Anthony Golden as Golden's Trucking			



Year Acquired	Name of Owner(s)	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
1987	Vincent Joseph Golden	In the 1990s, an addition was added to the workshop building.	Commercial Use	St. Lawrence Pools occupied the workshop building until approximately 2016, when the Phase One Property was transferred to the current owner, 2267178 Ontario Inc. Google Streetview showed that the workshop building was previously occupied by St. Lawrence Pools in 2009 and 2012. In 2018, the building was shown to be occupied by the current occupant, Main Event Tent Rentals.
2016	2267178 Ontario Inc. (Present Owner)	The Phase One Property remains developed with two 2-storey buildings, one workshop building occupied by Main Event Tent Rentals and a small woodworking shop, and a dwelling leased to a residential tenant.		

7.2 POTENTIALLY CONTAMINATING ACTIVITY

7.2.1 Phase One Property

The following potentially contaminating activities (PCA) have been identified on the Phase One Property:

Location of PCA	PCA ID	PCA#	PCA Description	Notes	Evaluation			
					Leads to APEC	NOC location	NOC Activity Type	NOC Contaminant
Exterior Portions of Phase One Property	1	Other	Application of De-icing Agent for purpose of Pedestrian & Vehicular Safety under Conditions of Snow or Ice	The Phase One Property consists of gravel-covered and asphalt-paved parking areas and driveway. The east and west portions of the Phase One Property are also bordered by pedestrian sidewalks and public roadways. It is anticipated that de-icing agents will likely have been applied to these surfaces for purposes of pedestrian and vehicular safety under conditions of snow or ice.	X	-	-	-
Entire Phase One Property	2	Other	Fill material of unknown quality	Fill material (and gravel) is expected to have been brought on-site and distributed throughout the site for grading purposes.	X	-	-	-
Northwest Portion of the Phase One Property	3	28	Gasoline and Associated Products Storage in Fixed Tanks	Based on the age of the building, a concrete pedestal found in the basement, and a vent pipe observed along the northwest wall of the building, it is suspected that the dwelling on the Phase One Property was likely formerly heated using an oil-fired heating system.	X	-	-	-
East Portion of the Phase One Property	4	Other	Paint Spray Booth	There is a paint spray booth used in the workshop building. Observations on-site included pails and cans of wood finishing lacquers, stains, and thinners stored in the paint spray area, and significant staining and debris on the floors.	X	-	-	-

Note: NOC – “Not of Concern” based on the corresponding reason (i.e., Location, Activity Type, and/or Contaminant Type).



7.2.2 Phase One Study Area

The following PCAs were identified within the Phase One Study Area and were considered to lead to APECs on the Phase One Property:

Address	Distance to Phase One Property (m)	Direction to Phase One Property	PCA ID	#	PCA Description	Notes	Evaluation	Rationale		
							Leads to APEC	NOC location	NOC Activity Type	NOC Contaminant Type
Bordering the East of the Phase One Property	2	W	5	55	Transformer Manufacturing, Processing and Use	Two pole-mounted transformers were also noted along the periphery of the Phase One Property, one at the northeast side of the site along Lywood Street (APEC-inferred upgradient with respect to runoff and groundwater flow) and one along the west side of the site along Cannifton Road North (not an APEC – inferred downgradient with respect to runoff and groundwater flow).	Yes	-	-	-
Bordering the West of the Phase One Property	2	NE	6	55	Transformer Manufacturing, Processing and Use		No	-	-	-
108 Cannifton Road North	92	N	7	27	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	THF Auto Centre at 108 Cannifton Road North	No	X	-	-
115 Cannifton Road North	125	NW	8	27	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	MacPherson Motors Car Dealer at 115 Cannifton Road North.	No	-	-	-
46-54 Cannifton Road North	88	S	9	27	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	McCaffrey's Garage & Towing Ltd. at 46-54 Cannifton Road North.	No	X	-	-
46-54 Cannifton Road North	88	S	10	28	Gasoline and Associated Products Storage in Fixed Tanks	An aboveground storage tank was observed along the west wall of the building at 46-54 Cannifton Road North.	No	X	-	-



Address	Distance to Phase One Property (m)	Direction to Phase One Property	PCA ID	#	PCA Description	Notes	Evaluation		Rationale	
							Leads to APEC	NOC location	NOC Activity Type	NOC Contaminant Type
54 Cannifton Road North	88	S	11	Other	Subject Waste Generator	GEN records for McCaffrey's Garage & Towing Ltd. for light fuels in 2019 to 2022, as well as Aliphatic solvents and residues, Waste crankcase oils and lubricants in 2021 and 2022.	No	X	-	-
51 Cannifton Road North	127	SW	12	Other	Subject Waste Generator	GEN records for Pinchin Ltd. for light fuels in 2020 and 2021.	No	X	-	-
1 Black Diamond Road	122	SSW	13	Other	Subject Waste Generator	GEN records for Black Diamond Cheese for acid waste - other metals, PCB's, waste oils & lubricants in 1992 to 1999.	No	X	-	-
Cannifton Road at Black Diamond Road	133	NW	14	Other	Spill Incident	SPL record detailing gasoline found while blasting the sewer main line in 1989.	No	X	-	-
38 Black Diamond Road	136	SE	15	Other	Spill Incident	SPL record for Hydro One Inc. for a spill of 75 L of transformer oil in 2015 onto the land due to human error. PCBs were suspected.	No	X	-	-
121 Parks Drive	200	WNW	16	Other	Subject Waste Generator	GEN records for McInroy-Maines Construction Ltd. for aliphatic solvents and residue, and waste oils & lubricants between 1992 and 2022.	No	X	-	-
131 Parks Drive	190	W	17	28	Gasoline and Associated Products Storage in Fixed Tanks	FSTH and FST records for Penske Truck Leasing Canada Inc. for four fuel oil USTs (steel) with capacities of 50,000 L (2) and 25,000 L (2), installed in 1988. EXP and DTNK records Penske Truck Leasing Canada Inc. and Rentway Canada Ltd. for an expired gasoline station. PRT records for Rentway Canada Ltd. for a retail fuel supply license with a capacity of 32,996 L.	No	X	-	-



Address	Distance to Phase One Property (m)	Direction to Phase One Property	PCA ID	#	PCA Description	Notes	Evaluation		Rationale		
							Leads to APEC	NOC location	NOC Activity Type	NOC Contaminant Type	
131 Parks Drive	190	W	18	Other	Subject Waste Generator	GEN records for Rentway Canada Ltd. for waste oils & lubricants, detergents/soaps, aliphatic solvents, petroleum distillates, oil skimmings & sludges between 1988 and 2001. GEN records for Penske Truck Leasing Canada Inc. for waste oils & lubricants, detergents/soaps, aliphatic solvents, petroleum distillates, oil skimmings & sludges between 2000 and 2022.	No	X	-	-	
109 Parks Drive	240	WNW	19	27	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	EASR record for Davidson's Blasting & Painting related to approvals for an Automotive Refinishing Facility.	No	X	-	-	

Note: NOC – “Not of Concern” based on the corresponding reason (i.e., Location, Activity Type, and/or Contaminant Type). Bolded text denotes PCAs that result in APECs on the Phase One Property.

Chronologically, the first task was a review of the information obtained by filing requests with organizations notably the ERIS databases (see Section 4.2). Physical setting sources were also obtained and reviewed at this time. BluMetric conducted interviews (see Section 5) and the Phase One Property and Phase One Study Area were visited (see Section 6.1) on the 22 July 2022.

The above on-site and off-site PCAs are shown in Figure 5 in Section 10.3.

7.2.3 Information Gaps in the Phase One Investigation

Information concerning the original heating source for the dwelling was limited. No fire insurance documents were available for review. However, evidence (i.e., a vent pipe and concrete pedestal) of an aboveground storage tank was observed and was assumed to have been associated with a previous oil-fired boiler system.



Likewise, the operations of the original occupants (Golden’s Trucking) of the workshop building are unknown. However, there was no evidence of any vehicle repair or maintenance operations observed on the Phase One Property. Other than title search records, no historical records regarding these operations were available for review.

The MECP FOI response had not been received at the time of issue of the current report.

All readily available records and responses received from various authorities were reviewed and are attached in Section 10.4.

7.3 AREAS OF ACTUAL OR POTENTIAL ENVIRONMENTAL CONCERN

Areas of potential environmental concern (APECs) were identified on the Phase One Property due to current and historical land uses, as shown in Figure 6.

The following APECs were identified on the entire Phase One Property:

Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA)	Location of PCA (On-site or Off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Ground Water, Soil and/or Sediment)
A	Exterior Portions of Phase One Property	PCA 1: #Other – Application of De-Icing Agent for purpose of Pedestrian & Vehicular Safety under Conditions of Snow or Ice** The Phase One Property consists of gravel-covered and asphalt-paved parking areas and driveway. The east and west portions of the Phase One Property are also bordered by pedestrian sidewalks and public roadways. It is anticipated that de-icing agents will likely have been applied to these surfaces for purposes of pedestrian and vehicular safety under conditions of snow or ice.	On-Site	EC, SAR,	Soil
				Na, Cl-	Ground Water
B	Entire Phase One Property	PCA 2: #Other –Fill Material of Unknown Quality Fill material (and gravel) is expected to have been brought on-site and distributed throughout the site for grading purposes.	On-Site	PHC, PAH, Metals, As, Sb, Se, Cr (VI), Hg, B-HWS, CN-	Soil and Ground Water
C	Northwest Portion of the Phase One Property	PCA3: #28 – Gasoline and Associated Products Storage in Fixed Tanks Based on the age of the building, a concrete pedestal found in the basement, and a vent pipe observed along the northwest wall of the building, it is suspected that the dwelling on the Phase One Property was likely formerly heated using an oil-fired heating system.	On-Site	PHCs, PAHs, BTEX, Metals	Soil and Ground Water



Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA)	Location of PCA (On-site or Off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Ground Water, Soil and/or Sediment)
D	East Portion of Phase One Property	PCA 4: #Other – Paint Spray Booth There is a paint spray booth used in the workshop building. Observations on-site included pails and cans of wood finishing lacquers, stains, and thinners stored in the paint spray area, and significant staining and debris on the floors.	On-Site	PHCs, PAHs, Metals (lead), VOCs	Soil and Ground Water
E	Northeast Portion of Phase One Property	PCA 5: #55 – Transformer Manufacturing, Processing and Use Pole-mounted transformer noted along the periphery of the Phase One Property, at the northeast (upgradient) side of the site along Lywood Street.	Off-Site	PHCs, PCBs	Soil and Ground Water

Note:

- PHC – petroleum hydrocarbons
- PAH – polycyclic aromatic hydrocarbons
- EC – Electrical Conductivity
- Na – sodium
- As – arsenic
- Se – selenium
- Sb – antimony
- Cr (VI) – chromium (VI)
- Metals – metals
- BTEX – benzene, toluene, ethylbenzene, and xylene
- SAR – sodium adsorption ratio
- Cl- – chloride
- VOC – volatile organic compounds
- CN- – cyanide
- Hg – mercury
- B-HWS – boron (hot water soluble)

** Section 49.1 paragraph 1 of Ontario Regulation 153/04 has been relied upon and the site condition standards are deemed to have been met for contaminants associated with applications of substances to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both. Further consideration of this PCA/APEC through sampling and analyses is not required as part of a Phase Two ESA.

7.3.1 Contaminants of Potential Concern

The APEC table above in Section 7.3 identifies contaminants of potential concern associated with each APEC. The contaminants of potential concern were identified based on the type of potentially contaminating activity identified.

7.4 PHASE ONE CONCEPTUAL SITE MODEL

This Phase One Conceptual Site Model (CSM) has been prepared based on historical records review, site reconnaissance, building inspections, and interviews with knowledgeable persons collected to date as part of the Phase One Environmental Site Assessment (ESA) conducted at the Phase One Property by BluMetric.

The Phase One CSM comprises the following text and associated drawings, as referenced below.



<p>Section 1. Provide one or more figures of the Phase One Study Area that;</p>	<p>Please refer to Figures 1 through 6.</p>
<p><i>i.</i> Show any existing buildings and structures,</p>	<p>Figure 1: Phase One Property & Study Area Plan</p> <ul style="list-style-type: none"> • Location of the Phase One Property within the Phase One Study Area <p>Figure 2: Phase One Property Site Features</p> <ul style="list-style-type: none"> • Location of former and existing buildings and structures on Phase One Property
<p><i>ii.</i> Identify and locate water bodies located in whole or in part in the Phase One Study Area,</p>	<p>Figure 3: Topographic Map, Areas of Natural Scientific Interest, & Water Bodies</p> <ul style="list-style-type: none"> • Location of Water Bodies within the Phase One Study Area <p>There are currently no waterbodies or water features on the Phase One Property. The Moira River channel is located approximately 120 m west of the site, as shown in Figure 3. Moira River flows in a south-southeastward direction into Lake Ontario, which is located approximately 4.9 km south of the Phase One Property.</p>
<p><i>iii.</i> Identify and locate any areas of natural significance located in whole or in part on the Phase One Study Area,</p>	<p>Figure 3: Topographic Map, Areas of Natural Scientific Interest, & Water Bodies</p> <ul style="list-style-type: none"> • Identifies and locates areas of natural significance within the Phase One Study Area <p>There are no areas of natural significance on the Phase One Property. However, woodland areas are found 100 m east of the site and 76 m west of the site. Unevaluated wetland areas are also found 182 m northeast of the site.</p>
<p><i>iv.</i> Locate any drinking water wells at the Phase One Property</p>	<p>Figure 4: MECP Water Well Records</p> <ul style="list-style-type: none"> • Location of MECP registered water wells within the Phase One Study Area • Location of any potable wells within the Phase One Study Area • Location of any wellhead protection areas and any other ground water protection areas within the Phase One Study Area <p>Two domestic water supply well records located on the Phase One Property, installed in 1959 and 1977. However, at the time of inspection, no wells were located and the Phase One Property was connected to municipal water supply. The Phase One Property is not located in an area designated in a municipal official plan as a well-head protection area or other designation identified by the municipality for the protection of ground water.</p>
<p><i>v.</i> Show roads, including names, within the Phase One Study Area,</p>	<p>Figure 1: Phase One Property Location & Study Area Plan</p> <ul style="list-style-type: none"> • Location of the Phase One Property within the Phase One Study Area • Roads and feature names within the Phase One Study Area
<p><i>vi.</i> Show uses of properties adjacent to the Phase One Property,</p>	<p>Figure 5: CSM – Phase One Study Area</p> <ul style="list-style-type: none"> • Uses of properties adjacent to the Phase One Property
<p><i>vii.</i> Identify and locate areas where any potentially contaminating activity has occurred, and show tanks in such areas,</p>	<p>Figure 5: CSM – Phase One Study Area</p> <ul style="list-style-type: none"> • Locations of on-site and off-site PCAs • Locations of storage tanks within the Phase One Study Area <p>Four PCAs were identified on the Phase One Property**</p>
<p><i>viii.</i> Identify and locate any areas of potential environmental concern.</p>	<p>Figure 6: CSM – Phase One Property</p> <ul style="list-style-type: none"> • Locations of APECs within the Phase One Property <p>Five APECs were identified within the Phase One Property**</p>



<p>Section 2. Provide a description and assessment of,</p>	
<p><i>i.</i> areas where potentially contaminating activity on, or potentially affecting the Phase One Property has occurred,</p>	<p><u>APEC A – Exterior Portions of Phase One Property</u> PCA 1: #Other – Application of De-icing Agent for purpose of Pedestrian & Vehicular Safety under Conditions of Snow or Ice** The Phase One Property consists of gravel-covered and asphalt-paved parking areas and driveway. The east and west portions of the Phase One Property are also bordered by pedestrian sidewalks and public roadways. It is anticipated that de-icing agents will likely have been applied to these surfaces for purposes of pedestrian and vehicular safety under conditions of snow or ice.</p> <p><u>APEC B – Entire Phase One Property</u> PCA 2: #Other – Fill Material of Unknown Quality Fill material (and gravel) is expected to have been brought on-site and distributed throughout the site for grading purposes.</p> <p><u>APEC C – Northwest Portion of the Phase One Property</u> PCA 3: #28 – Gasoline and Associated Products Storage in Fixed Tanks Based on the age of the building, a concrete pedestal found in the basement, and a vent pipe observed along the northwest wall of the building, it is suspected that the dwelling on the Phase One Property was likely formerly heated using an oil-fired heating system.</p> <p><u>APEC D – East Portion of Phase One Property</u> PCA 4: #Other – Paint Spray Booth There is a paint spray booth used in the workshop building. Observations on-site included pails and cans of wood finishing lacquers, stains, and thinners stored in the paint spray area, and significant staining and debris on the floors.</p> <p><u>APEC E – Northeast Portion of Phase One Property</u> PCA 5: #55 – Transformer Manufacturing, Processing and Use Pole-mounted transformer noted along the periphery of the Phase One Property, at the northeast side of the site along Lywood Street.</p>
<p><i>ii.</i> Contaminants of potential concern,</p>	<p><u>APEC A – Exterior Portions of Phase One Property</u> EC, SAR, Na, Cl-**</p> <p><u>APEC B – Entire Phase One Property</u> PHC, PAH, BTEX, Metals, As, Sb, Se, Cr (VI), Hg, B-HWS, CN-</p> <p><u>APEC C – Northwest Portion of the Phase One Property</u> PHCs, PAHs, BTEX, Metals</p> <p><u>APEC D – East Portion of Phase One Property</u> PHCs, PAHs, Metals (lead), VOCs</p> <p><u>APEC E – Northeast Portion of Phase One Property</u> PHCs, PCBs</p>
<p><i>iii.</i> Potential for underground utilities if present, to affect contaminant distribution and transport,</p>	<p>Underground utilities on, in, and under the Phase One Property include Enbridge gas and Bell Canada communication lines, and municipal water and sanitary sewer lines. No specific details are available regarding the exact locations of buried municipal services on the Phase One Property.</p> <p>Underground Enbridge gas lines enter the property from Cannifton Road North and connect to both buildings at the northwest corner.</p> <p>Hydro One power lines run overhead along the roadways and connect to the south side of the dwelling from poles along Cannifton Road North, and to the east side of the workshop building from Lywood Street. No exterior electrical transformers were observed on the Phase One Property. However, two pole mounted transformers were observed bordering the west and northeast sides of the property.</p> <p>No catch basins were observed on the Phase One Property. Catch basins connected to the municipal sanitary sewer system were observed along Cannifton Road North. Drainage ditches were observed along the west side of Lywood Street.</p>



<p><i>iv.</i> Available regional or site specific geological and hydrogeological information, and</p>	<p>Regional stratigraphy primarily consists of Paleozoic bedrock that is either exposed or has less than 1 m of drift cover, consisting of clay, silt, sand, gravel, and diamicton deposits (OGS, 2010). These surficial deposits are underlain by “Middle Ordovician” age bedrock of the “Ottawa Group” consisting of limestone, dolostone, shale, arkose, and sandstone (OGS, 2011). The physiography of the area has been described as limestone plains that are part of the broad physiographic region known as the Napanee Plain (Chapman and Putnam, 2007).</p> <p>The topography of the Phase One Property is generally flat with an average geodetic ground surface elevation of 97 m above sea level (ASL). The grade of the Phase One Property is similar to the adjacent properties. Regional topography generally slopes towards the west-southwest towards Moira River channel, located 20 m west of the site.</p> <p>Surficial materials on the Phase One Property were described in well records as topsoil or clay to approximately 0.6 m below grade surface (bgs), underlain by shale and grey limestone bedrock to a depth of 15.2 m bgs. Ground water was found at approximately 8 m bgs.</p>
<p><i>v.</i> How uncertainty or absence of information obtained in each of the components of the Phase One ESA could affect the validity of the model.</p>	<p>Information concerning the original heating source for the existing dwelling building was limited. No fire insurance documents or any other historical records regarding the original heating source of the building was available for review. However, evidence of a former storage tank was observed on-site. Therefore, it was assumed that the building was likely originally heated via an oil-fired heating system.</p> <p>All readily available records and responses received from various authorities were reviewed. The MECP FOI response had not been received at the time of issue of the current report.</p>
<p>Section 3. If the exemption set out in paragraph 1, 1.1 or 2 of section 49.1 of the regulation is being relied upon, document the rationale for relying upon the exemption, which may be based on information gathered during one or more of the records review, interviews and site reconnaissance.</p>	<p>Section 49.1 provides exemption if applicable site conditions standards are exceeded on the basis that:</p> <ul style="list-style-type: none"> (1.) Substances applied to surfaces for safety of vehicular or pedestrian traffic under conditions of snow or ice or both. (1.1) Excess soil deposited at the RSC property for final placement meets the soil quality standards that apply to the RSC property as determined in accordance with the Excess Soil Standards. (2.) Due to a discharge of drinking water within the meaning of the Safe Drinking Water Act, 2002 <p>Paragraph 1. of Section 49.1 is being relied upon. The QP has determined that the Phase One Property consists of gravel-covered and asphalt-paved parking areas and driveway. In addition, the east and west portions of the Phase One Property are also bordered by pedestrian sidewalks and public roadways. These areas of the Phase One Property may have been subject to the application of de-icing chemicals and the indirect exposure to roadway salts through pedestrian and vehicular exposure pathways, which have the potential to result in various contaminant exceedances on the Phase One Property solely because a substance may have been applied to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice (or both). Therefore, Section 49.1 paragraph 1 of Ontario Regulation 153/04 has been relied upon and the site condition standards are deemed to have been met for contaminants associated with applications of substances to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both. Further consideration of this PCA/APEC through sampling and analyses is not required as part of a Phase Two ESA.</p> <p>Paragraphs 1.1, and 2 of section 49.1 are not being relied upon.</p>



<p>Section 4. If there is an intention to rely upon the exemption set out in paragraph 3 of section 49.1 of the regulation, set out the intention to rely upon the exemption and provide a brief explanation as to why the exemption may apply, which may be based on information gathered during one or more of the records review, interviews, and site reconnaissance.</p>	<p>Paragraph 3 of section 49.1 provides exemption if applicable site conditions standards are exceeded on the basis that the concentration of the contaminant does not exceed naturally occurring range of concentrations of that contaminant typically found within the area the property is located.</p> <p>Paragraph 3 of section 49.1 is not being relied upon.</p>
--	--



8.0 CONCLUSIONS

8.1 IS A PHASE TWO ESA REQUIRED BEFORE AN RSC IS SUBMITTED?

Based on the findings of this Phase One ESA:

- Four PCAs were identified on the Phase One Property, and
- Two PCAs were identified in the Phase One Study Area that have the potential to pose environmental concern to the Phase One Property.

These are considered to represent five APECs within the Phase One Property.

Consequently, a Phase Two ESA is recommended to assess any subsurface impacts as a result of the aforementioned PCAs and APECs. The scope of the Phase Two ESA should entail drilling of boreholes for the purpose of collecting soil samples, and the installation of ground water monitoring wells to further evaluate the significance of the APECs identified above. Representative soil and ground water samples should be analyzed for the contaminants of potential concern identified, including metals, PHC, PAH, BTEX, VOCs, pH, As, Sb, Se, Cr (VI), Hg, B-HWS, CN-.

However, Section 49.1 paragraph 1 of Ontario Regulation 153/04 has been relied upon. As such, the site condition standards are deemed to have been met for contaminants associated with applications of substances to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both. Further consideration of this PCA/APEC (APEC A) through sampling and analyses is not required as part of the Phase Two ESA.

8.2 CAN AN RSC BE SUBMITTED ON THE PHASE ONE ESA ALONE?

It is the opinion of the QP that an RSC cannot be submitted solely on the basis of this Phase One ESA report. It is recommended that a Phase Two ESA be conducted to examine the APECs and delineate and/or remediate known impacts at the Phase One Property. Upon completion of the Phase Two ESA and any subsurface Risk Assessment Study (if required), a Record of Site Condition may be filed in the Environmental Site Registry.

8.3 LIMITING CONDITIONS, QP STATEMENT, AND QP SIGNATURE

This Phase One ESA report was performed in accordance with the substance and intent of the Phase One ESA document produced by the Canadian Standards Association (CSA Z768-01 and Update No. 1) and the definition in O. Reg. 153/04. The findings in this report are based on: observations made during a site visit; a review of historical records concerning the current and past uses of the Phase One Property; and requests for information filed with provincial and municipal agencies.



The conclusions presented in this report represent our professional opinion and are based on the conditions observed on the dates set out in the report, the information available at the time this report was prepared, the scope of work, and any limiting conditions noted herein.

BluMetric Environmental Inc. provides no assurances regarding changes to conditions subsequent to the time of the assessment. BluMetric makes no warranty as to the accuracy or completeness of the information provided by others or of the conclusions and recommendations predicated on the accuracy of that information.

This report has been prepared for 2267178 Ontario Inc. Any use a third party makes of this report, any reliance on the report, or decisions based upon the report, are the responsibility of those third parties unless authorization is received from BluMetric Environmental Inc. in writing. BluMetric Environmental Inc. accepts no responsibility for any loss or damages suffered by any unauthorized third party as a result of decisions made or actions taken based on this report.

This report was written by Amanda Gartshore, M.Sc., CAPM, and a technical and QA/QC review of the Phase One ESA Report was completed by Jaclyn Kalesnikoff, P.Geo., QP_{ESA}.

Statement and Signature of the Qualified Person

This Phase One Environmental Site Assessment of the Phase One Property includes the evaluation of information gathered from a records review, site reconnaissance, and interviews. It has been conducted in accordance with O. Reg. 153/04, by or under the supervision of a qualified person.

Respectfully submitted,
BluMetric Environmental Inc.



Amanda Gartshore, M.Sc., CAPM
Intermediate Environmental Scientist



Jaclyn Kalesnikoff, P.Geo., QP_{ESA}
Senior Hydrogeologist



9.0 REFERENCES

Intera Technologies Limited, 1987. *Inventory of Coal Gasification Plant Waste Sites in Ontario*. Prepared for Ontario Ministry of the Environment, Waste Management Branch.

Intera Technologies Limited, 1988. *Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario*. Prepared for Ontario Ministry of the Environment, Waste Management Branch. November.

Ministry of Natural Resources & Forestry, 2012-2018. Land Information Ontario – *Make a Map: Natural Heritage Areas* [Interactive Map].

Natural Resources Canada, 2011. The Atlas of Canada, Topographic Maps: *Toporama Web Map Service* - Toronto, Ontario [Digital topographic data]. Version 1.0. 1:12,600. Ottawa: Natural Resources Canada.

Ontario Ministry of Natural Resources, March 2017. ANSI (ANSI).

Ontario Geological Survey, 2010. *Surficial geology of Southern Ontario; Ontario Geological Survey*. Miscellaneous Release – Data 128 – Revised

Ontario Ministry of Natural Resources, 2010. *Ontario Base Map (OBM)*

Ontario Geological Survey, 2011. *Bedrock Geology of Ontario*. 1:250,000 Scale. Ontario Geological Survey, miscellaneous release. Data 126, Revision 1.

Ontario Ministry of the Environment (MOE), 1991. *Waste Disposal Site Inventory*. Prepared by the Waste Management Branch, PIBS 256. ISBN 0-7729-8409-3.

Ontario Ministry of the Environment (MOE). 2011. Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act.

Ontario Ministry of the Environment, 2004 (amended July 1, 2011). *Environmental Protection Act, Ontario Regulation 153/04, Records of Site Condition - Part XV.1 of the Act*.



10.0 APPENDICES

10.1 PLAN OF SURVEY

O. Reg. 153/04 requires that a phase one environmental site assessment report include a current plan of survey of the Phase One Property that has been prepared, signed, and sealed by a surveyor. No surveys were available for the Phase One Property.



SURVEYOR'S REAL PROPERTY REPORT
 PART I
 PLAN OF SURVEY
**LOT 5 AND PART OF LOT 6
 WEST OF CENTRE STREET
 LOT 6 AND PART OF LOT 7
 EAST OF FRONT STREET**
 REGISTERED PLAN 36 (REG'D. PLAN 278)
 VILLAGE OF CANNIFTON
 TOWNSHIP OF THURLOW
 COUNTY OF HASTINGS
 SCALE 1" = 30'
 WALTER I. WATSON, O.L.S. 1991

SURVEYOR'S CERTIFICATE :


I CERTIFY THAT :
 1. THIS SURVEY AND PLAN ARE CORRECT AND IN ACCORDANCE
 WITH THE SURVEYS ACT, THE SURVEYORS ACT
 AND THE REGULATIONS MADE UNDER THEM.

May 9, 2023


Keith Watson
 KEITH WATSON
 ONTARIO LAND SURVEYOR



FRONT STREET
 (FORMERLY THE KING'S HIGHWAY No 37)



Phase One and Two
 and RSC Property



PART 2

THIS REPORT MUST BE
 READ IN CONJUNCTION WITH
 SURVEY REPORT DATED

DECEMBER 19 1991.

THIS REPORT WAS PREPARED FOR

VINCE GOLDEN

AND THE UNDERSIGNED
 ACCEPTS NO RESPONSIBILITY
 FOR USE BY OTHER PARTIES.

NOTES:

BEARINGS ARE ASTRONOMIC, AND ARE REFERRED TO THE EAST LIMIT
 OF FRONT STREET HAVING A BEARING OF N2°33'E ACCORDING
 TO PLAN 21R-10968.

LEGEND

- DENOTES SURVEY MONUMENT FOUND
- DENOTES SURVEY MONUMENT PLANTED
- SIB STANDARD IRON BAR
- SSIB SHORT STANDARD IRON BAR
- IB IRON BAR
- Wh. WITNESS
- m MEASURED
- H.P. HYDRO POLE
- 776 M.J. McALPINE, O.L.S.
- 954 S.W. ALLAN, O.L.S.
- 1060 W.I. WATSON, O.L.S.
- g ROUND

SURVEYOR'S CERTIFICATE:

I CERTIFY THAT:

THE FIELD SURVEY REPRESENTED ON THIS PLAN WAS COMPLETED
 ON THE 12th DAY OF DECEMBER, 1991.


DECEMBER 19, 1991

Walter I. Watson
 WALTER I. WATSON
 ONTARIO LAND SURVEYOR

Revised May 9, 2023

NO PERSON MAY COPY, REPRODUCE,
 DISTRIBUTE, OR ALTER THIS PLAN
 WITHOUT WRITTEN PERMISSION OF
 W.I. WATSON, O.L.S.

WALTER I. WATSON LIMITED
 ONTARIO LAND SURVEYOR
 218 CHURCH STREET, BELLEVILLE, ONTARIO
 K8N 3C3 (613) 962-9521
 Copyright © Walter I. Watson Limited 1991 PROJECT N° 10830-G-91



**SURVEYOR'S REAL PROPERTY REPORT
"PART 2"**

(READ IN CONJUNCTION WITH PART 1)

This Report Prepared for Vince Golden

Description of Land: Lot 5 and Part of Lot 6
West of Centre Street
Lot 6 and Part of Lot 7
East of Front Street
Registered Plan 36
Village of Cannifton
Township of Thurlow
County of Hastings

Easements / Right-of Ways: None on title


Encroachments: See plan for location of fencing.

Compliance with Municipal By-Laws: Not certified by this report.

Additional Remarks: This Report to be read in conjunction with Part 1, Plan of Survey.
Location of under-ground services, not verified by this report.

Project No. 10830-G-91

(Date) December 19,1991


Walter I. Watson
Ontario Land Surveyor



WATSON LAND SURVEYORS LTD.

218 Church Street
Belleville, Ontario K8N 3C3

email: surveyor@watsonsurveyors.ca

Telephone: 613-962-9521
Fax: 613-962-8729

10.2 TOPOGRAPHIC MAP

A topographic map is included in Figure 3



10.3 FIGURES

This appendix includes the following Figures:

- Figure 1 Phase One Study Area
- Figure 2 Phase One Property Features
- Figure 3 Topographic Map, Areas of Natural Significance, Water Bodies, and Ground Water Information
- Figure 4 MECP Water Well Records
- Figure 5 Conceptual Site Model – Phase One Study Area
- Figure 6 Conceptual Site Model – Phase One Property





LEGEND

- Phase One Property Boundary
- Phase One Study Area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
 PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT

**Phase One Environmental Site Assessment
 84 Cannifton Road North, Belleville, Ontario**

TITLE

Phase One Property Location

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: http://www.blumetric.ca

PROJECT # 220456		DATE February 10, 2023	
DRAWN PB	CHECKED AG	FIG NO. 01	REV 0



LEGEND

- Phase One Property Boundary
- Workshop Building (Existing Footprint)
- Dwelling (circa early 1900s)
- Workshop Building (1960s)

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 10 20 Metres

1:500

CLIENT

2267178 Ontario Inc.

PROJECT


**Phase One Environmental Site Assessment
84 Cannifton Road North, Belleville, Ontario**

TITLE

Phase One Property Features

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: http://www.blumetric.ca

PROJECT # 220456		DATE February 10, 2023	
DRAWN PB	CHECKED AG	FIG NO. 02	REV 0



LEGEND

- Phase One Property Boundary
- Phase One Study Area
- Waterbody
- Green Space
- Intermediate Contour (masl)
- Major Contour (masl)
- Buildings
- Built Up Area

NOTES:

- Base map extracted from Toporama (NRCAN, 2019).
- There are no Areas of Natural Significance within the Study Area


The following resources were consulted:


- Ontario Ministry of Natural Resources and Forestry, Make-a-Map: Natural Heritage Areas (Queen's Printer for Ontario, 2014)
- Provincial Parks and Conservation Reserves Act 2006 (Land Information Ontario)
- Environmentally Significant Area designated in Upper and/or Lower Tier Municipality Official Plans
- Provincially Significant Wetlands and Areas of Natural and Scientific Interest (Land Information Ontario)
- Natural or Protection Area identified in Niagara Escarpment Plan (Niagara Escarpment Planning and Development Act)(Land Information Ontario)
- Oak Ridges Moraine Conservation Plan (Oak Ridges Moraine Conservation Act, 2001)(Land Information Ontario)
- Wilderness Areas Act (Land Information Ontario)

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES

PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.





1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT

**Phase One Environmental Site Assessment
84 Cannifton Road North, Belleville, Ontario**


TITLE

**Topographic Map, Areas of Natural
Scientific Interest, & Water Bodies**



825 Milner Avenue
Scarborough ON M1B 3C3
Tel: 416-383-0957
Fax: 416-383-0956
Email: info@blumetric.ca
Web: <http://www.blumetric.ca>

PROJECT # 220456		DATE February 10, 2023	
DRAWN PB	CHECKED AG	FIG NO. 03	REV 0



LEGEND

- Phase One Property Boundary
- Phase One Study Area

WWIS Well Record (MECP)

- ◆ Well of Other Status
- ◆ Potable Water or Agricultural Supply Well

NOTES:
There are no wellhead protection areas within the study area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT

**Phase One Environmental Site Assessment
84 Cannifton Road North, Belleville, Ontario**

TITLE

MECP Well Records

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: http://www.blumetric.ca

PROJECT # 220456		DATE February 10, 2023	
DRAWN PB	CHECKED AG	FIG NO. 04	REV 0



LEGEND

Potential Contaminating Activity (PCA)

- 27 - Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles
- 28 - Gasoline and Associated Products Storage in Fixed Tanks
- ✱ 55 - Transformer Manufacturing, Processing and Use
- Other - Application of De-Icing Agent for purpose of Pedestrian & Vehicular Safety under Conditions of Snow or Ice
- Other - Fill material of unknown quality
- Other - Paint Spray Booth
- Other - Spill Incident
- Other - Subject Waste Generator

Phase One Property Boundary

Phase One Study Area

Land Use

- Agricultural or Other Use
- Commercial Use
- Industrial Use
- Moira River
- Residential Use
- Woodlands

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES

PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT

**Phase One Environmental Site Assessment
84 Cannifton Road North, Belleville, Ontario**

TITLE

**Conceptual Site Model:
Phase One Study Area**

825 Milner Avenue
Scarborough ON M1B 3C3
Tel: 416-383-0957
Fax: 416-383-0956
Email: info@blumetric.ca
Web: http://www.blumetric.ca

PROJECT # 220456		DATE February 01, 2023	
DRAWN MB	CHECKED JK	FIG NO. 05	REV 1



LEGEND

Phase One Property Boundary

Area of Potential Environmental Concern (APEC)

- APEC A
- APEC B
- APEC C
- APEC D
- APEC E

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
 PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 10 20 Metres

1:500

CLIENT

2267178 Ontario Inc.

PROJECT

**Phase One Environmental Site Assessment
84 Cannifton Road North, Belleville, Ontario**

TITLE

**Conceptual Site Model:
Phase One Property**

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: http://www.blumetric.ca

PROJECT # 220456		DATE February 10, 2023	
DRAWN MB	CHECKED JK	FIG NO. 06	REV 2

Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA)
A	Exterior Portions of Phase One Property	PCA 1: #Other – Application of De-Icing Agent for purpose of Pedestrian & Vehicular Safety under Conditions of Snow or Ice**
B	Entire Phase One Property	PCA 2: #Other – Fill Material of Unknown Quality
C	Northwest Portion of the Phase One Property	PCA3: #28 – Gasoline and Associated Products Storage in Fixed Tanks
D	East Portion of Phase One Property	PCA 4: #Other – Paint Spray Booth
E	Northeast Portion of Phase One Property	PCA 5: #55 – Transformer Manufacturing, Processing and Use

10.4 ENVIRONMENTAL SOURCE INFORMATION

This appendix includes the following environmental source information:

- Land title information describing ownership of the Phase One Property;
- Fire insurance documents acquired from OPTA Information Intelligence (OPTA);
- A report describing federal, provincial and private database records for the Phase One Property and Phase One Study Area conducted by Environmental Risk Information Services (ERIS);
- Freedom of Information requests and responses from the Ministry of the Environment, Conservation and Parks (MECP);
- Correspondence with the Technical Standards and Safety Authority (TSSA); and
- Historical aerial photographs.



CHAIN OF TITLE REPORT

Project #: 22051200757
 Address: Sandy Hook Road, Picton
 Legal Description: Pt lot 21, Con 3 Military Tract
Hallowell as in PE102385 except Pts
1 & 2, 47R5384 lying S of Pt 1, 47R-6274
 PIN #: 55064-0166(LT)

Searched at: Picton
 LRO #: 47

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
303	Deed	17 08 1895	Henry B. Pickens	The Grewal Bros. Co. Ltd
314	Deed	05 11 1898	The Grewal Bros. Co. Ltd	George Frederick HEPBURN
14807	Deed	21 01 1910	George Frederick Hepburn	Richard Herbert CALNAN
15626	Deed	30 01 1937	Richard Herbert Calnan	Oral Burton CALNAN
16904	Deed	10 06 1947	Oral Burton Calnan	Oral Burton CALNAN Elfreda CALNAN
22159	Deed	24 12 1958	Oral Burton Calnan Elfreda Calnan	Oral Burton CALNAN
61963	Deed	22 09 1975	Oral Burton Calnan - estate	Harvard CALNAN
PE102385	Deed	26 10 1987	Harvard Calnan	Floyd Elmer JENKINS Lynda Ann JENKINS
EC66936	Deed (Present Owner)	01 02 2022	Lynda Ann Jenkins (surviving joint tenant)	SG Red IV Land Corp.

LAND
REGISTRY
OFFICE #47

55064-0166 (LT)

PAGE 1 OF 1
PREPARED FOR bertucci
ON 2022/07/22 AT 10:28:48

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PROPERTY DESCRIPTION: PT LT 21 CON 3 MILITARY TRACT HALLOWELL AS IN PE102385 (PARCEL TWO); EXCEPT PTS 1 & 2, 47R5384; LYING S OF PT 1, 47R6274; PRINCE EDWARD

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK

PIN CREATION DATE:

2006/07/24



OWNERS' NAMES

SG RED IV LAND CORP.

CAPACITY SHARE

ROWN

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 2006/07/21 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 2006/07/24 **</p>						
PE102385	1987/10/26	TRANSFER		*** DELETED AGAINST THIS PROPERTY ***	JENKINS, FLOYD ELMER JENKINS, LYNDA ANN	
EC25538	2012/12/18	APL OF SURV-LAND		*** DELETED AGAINST THIS PROPERTY *** JENKINS, FLOYD ELMER	JENKINS, LYNDA ANN	
EC66936	2022/02/01	TRANSFER	\$3,500,000	JENKINS, LYNDA ANN	SG RED IV LAND CORP.	C
REMARKS: PLANNING ACT STATEMENTS.						



PROPERTY INDEX MAP
PRINCE EDWARD(No. 47)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS


THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED





enviroscan



An SCM Company

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

T: 905-882-6300
W: www.optaintel.ca

Report Completed By:

Midori

Site Address:

84 Cannifton Road North, Belleville, ON

Project No:

22061700426

Opta Order ID:


110964

Requested by:

Eleanor Goolab
ERIS

Date Completed:

6/24/2022 10:50:35 AM



Opta Historical Environmental Services EnviroscanTM Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.

No Records Found

Requested by:
Eleanor Goolab

Date Completed: 06/24/2022 10:50:35



OPTA INFORMATION INTELLIGENCE

No Records Found





DATABASE REPORT

Project Property: *Phase One ESA - 84 Cannifton Road North
84 Cannifton Road North
Belleville ON K8N 4Z6*

Project No: *220456*

Report Type: *RSC Report (Urban)*

Order No: *22061700426*

Requested by: *BluMetric Environmental Inc.*

Date Completed: *June 22, 2022*

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	19
Map.....	34
Aerial.....	35
Topographic Map.....	36
Detail Report.....	37
Unplottable Summary.....	241
Unplottable Report.....	246
Appendix: Database Descriptions.....	273
Definitions.....	282

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Phase One ESA - 84 Cannifton Road North
84 Cannifton Road North Belleville ON K8N 4Z6*

Project No: 220456

Order Information:

Order No: 22061700426
Date Requested: June 17, 2022
Requested by: BluMetric Environmental Inc.
Report Type: RSC Report (Urban)

Historical/Products:

Aerial Photographs *Aerials - National Collection*
City Directory Search *CD - Subject Site*
ERIS Xplorer [ERIS Xplorer](#)
Insurance Products *Fire Insurance Maps/Inspection Reports/Site Plans*
Land Title Search *Historical Land Title Search*
Topographic Map *RSC Maps*

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	1	1
BORE	<i>Borehole</i>	Y	0	0	0
CA	<i>Certificates of Approval</i>	Y	0	0	0
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	3	3
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	0	0
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	7	7
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	1	1
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	4	4
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	2	2
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	49	49
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	2	2
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	0	0
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	2	2
SPL	<i>Ontario Spills</i>	Y	0	3	3
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	2	65	67
Total:			2	140	142

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	WWIS		lot 5 con 3 ON <i>Well ID:</i> 2902925	SSW/0.0	0.00	37
2	WWIS		lot 5 con 3 ON <i>Well ID:</i> 2908071	WNW/0.0	0.28	39

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
3	WWIS		lot 6 con 3 ON Well ID: 2905879	SE/13.8	1.15	42
4	WWIS		lot 6 con 3 ON Well ID: 2902977	NE/15.5	2.18	45
5	WWIS		lot 8 con 3 ON Well ID: 2903007	NE/20.3	2.12	47
6	WWIS		lot 6 con 3 ON Well ID: 2902962	ESE/20.5	2.07	50
7	WWIS		lot 5 con 3 ON Well ID: 2902945	WNW/23.5	-1.96	52
8	WWIS		lot 5 con 3 ON Well ID: 2902929	NW/36.9	-0.97	55
9	WWIS		lot 6 con 3 ON Well ID: 2902959	ESE/38.5	2.12	58
10	WWIS		lot 5 con 3 ON Well ID: 2905202	S/40.6	0.12	60
11	WWIS		lot 5 con 3 ON Well ID: 2905201	SSW/42.6	-0.58	63
12	WWIS		lot 6 con 3 ON Well ID: 2902955	ESE/43.0	2.12	66
13	WWIS		lot 5 con 3 ON Well ID: 2902933	SW/47.2	-1.93	68
14	WWIS		lot 6 con 3 ON	N/51.1	1.81	71

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 2908054			
15	WWIS		lot 6 con 3 ON Well ID: 2902968	NE/60.0	2.81	74
16	WWIS		lot 5 con 3 ON Well ID: 2904018	ESE/63.9	2.11	76
17	WWIS		lot 6 con 3 ON Well ID: 2902981	E/64.2	2.09	79
18	WWIS		lot 5 con 3 ON Well ID: 2906069	WSW/64.8	-2.58	81
19	WWIS		lot 5 con 3 ON Well ID: 2902941	SW/66.0	-1.93	84
20	WWIS		lot 6 con 3 ON Well ID: 2902958	N/68.8	1.81	87
21	WWIS		lot 5 con 3 ON Well ID: 2902939	WNW/74.5	-2.88	89
22	WWIS		lot 5 con 3 ON Well ID: 2902935	WNW/78.0	-2.88	92
23	GEN	McCaffrey's Garage & Towing Ltd	54 Cannifton Rd N Belleville ON K0K 1K0	S/87.9	-0.19	94
23	GEN	ART MCCAFFREY'S GARAGE & TOWING	54 Cannifton Rd N CANNIFTON ON K0K1K0	S/87.9	-0.19	95
24	WWIS		lot 5 con 3 ON Well ID: 2902942	WNW/89.1	-2.88	95
25	GEN	ART MCCAFFREY'S GARAGE & TOWING	54 Cannifton Rd N CANNIFTON ON K0K1K0	SSW/96.2	-0.92	97
26	EHS		54 Cannifton Rd N Belleville ON K8N4T9	SSW/99.5	-0.92	98

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
27	WWIS		lot 5 con 3 ON Well ID: 2905175	ESE/99.7	2.09	98
28	WWIS		lot 6 con 3 ON Well ID: 2902972	NW/102.4	-0.10	101
29	WWIS		lot 5 con 3 ON Well ID: 2905111	E/102.9	3.12	104
30	WWIS		lot 5 con 3 ON Well ID: 2902923	WSW/106.5	-3.93	106
31	WWIS		lot 6 con 3 ON Well ID: 2904656	E/107.1	3.15	108
32	WWIS		lot 5 con 3 ON Well ID: 2905112	ENE/112.3	3.03	111
33	WWIS		lot 6 con 3 ON Well ID: 2902954	S/115.0	-0.80	113
34	WWIS		lot 5 con 3 ON Well ID: 2902940	WSW/116.4	-2.88	116
35	WWIS		lot 6 con 3 ON Well ID: 2902952	SSW/121.4	-0.80	118
36	SPL	BLACK DIAMOND CHEESE	BELLEVILLE PLANT 1 BLACK DIAMOND ROAD BELLEVILLE CITY ON	SSW/122.2	-1.91	121
36	GEN	BLACK DIAMOND CHEESE	1 BLACK DIAMOND ROAD 1/4 MILE EAST OF HWY 37 AT HWY 401 THURLOW TWP. ON K8N 5A1	SSW/122.2	-1.91	121
36	GEN	BLACK DIAMOND CHEESE 08-411	DIV. AULT FOODS 1 BLACK DIAMOND RD. P.O.BOX #1 BELLEVILLE ON K8N 5A1	SSW/122.2	-1.91	122

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
36	GEN	BLACK DIAMOND CHE(SEE & USE ON2275708)	1 BLACK DIAMOND ROAD 1/4 MILE EAST OF HWY 37 AT HWY 401 THURLOW TWP. ON K8N 5A1	SSW/122.2	-1.91	122
37	GEN	Pinchin Ltd.	51 Cannifton Road North Belleville ON K0K 1K0	SW/127.2	-1.85	123
37	GEN	Pinchin Ltd.	51 Cannifton Road North Belleville ON K0K 1K0	SW/127.2	-1.85	123
38	WWIS		lot 5 con 3 ON Well ID: 2905113	E/127.9	3.12	123
39	EHS		51 cannifton road north Belleville ON K8N 4Z6	SSW/129.2	-1.85	126
40	WWIS		lot 6 con 3 ON Well ID: 2902956	N/130.6	2.03	126
41	SPL	UNKNOWN	CANNIFTON AT BLACK DIAMOND ROAD BELLEVILLE CITY ON	SSW/132.5	-1.91	128
42	SPL	Hydro One Inc.	38 Black Diamond Road Belleville ON	SE/135.8	1.43	129
43	WWIS		lot 6 con 3 ON Well ID: 2907947	ESE/138.7	2.12	129
43	WWIS		lot 6 con 3 ON Well ID: 2907948	ESE/138.7	2.12	132
44	WWIS		lot 6 con 3 ON Well ID: 2902986	NNW/146.3	2.12	135
45	WWIS		lot 6 con 3 ON Well ID: 2902946	NNE/160.6	4.15	138
46	WWIS		lot 6 con 3 ON Well ID: 2905616	NW/161.5	-1.88	141

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
47	WWIS		lot 6 con 3 ON Well ID: 2908769	NE/163.9	4.12	144
48	WWIS		lot 6 con 3 ON Well ID: 2902961	NE/167.8	4.03	146
49	WWIS		lot 5 con 2 ON Well ID: 2902759	SW/176.9	-2.58	148
50	WWIS		lot 6 con 3 ON Well ID: 2902985	NNE/178.5	4.32	151
51	WWIS		131 A PARKS DR Belleville ON Well ID: 7328449	W/185.9	-4.02	153
52	WWIS		lot 6 con 3 ON Well ID: 2908728	SSE/187.6	0.17	157
53	WWIS		lot 5 con 2 ON Well ID: 2906582	SSW/190.0	-2.58	160
54	WWIS		lot 6 con 3 ON Well ID: 2905922	NNE/190.0	4.20	162
55	WWIS		lot 6 con 3 ON Well ID: 2902963	NNE/200.8	4.42	165
56	WWIS		lot 6 con 3 ON Well ID: 2909287	NNE/204.7	4.20	167
57	WWIS		lot 5 con 3 ON Well ID: 2902928	NW/204.8	-3.27	170
58	WWIS		lot 6 con 3 ON Well ID: 2902987	NNW/205.5	3.15	173
59	WWIS		lot 6 con 3 ON Well ID: 2902988	N/211.0	4.07	175

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
60	WWIS		lot 6 con 3 ON Well ID: 2904830	NNE/211.9	5.15	178
60	WWIS		lot 6 con 3 ON Well ID: 2909286	NNE/211.9	5.15	181
61	WWIS		lot 6 con 3 ON Well ID: 2902934	NNE/213.5	5.05	183
62	WWIS		lot 5 con 3 ON Well ID: 2902926	NNW/223.3	-1.88	185
63	WWIS		lot 6 con 3 ON Well ID: 2902949	E/230.9	3.19	188
64	WWIS		131 A PARKS DR Belleville ON Well ID: 7328448	W/233.9	1.35	190
65	WWIS		ON Well ID: 7376897	WSW/234.4	1.35	193
66	WWIS		lot 5 con 3 ON Well ID: 2909480	SSW/245.0	-1.88	194
67	WWIS		lot 6 con 3 ON Well ID: 2902957	NE/246.4	5.10	197
68	GEN	MCINROY-MAINES CONSTRUCTION LTD	LOT 3 & PART LOT 4, CONC. 3 THURLOW TWP ON K8N 4Z5	WNW/250.3	2.84	199
68	GEN	MCINROY-MAINES CONSTRUCTION LTD. 26-944	LOT 3 & PART LOT 4, CONC. 3 THURLOW TWP., C/O R.R. #5 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	200
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	200
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	200

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	201
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	201
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	201
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	202
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON	WNW/250.3	2.84	202
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	202
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	203
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	203
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	203
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	204
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	204
68	GEN	MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	WNW/250.3	2.84	204

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
69	EHS		108 Cannifton Road Belleville ON	N/253.3	4.07	205
70	WWIS		lot 6 con 3 ON Well ID: 2902948	N/260.4	3.12	205
71	WWIS		lot 6 con 3 ON Well ID: 2909288	NNE/260.6	5.12	207
72	EHS		Black Diamond Road Belleville ON K0K 1K0	E/265.0	2.09	211
73	FST	PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	W/268.5	3.12	211
73	FST	PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	W/268.5	3.12	211
73	FST	PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	W/268.5	3.12	212
73	FST	PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	W/268.5	3.12	212
73	DTNK		131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	W/268.5	3.12	213
74	WWIS		lot 5 con 2 ON Well ID: 2902764	S/269.1	-0.88	214
75	WWIS		131 A PARKS DR Belleville ON Well ID: 7328446	W/275.9	3.12	216
76	EHS		109 Parks Drive Belleville ON K8N 4Z5	WNW/287.0	2.10	219

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
76	EASR	Davidson's Blasting & Painting	109 PARKS AVENUE BELLEVILLE ON K8N 4Z5	WNW/287.0	2.10	219
77	WWIS		lot 6 con 2 ON <i>Well ID:</i> 2904066	ESE/287.3	2.18	220
78	PRT	RENTWAY CANADA LTD	PARKS DR LOT 4 CON 3 THURLOW TWP ON	W/288.8	3.13	222
78	PRT	RENTWAY CANADA LTD	PARKS DR LOT 4 CON 3 ON	W/288.8	3.13	223
78	EHS		131 Parks Dr (RR 5, Lot 4) Belleville ON K8N 4Z5	W/288.8	3.13	223
78	EHS		131A Parks Drive Belleville ON K8N 4Z5	W/288.8	3.13	223
78	GEN	RENTWAY CANADA LTD.	LOT 4 PARKS DR. THURLOW TWSP BELLEVILLE C/O 736 8TH AVE. S.W. CALGARY AB BELLEVILLE ON T2P 2A7	W/288.8	3.13	223
78	GEN	RENTWAY CANADA LTD.	LOT 4 PARKS DR. THURLOW TWSP BELLEVILLE C/O 736 8TH AVE. S.W., CALGARY BELLEVILLE ON T2P 2A7	W/288.8	3.13	224
78	GEN	RENTWAY INC. 33-506	LOT 4 PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	224
78	GEN	RENTWAY INC	LOT 4 PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	224
78	GEN	RENTWAY CANADA INC.	LOT 4 PARKS DRIVE R. R. #5 BELLEVILLE ON K8N 4Z5	W/288.8	3.13	225
78	GEN	RENTWAY (SEE & USE ON2055704)	LOT 4 PARKS DRIVE R. R. #5 BELLEVILLE ON K8N 4Z5	W/288.8	3.13	225
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	226

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
78	FSTH	PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	W/288.8	3.13	226
78	FSTH	PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	W/288.8	3.13	227
78	DTNK	RENTWAY LTD	131A PARKS DR RR 5 BELLEVILLE ON	W/288.8	3.13	227
78	DTNK	PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	W/288.8	3.13	228
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	228
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	229
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	229
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	230
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON	W/288.8	3.13	230
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	231
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	231
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	231
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	232

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	232
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	233
78	EXP		131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	W/288.8	3.13	233
78	GEN	PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	W/288.8	3.13	234
79	SCT	Quinte Alternator & Starter Ltd.	122 Parks Dr Unit D Belleville ON K8N 4Z5	W/289.0	3.12	234
79	SCT	Quinte Alternator & Starter	122 Parks Dr Unit D Belleville ON K8N 4Z5	W/289.0	3.12	235
79	GEN	QUINTE ALTERNATOR & STARTER LTD.	122 Parks Drive, Unit D R. R. #5 BELLEVILLE ON K8N 4Z5	W/289.0	3.12	235
79	GEN	ACCUTECH MACHINE & TOOL (QUINTE) LTD.	122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	W/289.0	3.12	235
79	AUWR	QUINTE ALTERNATOR & STARTER	UNIT D 122 PARKS DR BELLEVILLE ON K8N 4Z5	W/289.0	3.12	235
79	GEN	QUINTE ALTERNATOR & STARTER LTD.	122 Parks Drive, Unit D R. R. #5 BELLEVILLE ON K8N 4Z5	W/289.0	3.12	236
79	GEN	ACCUTECH MACHINE & TOOL (QUINTE) LTD.	122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	W/289.0	3.12	236
79	GEN	ACCUTECH MACHINE & TOOL (QUINTE) LTD.	122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	W/289.0	3.12	236
79	GEN	ACCUTECH MACHINE & TOOL (QUINTE) LTD.	122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	W/289.0	3.12	237

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
80	WWIS		lot 6 con 3 ON Well ID: 2902947	NNE/294.7	6.19	237

Executive Summary: Summary By Data Source

AUWR - Automobile Wrecking & Supplies

A search of the AUWR database, dated 1999-Sep 30, 2021 has found that there are 1 AUWR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
QUINTE ALTERNATOR & STARTER	UNIT D 122 PARKS DR BELLEVILLE ON K8N 4Z5	289.0	79

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Feb 28, 2022 has found that there are 3 DTNK site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	268.5	73
RENTWAY LTD	131A PARKS DR RR 5 BELLEVILLE ON	288.8	78
PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	288.8	78

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Apr 30, 2022 has found that there are 1 EASR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Davidson's Blasting & Painting	109 PARKS AVENUE BELLEVILLE ON K8N 4Z5	287.0	76

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Mar 31, 2022 has found that there are 7 EHS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	54 Cannifton Rd N Belleville ON K8N4T9	99.5	<u>26</u>
	51 cannifton road north Belleville ON K8N 4Z6	129.2	<u>39</u>
	108 Cannifton Road Belleville ON	253.3	<u>69</u>
	Black Diamond Road Belleville ON K0K 1K0	265.0	<u>72</u>
	109 Parks Drive Belleville ON K8N 4Z5	287.0	<u>76</u>
	131A Parks Drive Belleville ON K8N 4Z5	288.8	<u>78</u>
	131 Parks Dr (RR 5, Lot 4) Belleville ON K8N 4Z5	288.8	<u>78</u>

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Feb 28, 2022 has found that there are 1 EXP site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	288.8	<u>78</u>

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2022 has found that there are 4 FST site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	268.5	<u>73</u>
PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	268.5	<u>73</u>
PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	268.5	<u>73</u>
PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	268.5	<u>73</u>

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 2 FSTH site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	288.8	<u>78</u>
PENSKE TRUCK LEASING CANADA INC	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	288.8	<u>78</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Feb 28, 2022 has found that there are 49 GEN site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
McCaffrey's Garage & Towing Ltd	54 Cannifton Rd N Belleville ON K0K 1K0	87.9	<u>23</u>
ART MCCAFFREY'S GARAGE & TOWING	54 Cannifton Rd N CANNIFTON ON K0K1K0	87.9	<u>23</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ART MCCAFFREY'S GARAGE & TOWING	54 Cannifton Rd N CANNIFTON ON K0K1K0	96.2	<u>25</u>
BLACK DIAMOND CHEESE	1 BLACK DIAMOND ROAD 1/4 MILE EAST OF HWY 37 AT HWY 401 THURLOW TWP. ON K8N 5A1	122.2	<u>36</u>
BLACK DIAMOND CHEESE 08-411	DIV. AULT FOODS 1 BLACK DIAMOND RD. P.O.BOX #1 BELLEVILLE ON K8N 5A1	122.2	<u>36</u>
BLACK DIAMOND CHE(SSEE & USE ON2275708)	1 BLACK DIAMOND ROAD 1/4 MILE EAST OF HWY 37 AT HWY 401 THURLOW TWP. ON K8N 5A1	122.2	<u>36</u>
Pinchin Ltd.	51 Cannifton Road North Belleville ON K0K 1K0	127.2	<u>37</u>
Pinchin Ltd.	51 Cannifton Road North Belleville ON K0K 1K0	127.2	<u>37</u>
MCINROY-MAINES CONSTRUCTION LTD	LOT 3 & PART LOT 4, CONC. 3 THURLOW TWP ON K8N 4Z5	250.3	<u>68</u>
MCINROY-MAINES CONSTRUCTION LTD. 26-944	LOT 3 & PART LOT 4, CONC. 3 THURLOW TWP., C/O R.R. #5 BELLEVILLE ON K8N 4Z5	250.3	<u>68</u>
MCINROY-MAINES CONSTRUCTION LTD.	LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	<u>68</u>
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	<u>68</u>
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	<u>68</u>

Site	Address	Distance (m)	Map Key
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
MCINROY-MAINES CONSTRUCTION LTD.	121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	250.3	68
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
RENTWAY CANADA LTD.	LOT 4 PARKS DR. THURLOW TWSP BELLEVILLE C/O 736 8TH AVE. S.W. CALGARY AB BELLEVILLE ON T2P 2A7	288.8	78
RENTWAY CANADA LTD.	LOT 4 PARKS DR. THURLOW TWSP BELLEVILLE C/O 736 8TH AVE. S.W., CALGARY BELLEVILLE ON T2P 2A7	288.8	78
RENTWAY INC. 33-506	LOT 4 PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
RENTWAY INC	LOT 4 PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
RENTWAY CANADA INC.	LOT 4 PARKS DRIVE R. R. #5 BELLEVILLE ON K8N 4Z5	288.8	78
RENTWAY (SEE & USE ON2055704)	LOT 4 PARKS DRIVE R. R. #5 BELLEVILLE ON K8N 4Z5	288.8	78

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON	288.8	78
PENSKE TRUCK LEASING CANADA INC.	131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	288.8	78
QUINTE ALTERNATOR & STARTER LTD.	122 Parks Drive, Unit D R. R. #5 BELLEVILLE ON K8N 4Z5	289.0	79
ACCUTECH MACHINE & TOOL (QUINTE) LTD.	122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	289.0	79
QUINTE ALTERNATOR & STARTER LTD.	122 Parks Drive, Unit D R. R. #5 BELLEVILLE ON K8N 4Z5	289.0	79
ACCUTECH MACHINE & TOOL (QUINTE) LTD.	122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	289.0	79

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ACCUTECH MACHINE & TOOL (QUINTE) LTD.	122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	289.0	79
ACCUTECH MACHINE & TOOL (QUINTE) LTD.	122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	289.0	79

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 2 PRT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
RENTWAY CANADA LTD	PARKS DR LOT 4 CON 3 ON	288.8	78
RENTWAY CANADA LTD	PARKS DR LOT 4 CON 3 THURLOW TWP ON	288.8	78

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 2 SCT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Quinte Alternator & Starter	122 Parks Dr Unit D Belleville ON K8N 4Z5	289.0	79
Quinte Alternator & Starter Ltd.	122 Parks Dr Unit D Belleville ON K8N 4Z5	289.0	79

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 3 SPL site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BLACK DIAMOND CHEESE	BELLEVILLE PLANT 1 BLACK DIAMOND ROAD BELLEVILLE CITY ON	122.2	<u>36</u>
UNKNOWN	CANNIFTON AT BLACK DIAMOND ROAD BELLEVILLE CITY ON	132.5	<u>41</u>
Hydro One Inc.	38 Black Diamond Road Belleville ON	135.8	<u>42</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Sep 30, 2021 has found that there are 67 WWIS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 5 con 3 ON <i>Well ID: 2902925</i>	0.0	<u>1</u>
	lot 5 con 3 ON <i>Well ID: 2908071</i>	0.0	<u>2</u>
	lot 6 con 3 ON <i>Well ID: 2905879</i>	13.8	<u>3</u>
	lot 6 con 3 ON <i>Well ID: 2902977</i>	15.5	<u>4</u>
	lot 8 con 3 ON <i>Well ID: 2903007</i>	20.3	<u>5</u>
	lot 6 con 3 ON <i>Well ID: 2902962</i>	20.5	<u>6</u>
	lot 5 con 3 ON	23.5	<u>7</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 2902945		
	lot 5 con 3 ON	36.9	<u>8</u>
	<i>Well ID:</i> 2902929		
	lot 6 con 3 ON	38.5	<u>9</u>
	<i>Well ID:</i> 2902959		
	lot 5 con 3 ON	40.6	<u>10</u>
	<i>Well ID:</i> 2905202		
	lot 5 con 3 ON	42.6	<u>11</u>
	<i>Well ID:</i> 2905201		
	lot 6 con 3 ON	43.0	<u>12</u>
	<i>Well ID:</i> 2902955		
	lot 5 con 3 ON	47.2	<u>13</u>
	<i>Well ID:</i> 2902933		
	lot 6 con 3 ON	51.1	<u>14</u>
	<i>Well ID:</i> 2908054		
	lot 6 con 3 ON	60.0	<u>15</u>
	<i>Well ID:</i> 2902968		
	lot 5 con 3 ON	63.9	<u>16</u>
	<i>Well ID:</i> 2904018		
	lot 6 con 3 ON	64.2	<u>17</u>
	<i>Well ID:</i> 2902981		
	lot 5 con 3 ON	64.8	<u>18</u>
	<i>Well ID:</i> 2906069		


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 5 con 3 ON <i>Well ID:</i> 2902941	66.0	<u>19</u>
	lot 6 con 3 ON <i>Well ID:</i> 2902958	68.8	<u>20</u>
	lot 5 con 3 ON <i>Well ID:</i> 2902939	74.5	<u>21</u>
	lot 5 con 3 ON <i>Well ID:</i> 2902935	78.0	<u>22</u>
	lot 5 con 3 ON <i>Well ID:</i> 2902942	89.1	<u>24</u>
	lot 5 con 3 ON <i>Well ID:</i> 2905175	99.7	<u>27</u>
	lot 6 con 3 ON <i>Well ID:</i> 2902972	102.4	<u>28</u>
	lot 5 con 3 ON <i>Well ID:</i> 2905111	102.9	<u>29</u>
	lot 5 con 3 ON <i>Well ID:</i> 2902923	106.5	<u>30</u>
	lot 6 con 3 ON <i>Well ID:</i> 2904656	107.1	<u>31</u>
	lot 5 con 3 ON <i>Well ID:</i> 2905112	112.3	<u>32</u>
	lot 6 con 3 ON	115.0	<u>33</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 2902954		
	lot 5 con 3 ON	116.4	<u>34</u>
	<i>Well ID:</i> 2902940		
	lot 6 con 3 ON	121.4	<u>35</u>
	<i>Well ID:</i> 2902952		
	lot 5 con 3 ON	127.9	<u>38</u>
	<i>Well ID:</i> 2905113		
	lot 6 con 3 ON	130.6	<u>40</u>
	<i>Well ID:</i> 2902956		
	lot 6 con 3 ON	138.7	<u>43</u>
	<i>Well ID:</i> 2907947		
	lot 6 con 3 ON	138.7	<u>43</u>
	<i>Well ID:</i> 2907948		
	lot 6 con 3 ON	146.3	<u>44</u>
	<i>Well ID:</i> 2902986		
	lot 6 con 3 ON	160.6	<u>45</u>
	<i>Well ID:</i> 2902946		
	lot 6 con 3 ON	161.5	<u>46</u>
	<i>Well ID:</i> 2905616		
	lot 6 con 3 ON	163.9	<u>47</u>
	<i>Well ID:</i> 2908769		
	lot 6 con 3 ON	167.8	<u>48</u>
	<i>Well ID:</i> 2902961		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 5 con 2 ON <i>Well ID:</i> 2902759	176.9	<u>49</u>
	lot 6 con 3 ON <i>Well ID:</i> 2902985	178.5	<u>50</u>
	131 A PARKS DR Belleville ON <i>Well ID:</i> 7328449	185.9	<u>51</u>
	lot 6 con 3 ON <i>Well ID:</i> 2908728	187.6	<u>52</u>
	lot 5 con 2 ON <i>Well ID:</i> 2906582	190.0	<u>53</u>
	lot 6 con 3 ON <i>Well ID:</i> 2905922	190.0	<u>54</u>
	lot 6 con 3 ON <i>Well ID:</i> 2902963	200.8	<u>55</u>
	lot 6 con 3 ON <i>Well ID:</i> 2909287	204.7	<u>56</u>
	lot 5 con 3 ON <i>Well ID:</i> 2902928	204.8	<u>57</u>
	lot 6 con 3 ON <i>Well ID:</i> 2902987	205.5	<u>58</u>
	lot 6 con 3 ON <i>Well ID:</i> 2902988	211.0	<u>59</u>
	lot 6 con 3 ON	211.9	<u>60</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 2904830		
	lot 6 con 3 ON	211.9	<u>60</u>
	<i>Well ID:</i> 2909286		
	lot 6 con 3 ON	213.5	<u>61</u>
	<i>Well ID:</i> 2902934		
	lot 5 con 3 ON	223.3	<u>62</u>
	<i>Well ID:</i> 2902926		
	lot 6 con 3 ON	230.9	<u>63</u>
	<i>Well ID:</i> 2902949		
	131 A PARKS DR Belleville ON	233.9	<u>64</u>
	<i>Well ID:</i> 7328448		
	ON	234.4	<u>65</u>
	<i>Well ID:</i> 7376897		
	lot 5 con 3 ON	245.0	<u>66</u>
	<i>Well ID:</i> 2909480		
	lot 6 con 3 ON	246.4	<u>67</u>
	<i>Well ID:</i> 2902957		
	lot 6 con 3 ON	260.4	<u>70</u>
	<i>Well ID:</i> 2902948		
	lot 6 con 3 ON	260.6	<u>71</u>
	<i>Well ID:</i> 2909288		
	lot 5 con 2 ON	269.1	<u>74</u>
	<i>Well ID:</i> 2902764		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	131 A PARKS DR Belleville ON <i>Well ID:</i> 7328446	275.9	<u>75</u>
	lot 6 con 2 ON <i>Well ID:</i> 2904066	287.3	<u>77</u>
	lot 6 con 3 ON <i>Well ID:</i> 2902947	294.7	<u>80</u>



Map: 0.3 Kilometer Radius

Order Number: 22061700426

Address: 84 Cannifton Road North, Belleville, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	

77°24'W

44°12'N

44°12'N



250 125 0 250 m

1:10000

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

Aerial Year: 2020

Order Number: 22061700426

Address: 84 Cannifton Road North, Belleville, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Order Number: 22061700426

Address: 84 Cannifton Road North, ON



Source: ESRI World Topographic Map

© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	SSW/0.0	97.7 / 0.00	lot 5 con 3 ON	WWIS

<p>Well ID: 2902925</p> <p>Construction Date:</p> <p>Primary Water Use: Domestic</p> <p>Sec. Water Use: 0</p> <p>Final Well Status: Water Supply</p> <p>Water Type:</p> <p>Casing Material:</p> <p>Audit No:</p> <p>Tag:</p> <p>Construction Method:</p> <p>Elevation (m):</p> <p>Elevation Reliability:</p> <p>Depth to Bedrock:</p> <p>Well Depth:</p> <p>Overburden/Bedrock:</p> <p>Pump Rate:</p> <p>Static Water Level:</p> <p>Flowing (Y/N):</p> <p>Flow Rate:</p> <p>Clear/Cloudy:</p>	<p>Data Entry Status:</p> <p>Data Src: 1</p> <p>Date Received: 3/9/1959</p> <p>Selected Flag: TRUE</p> <p>Abandonment Rec:</p> <p>Contractor: 1507</p> <p>Form Version: 1</p> <p>Owner:</p> <p>Street Name:</p> <p>County: HASTINGS</p> <p>Municipality: THURLOW TOWNSHIP</p> <p>Site Info:</p> <p>Lot: 005</p> <p>Concession: 03</p> <p>Concession Name: CON</p> <p>Easting NAD83:</p> <p>Northing NAD83:</p> <p>Zone:</p> <p>UTM Reliability:</p>
---	--

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902925.pdf

Additional Detail(s) (Map)

Well Completed Date: 1958/10/31

Year Completed: 1958

Depth (m): 8.5344

Latitude: 44.1991466303215

Longitude: -77.3918588049152

Path: 290\2902925.pdf

Bore Hole Information

<p>Bore Hole ID: 10158583</p> <p>DP2BR:</p> <p>Spatial Status:</p> <p>Code OB:</p> <p>Code OB Desc:</p> <p>Open Hole:</p> <p>Cluster Kind:</p> <p>Date Completed: 31-Oct-1958 00:00:00</p> <p>Remarks:</p> <p>Elevrc Desc:</p> <p>Location Source Date:</p> <p>Improvement Location Source:</p> <p>Improvement Location Method:</p> <p>Source Revision Comment:</p> <p>Supplier Comment:</p>	<p>Elevation:</p> <p>Elevrc:</p> <p>Zone: 18</p> <p>East83: 308875.80</p> <p>North83: 4896774.00</p> <p>Org CS:</p> <p>UTMRC: 5</p> <p>UTMRC Desc: margin of error : 100 m - 300 m</p> <p>Location Method: p5</p>
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462929			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462928			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902925			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707153			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270695			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		28.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:			930270694		
Layer:			1		
Material:			1		
Open Hole or Material:			STEEL		
Depth From:					
Depth To:			6.0		
Casing Diameter:			8.0		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Results of Well Yield Testing</u>					
Pump Test ID:			992902925		
Pump Set At:					
Static Level:			2.0		
Final Level After Pumping:			28.0		
Recommended Pump Depth:					
Pumping Rate:			25.0		
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:			ft		
Rate UOM:			GPM		
Water State After Test Code:			1		
Water State After Test:			CLEAR		
Pumping Test Method:			1		
Pumping Duration HR:			2		
Pumping Duration MIN:			0		
Flowing:			No		
<u>Water Details</u>					
Water ID:			933616463		
Layer:			1		
Kind Code:			1		
Kind:			FRESH		
Water Found Depth:			26.0		
Water Found Depth UOM:			ft		
2	1 of 1	WNW/0.0	98.0 / 0.28	lot 5 con 3 ON	WWIS
Well ID:	2908071			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/21/1977
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1805
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2908071.pdf

Additional Detail(s) (Map)

Well Completed Date: 1977/05/20
 Year Completed: 1977
 Depth (m): 15.24
 Latitude: 44.1995625999584
 Longitude: -77.3922010213859
 Path: 290\2908071.pdf

Bore Hole Information

Bore Hole ID:	10163235	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308849.80
Code OB Desc:		North83:	4896821.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	20-May-1977 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 931476136
 Layer: 2
 Color:
 General Color:
 Mat1: 17
 Most Common Material: SHALE
 Mat2: 15
 Mat2 Desc: LIMESTONE
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 2.0
 Formation End Depth: 8.0
 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 931476135
 Layer: 1
 Color:
 General Color:
 Mat1: 02
 Most Common Material: TOPSOIL
 Mat2:
 Mat2 Desc:
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 0.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931476137			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962908071			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10711805			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930278706			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		50.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930278705			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pump Test ID: 992908071
Pump Set At:
Static Level: 20.0
Final Level After Pumping: 43.0
Recommended Pump Depth: 45.0
Pumping Rate: 5.0
Flowing Rate:
Recommended Pump Rate: 5.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933621673
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 43.0
Water Found Depth UOM: ft

3	1 of 1	SE/13.8	98.9 / 1.15	lot 6 con 3 ON	WWIS
-------------------	--------	---------	-------------	-------------------	------

Well ID: 2905879 Construction Date: Primary Water Use: Commerical Sec. Water Use: Domestic Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 7/9/1973 Selected Flag: TRUE Abandonment Rec: Contractor: 1805 Form Version: 1 Owner: Street Name: County: HASTINGS Municipality: THURLOW TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905879.pdf

Additional Detail(s) (Map)

Well Completed Date: 1973/06/01
Year Completed: 1973
Depth (m): 9.7536
Latitude: 44.1989023828879
Longitude: -77.3914847486553
Path: 290\2905879.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10161444			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	308904.90
Code OB Desc:				North83:	4896746.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	01-Jun-1973 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Formation ID:	931470824
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	3.0
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931470826
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	5.0
Formation End Depth:	32.0
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931470825
Layer:	2
Color:	8
General Color:	BLACK
Mat1:	14
Most Common Material:	HARDPAN
Mat2:	
Mat2 Desc:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962905879			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10710014			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930275864			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		7.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930275865			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		32.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992905879			
Pump Set At:					
Static Level:		4.0			
Final Level After Pumping:		4.0			
Recommended Pump Depth:		25.0			
Pumping Rate:		40.0			
Flowing Rate:					
Recommended Pump Rate:		40.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Details					
Water ID:		933619488			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		32.0			
Water Found Depth UOM:		ft			

<u>4</u>	1 of 1	NE/15.5	99.9 / 2.18	lot 6 con 3 ON	WWIS
Well ID:	2902977			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/5/1962
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1806
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902977.pdf

Additional Detail(s) (Map)

Well Completed Date: 1962/08/07
Year Completed: 1962
Depth (m): 7.3152
Latitude: 44.1996798843762
Longitude: -77.3913297487532
Path: 290\2902977.pdf

Bore Hole Information

Bore Hole ID:	10158635	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308919.80
Code OB Desc:		North83:	4896832.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	07-Aug-1962 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Overburden and Bedrock
Materials Interval**

Formation ID: 931463037
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 17
Mat2 Desc: SHALE
Mat3:
Mat3 Desc:
Formation Top Depth: 3.0
Formation End Depth: 6.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931463036
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931463038
Layer: 3
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 6.0
Formation End Depth: 24.0
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 962902977
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10707205			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270798			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270799			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		24.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902977			
Pump Set At:					
Static Level:		13.0			
Final Level After Pumping:		24.0			
Recommended Pump Depth:		22.0			
Pumping Rate:		2.0			
Flowing Rate:					
Recommended Pump Rate:		1.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616512			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		17.0			
Water Found Depth UOM:		ft			

5

1 of 1

NE/20.3

99.8 / 2.12

lot 8 con 3
ON

WWIS

Well ID: 2903007
Construction Date:

Data Entry Status:
Data Src: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Domestic			Date Received:	10/29/1956
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	2320
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	008
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2903007.pdf

Additional Detail(s) (Map)

Well Completed Date: 1956/09/13
Year Completed: 1956
Depth (m): 8.2296
Latitude: 44.1997240753921
Longitude: -77.3913690809511
Path: 290\2903007.pdf

Bore Hole Information

Bore Hole ID:	10158665	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308916.80
Code OB Desc:		North83:	4896837.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	13-Sep-1956 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 931463108
Layer: 1
Color:
General Color:
Mat1: 09
Most Common Material: MEDIUM SAND
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 10.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931463109			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962903007			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707235			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270854			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		27.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270853			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992903007			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At:					
Static Level:		9.0			
Final Level After Pumping:		17.0			
Recommended Pump Depth:					
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616536			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		18.0			
Water Found Depth UOM:		ft			

6	1 of 1	ESE/20.5	99.8 / 2.07	lot 6 con 3 ON	WWIS
Well ID:	2902962			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	7/14/1959
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1507
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902962.pdf

Additional Detail(s) (Map)

Well Completed Date: 1959/04/25
Year Completed: 1959
Depth (m): 9.4488
Latitude: 44.1989477657562
Longitude: -77.3910373173829
Path: 290\2902962.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10158620			Elevation: Elevrc: Zone: 18 East83: 308940.80 North83: 4896750.00 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	931463004 1 11 GRAVEL 0.0 2.0 ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	931463005 2 15 LIMESTONE 2.0 31.0 ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	962902962 1 Cable Tool				
<u>Pipe Information</u>					
Pipe ID: Casing No:	10707190 1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930270768
 Layer: 1
 Material: 1
 Open Hole or Material: STEEL
 Depth From:
 Depth To: 6.0
 Casing Diameter: 6.0
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930270769
 Layer: 2
 Material: 4
 Open Hole or Material: OPEN HOLE
 Depth From:
 Depth To: 31.0
 Casing Diameter: 6.0
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992902962
 Pump Set At:
 Static Level: 10.0
 Final Level After Pumping: 31.0
 Recommended Pump Depth: 10.0
 Pumping Rate: 17.0
 Flowing Rate:
 Recommended Pump Rate: 5.0
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 1
 Water State After Test: CLEAR
 Pumping Test Method: 1
 Pumping Duration HR: 1
 Pumping Duration MIN: 0
 Flowing: No

Water Details

Water ID: 933616498
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 30.0
 Water Found Depth UOM: ft

7	1 of 1	WNW/23.5	95.8 / -1.96	lot 5 con 3 ON	WWIS
-------------------	--------	----------	--------------	-------------------	------

Well ID:	2902945	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	2/1/1951
Sec. Water Use:	0	Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3550
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902945.pdf

Additional Detail(s) (Map)

Well Completed Date: 1950/12/19
Year Completed: 1950
Depth (m): 13.4112
Latitude: 44.1996179691052
Longitude: -77.3925661855412
Path: 290\2902945.pdf

Bore Hole Information

Bore Hole ID:	10158603	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308820.80
Code OB Desc:		North83:	4896828.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	19-Dec-1950 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931462974
Layer: 3
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 3.0
Formation End Depth: 44.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462973			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462972			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902945			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707173			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270733			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		4.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930270734			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		44.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902945			
Pump Set At:					
Static Level:		5.0			
Final Level After Pumping:		7.0			
Recommended Pump Depth:					
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		13.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616482			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

<u>8</u>	1 of 1	NW/36.9	96.7 / -0.97	lot 5 con 3 ON	WWIS
Well ID:	2902929			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/8/1961
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1821
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902929.pdf

Additional Detail(s) (Map)

Well Completed Date: 1961/05/02
Year Completed: 1961
Depth (m): 12.192
Latitude: 44.1999010166614
Longitude: -77.3923774124093
Path: 290\2902929.pdf

Bore Hole Information

Bore Hole ID:	10158587	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308836.80
Code OB Desc:		North83:	4896859.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	02-May-1961 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931462938
Layer: 3
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 8.0
Formation End Depth: 40.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931462937
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 17
Mat2 Desc: SHALE
Mat3:
Mat3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 8.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462936			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902929			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707157			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270702			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		8.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270703			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902929			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At:					
Static Level:		20.0			
Final Level After Pumping:		40.0			
Recommended Pump Depth:		36.0			
Pumping Rate:		2.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616467			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		35.0			
Water Found Depth UOM:		ft			

9	1 of 1	ESE/38.5	99.8 / 2.12	lot 6 con 3 ON	WWIS
Well ID:	2902959			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/4/1957
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1806
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902959.pdf

Additional Detail(s) (Map)

Well Completed Date:	1957/10/23
Year Completed:	1957
Depth (m):	9.144
Latitude:	44.1989254929093
Longitude:	-77.3908111564972
Path:	290\2902959.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10158617			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	
				18 308958.80 4896747.00 9 unknown UTM p9	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		931462999 2 15 LIMESTONE 6.0 30.0 ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		931462998 1 05 CLAY 0.0 6.0 ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:		962902959 1 Cable Tool			
<u>Pipe Information</u>					
Pipe ID: Casing No:		10707187 1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930270763
 Layer: 2
 Material: 4
 Open Hole or Material: OPEN HOLE
 Depth From:
 Depth To: 30.0
 Casing Diameter: 6.0
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930270762
 Layer: 1
 Material: 1
 Open Hole or Material: STEEL
 Depth From:
 Depth To: 6.0
 Casing Diameter: 6.0
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992902959
 Pump Set At:
 Static Level: 12.0
 Final Level After Pumping: 30.0
 Recommended Pump Depth:
 Pumping Rate: 0.0
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 2
 Water State After Test: CLOUDY
 Pumping Test Method: 1
 Pumping Duration HR: 1
 Pumping Duration MIN: 0
 Flowing: No

Water Details

Water ID: 933616497
 Layer: 1
 Kind Code: 3
 Kind: SULPHUR
 Water Found Depth: 22.0
 Water Found Depth UOM: ft

10	1 of 1	S/40.6	97.8 / 0.12	lot 5 con 3 ON	WWIS
--------------------	--------	--------	-------------	-------------------	------

Well ID:	2905202	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	3/16/1972
Sec. Water Use:	0	Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1805
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905202.pdf

Additional Detail(s) (Map)

Well Completed Date: 1972/02/11
Year Completed: 1972
Depth (m): 6.4008
Latitude: 44.1986709252021
Longitude: -77.3917894919256
Path: 290\2905202.pdf

Bore Hole Information

Bore Hole ID:	10160812	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308879.80
Code OB Desc:		North83:	4896721.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	11-Feb-1972 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931468929
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 9.0
Formation End Depth: 21.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931468928			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962905202			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10709382			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930274840			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		21.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930274839			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992905202			
Pump Set At:					
Static Level:		10.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping: 15.0					
Recommended Pump Depth: 18.0					
Pumping Rate: 10.0					
Flowing Rate:					
Recommended Pump Rate: 10.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 2					
Pumping Duration HR: 0					
Pumping Duration MIN: 30					
Flowing: No					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934462090					
Test Type: Draw Down					
Test Duration: 30					
Test Level: 10.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934179166					
Test Type: Draw Down					
Test Duration: 15					
Test Level: 10.0					
Test Level UOM: ft					
<u>Water Details</u>					
Water ID: 933618740					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 18.0					
Water Found Depth UOM: ft					

11	1 of 1	SSW/42.6	97.1 / -0.58	lot 5 con 3 ON	WWIS
Well ID: 2905201		Data Entry Status:		Contractor: 1805	
Construction Date:		Data Src: 1		Form Version: 1	
Primary Water Use: Not Used		Date Received: 3/16/1972		Owner:	
Sec. Water Use: 0		Selected Flag: TRUE		Street Name:	
Final Well Status: Abandoned-Quality		Abandonment Rec:		County: HASTINGS	
Water Type:		Contractor: 1805		Municipality: THURLOW TOWNSHIP	
Casing Material:		Form Version: 1		Site Info:	
Audit No:		Owner:		Lot: 005	
Tag:		Street Name:		Concession: 03	
Construction Method:		County: HASTINGS		Concession Name: CON	
Elevation (m):		Municipality: THURLOW TOWNSHIP		Easting NAD83:	
Elevation Reliability:		Site Info:		Northing NAD83:	
Depth to Bedrock:		Lot: 005		Zone:	
Well Depth:		Concession: 03		UTM Reliability:	
Overburden/Bedrock:		Concession Name: CON			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905201.pdf

Additional Detail(s) (Map)

Well Completed Date: 1972/02/09
Year Completed: 1972
Depth (m): 8.5344
Latitude: 44.1986643763503
Longitude: -77.3921020860643
Path: 290\2905201.pdf

Bore Hole Information

Bore Hole ID:	10160811	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308854.80
Code OB Desc:		North83:	4896721.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	09-Feb-1972 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931468927
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 28.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931468926
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 4.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962905201			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10709381			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930274838			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		28.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930274837			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		4.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992905201			
Pump Set At:					
Static Level:		10.0			
Final Level After Pumping:		10.0			
Recommended Pump Depth:		25.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		0			
Pumping Duration MIN:		15			
Flowing:		No			
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		933618739			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		28.0			
Water Found Depth UOM:		ft			

[12](#) 1 of 1 **ESE/43.0** **99.8 / 2.12** **lot 6 con 3
ON** **WWIS**

Well ID:	2902955	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	2/22/1956
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1507
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902955.pdf

Additional Detail(s) (Map)

Well Completed Date: 1955/11/05
Year Completed: 1955
Depth (m): 9.7536
Latitude: 44.1990892418951
Longitude: -77.3907301806401
Path: 290\2902955.pdf

Bore Hole Information

Bore Hole ID:	10158613	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308965.80
Code OB Desc:		North83:	4896765.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	05-Nov-1955 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931462992			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462991			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902955			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707183			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270754			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		5.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930270755			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		32.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902955			
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		12.0			
Recommended Pump Depth:					
Pumping Rate:		17.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616493			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		30.0			
Water Found Depth UOM:		ft			

13	1 of 1	SW/47.2	95.8 / -1.93	lot 5 con 3 ON	WWIS
Well ID:		2902933		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Commerical		Date Received: 10/4/1962	
Sec. Water Use:		0		Selected Flag: TRUE	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1805	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: HASTINGS	
Elevation (m):				Municipality: THURLOW TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 005	
Well Depth:				Concession: 03	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902933.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 1962/09/20
Year Completed: 1962
Depth (m): 8.8392
Latitude: 44.1986642018552
Longitude: -77.3925400818942
Path: 290\2902933.pdf

Bore Hole Information

Bore Hole ID:	10158591	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308819.80
Code OB Desc:		North83:	4896722.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	20-Sep-1962 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931462945
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931462947
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 6.0
Formation End Depth: 29.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462946			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902933			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707161			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270711			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		29.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270710			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902933			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		15.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:		25.0			
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:		2.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616471			
Layer:		1			
Kind Code:		3			
Kind:		SULPHUR			
Water Found Depth:		10.0			
Water Found Depth UOM:		ft			

14	1 of 1	N/51.1	99.5 / 1.81	lot 6 con 3 ON	WWIS
Well ID:	2908054			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/21/1977
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	2562
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2908054.pdf

Additional Detail(s) (Map)

Well Completed Date: 1977/05/16
Year Completed: 1977
Depth (m): 12.192
Latitude: 44.2000202257292
Longitude: -77.3918441087755
Path: 290\2908054.pdf

Bore Hole Information

Bore Hole ID: 10163218
DP2BR:
Spatial Status:
Elevation:
Elevrc:
Zone: 18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	308879.80
Code OB Desc:				North83:	4896871.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	16-May-1977 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 931476084
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 10.0
Formation End Depth: 40.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931476083
Layer: 1
Color: 6
General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 10.0
Formation End Depth UOM: ft

Method of Construction & Well

Use

Method Construction ID: 962908054
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10711788
Casing No: 1
Comment:
Alt Name:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:			930278678		
Layer:			1		
Material:			1		
Open Hole or Material:			STEEL		
Depth From:					
Depth To:			10.0		
Casing Diameter:			6.0		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Results of Well Yield Testing</u>					
Pump Test ID:			992908054		
Pump Set At:					
Static Level:			12.0		
Final Level After Pumping:			35.0		
Recommended Pump Depth:			38.0		
Pumping Rate:			10.0		
Flowing Rate:					
Recommended Pump Rate:			8.0		
Levels UOM:			ft		
Rate UOM:			GPM		
Water State After Test Code:			1		
Water State After Test:			CLEAR		
Pumping Test Method:			2		
Pumping Duration HR:			1		
Pumping Duration MIN:			0		
Flowing:			No		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			934458343		
Test Type:			Draw Down		
Test Duration:			30		
Test Level:			20.0		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			934176426		
Test Type:			Draw Down		
Test Duration:			15		
Test Level:			15.0		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			934977624		
Test Type:			Draw Down		
Test Duration:			60		
Test Level:			35.0		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			934724584		
Test Type:			Draw Down		
Test Duration:			45		
Test Level:			30.0		
Test Level UOM:			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Details					
Water ID:		933621655			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		39.0			
Water Found Depth UOM:		ft			

15	1 of 1	NE/60.0	100.5 / 2.81	lot 6 con 3 ON	WWIS
Well ID:	2902968			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	2/29/1960
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1507
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902968.pdf

Additional Detail(s) (Map)

Well Completed Date: 1960/01/08
Year Completed: 1960
Depth (m): 11.8872
Latitude: 44.2000634499758
Longitude: -77.3910699492153
Path: 290\2902968.pdf

Bore Hole Information

Bore Hole ID:	10158626	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308941.80
Code OB Desc:		North83:	4896874.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	08-Jan-1960 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931463016			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931463017			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902968			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707196			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270781			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		39.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:			930270780		
Layer:			1		
Material:			1		
Open Hole or Material:			STEEL		
Depth From:					
Depth To:			6.0		
Casing Diameter:			6.0		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Results of Well Yield Testing</u>					
Pump Test ID:			992902968		
Pump Set At:					
Static Level:			20.0		
Final Level After Pumping:			39.0		
Recommended Pump Depth:					
Pumping Rate:			1.0		
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:			ft		
Rate UOM:			GPM		
Water State After Test Code:			1		
Water State After Test:			CLEAR		
Pumping Test Method:			1		
Pumping Duration HR:			1		
Pumping Duration MIN:			0		
Flowing:			No		
<u>Water Details</u>					
Water ID:			933616504		
Layer:			1		
Kind Code:			1		
Kind:			FRESH		
Water Found Depth:			30.0		
Water Found Depth UOM:			ft		
<u>16</u>	1 of 1	ESE/63.9	99.8 / 2.11	lot 5 con 3 ON	WWIS
Well ID:	2904018			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/5/1968
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1805
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Clear/Cloudy:</i>					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2904018.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1968/06/02				
Year Completed:	1968				
Depth (m):	7.0104				
Latitude:	44.1987870655252				
Longitude:	-77.3905427534164				
Path:	290\2904018.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10159669			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	308979.80
Code OB Desc:				North83:	4896731.00
Open Hole:				Org CS:	4
Cluster Kind:				UTMRC:	margin of error : 30 m - 100 m
Date Completed:	02-Jun-1968 00:00:00			UTMRC Desc:	
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931465575				
Layer:	1				
Color:					
General Color:					
Mat1:	17				
Most Common Material:	SHALE				
Mat2:	15				
Mat2 Desc:	LIMESTONE				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	5.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931465576				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	5.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		23.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962904018			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10708239			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930272752			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930272753			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		23.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992904018			
Pump Set At:					
Static Level:		5.0			
Final Level After Pumping:		10.0			
Recommended Pump Depth:		18.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Details					
Water ID:		933617487			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		18.0			
Water Found Depth UOM:		ft			

17	1 of 1	E/64.2	99.8 / 2.09	lot 6 con 3 ON	WWIS
--------------------	--------	--------	-------------	-------------------	------

Well ID:	2902981	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	1/2/1964
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4829
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902981.pdf

Additional Detail(s) (Map)

Well Completed Date:	1963/10/16
Year Completed:	1963
Depth (m):	12.4968
Latitude:	44.1992751703841
Longitude:	-77.3904498697172
Path:	290\2902981.pdf

Bore Hole Information

Bore Hole ID:	10158639	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308988.80
Code OB Desc:		North83:	4896785.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	16-Oct-1963 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			931463045		
Layer:			1		
Color:					
General Color:					
Mat1:			24		
Most Common Material:			PREV. DRILLED		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			25.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			931463046		
Layer:			2		
Color:			2		
General Color:			GREY		
Mat1:			21		
Most Common Material:			GRANITE		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			25.0		
Formation End Depth:			41.0		
Formation End Depth UOM:			ft		
<u>Method of Construction & Well Use</u>					
Method Construction ID:			962902981		
Method Construction Code:			1		
Method Construction:			Cable Tool		
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			10707209		
Casing No:			1		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			930270807		
Layer:			2		
Material:			4		
Open Hole or Material:			OPEN HOLE		
Depth From:					
Depth To:			41.0		
Casing Diameter:			5.0		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing ID: 930270806
Layer: 1
Material:
Open Hole or Material:
Depth From:
Depth To: 25.0
Casing Diameter:
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992902981
Pump Set At:
Static Level: 20.0
Final Level After Pumping: 20.0
Recommended Pump Depth: 39.0
Pumping Rate: 8.0
Flowing Rate:
Recommended Pump Rate: 5.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933616516
Layer: 1
Kind Code: 3
Kind: SULPHUR
Water Found Depth: 35.0
Water Found Depth UOM: ft

18	1 of 1	WSW/64.8	95.1 / -2.58	lot 5 con 3 ON	WWIS
--------------------	--------	----------	--------------	-------------------	------

Well ID: 2906069 Construction Date: Primary Water Use: Commerical Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 12/6/1973 Selected Flag: TRUE Abandonment Rec: Contractor: 2553 Form Version: 1 Owner: Street Name: County: HASTINGS Municipality: THURLOW TOWNSHIP Site Info: Lot: 005 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2906069.pdf			

Additional Detail(s) (Map)

Well Completed Date: 1973/11/09
Year Completed: 1973
Depth (m): 13.1064
Latitude: 44.1986129625518
Longitude: -77.3928371004018
Path: 290\2906069.pdf

Bore Hole Information

Bore Hole ID:	10161603	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308795.90
Code OB Desc:		North83:	4896717.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	09-Nov-1973 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931471281
Layer: 2
Color: 6
General Color: BROWN
Mat1: 17
Most Common Material: SHALE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 2.0
Formation End Depth: 6.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931471282
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 6.0
Formation End Depth: 43.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931471280			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962906069			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10710173			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930276109			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930276110			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		43.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992906069			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:		10.0			
Final Level After Pumping:		30.0			
Recommended Pump Depth:		40.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934974234			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		30.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934463151			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		30.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934180795			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		30.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934721340			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		30.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		933619672			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

19	1 of 1	SW/66.0	95.8 / -1.93	lot 5 con 3 ON	WWIS
Well ID:	2902941			Data Entry Status:	
Construction Date:				Data Src:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Domestic			Date Received:	9/16/1957
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3516
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902941.pdf				

Additional Detail(s) (Map)

Well Completed Date: 1952/07/01
Year Completed: 1952
Depth (m): 10.3632
Latitude: 44.1985261275428
Longitude: -77.3926846634661
Path: 290\2902941.pdf

Bore Hole Information

Bore Hole ID:	10158599	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308807.80
Code OB Desc:		North83:	4896707.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	01-Jul-1952 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931462966
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 5.0
Formation End Depth: 34.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462965			
Layer:		1			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902941			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707169			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270726			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		34.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270725			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902941			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		34.0			
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616478			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		30.0			
Water Found Depth UOM:		ft			

20	1 of 1	N/68.8	99.5 / 1.81	lot 6 con 3 ON	WWIS
Well ID:	2902958			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/3/1957
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1821
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902958.pdf

Additional Detail(s) (Map)

Well Completed Date: 1956/10/29
Year Completed: 1956
Depth (m): 16.4592
Latitude: 44.200181355909
Longitude: -77.3918881753133
Path: 290\2902958.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10158616			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	
				18 308876.80 4896889.00 9 unknown UTM p9	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	931462996 1 05 CLAY 0.0 3.0 ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	931462997 2 15 LIMESTONE 3.0 54.0 ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	962902958 1 Cable Tool				
<u>Pipe Information</u>					
Pipe ID: Casing No:	10707186 1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930270760
 Layer: 1
 Material: 1
 Open Hole or Material: STEEL
 Depth From:
 Depth To: 3.0
 Casing Diameter: 6.0
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930270761
 Layer: 2
 Material: 4
 Open Hole or Material: OPEN HOLE
 Depth From:
 Depth To: 54.0
 Casing Diameter: 6.0
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992902958
 Pump Set At:
 Static Level: 10.0
 Final Level After Pumping: 54.0
 Recommended Pump Depth:
 Pumping Rate: 2.0
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 1
 Water State After Test: CLEAR
 Pumping Test Method: 1
 Pumping Duration HR: 1
 Pumping Duration MIN: 0
 Flowing: No

Water Details

Water ID: 933616496
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 49.0
 Water Found Depth UOM: ft

21	1 of 1	WNW/74.5	94.8 / -2.88	lot 5 con 3 ON	WWIS
--------------------	--------	----------	--------------	-------------------	------

Well ID:	2902939	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	10/12/1966
Sec. Water Use:	0	Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4901
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902939.pdf

Additional Detail(s) (Map)

Well Completed Date: 1966/09/07
Year Completed: 1966
Depth (m): 9.7536
Latitude: 44.1996948193491
Longitude: -77.3931950266284
Path: 290\2902939.pdf

Bore Hole Information

Bore Hole ID:	10158597	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308770.80
Code OB Desc:		North83:	4896838.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	07-Sep-1966 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931462961
Layer: 1
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 17
Mat2 Desc: SHALE
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462962			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902939			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707167			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270721			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		15.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270722			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		32.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902939			
Pump Set At:					
Static Level:		10.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping:		28.0			
Recommended Pump Depth:		29.0			
Pumping Rate:		2.0			
Flowing Rate:					
Recommended Pump Rate:		1.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616476			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		28.0			
Water Found Depth UOM:		ft			

22	1 of 1	WNW/78.0	94.8 / -2.88	lot 5 con 3 ON	WWIS
Well ID:	2902935			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	2/17/1964
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1507
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902935.pdf

Additional Detail(s) (Map)

Well Completed Date: 1963/11/11
Year Completed: 1963
Depth (m): 10.3632
Latitude: 44.199830011352
Longitude: -77.3931879875444
Path: 290\2902935.pdf

Bore Hole Information

Bore Hole ID: 10158593
DP2BR:
Elevation:
Elevrc:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	18
Code OB:				East83:	308771.80
Code OB Desc:				North83:	4896853.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		11-Nov-1963 00:00:00	UTMRC Desc:		margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462951			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462952			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		34.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962902935			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707163			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930270713			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		7.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270714			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		34.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902935			
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		25.0			
Recommended Pump Depth:		31.0			
Pumping Rate:		16.0			
Flowing Rate:					
Recommended Pump Rate:		16.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616472			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		30.0			
Water Found Depth UOM:		ft			

<u>23</u>	1 of 2	S/87.9	97.5 / -0.19	McCaffrey's Garage & Towing Ltd 54 Cannifton Rd N Belleville ON K0K 1K0	GEN
Generator No:	ON8100031			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Oct 2019			Phone No Admin:	
PO Box No:				Contam. Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country:		Canada		MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
23	2 of 2	S/87.9	97.5 / -0.19	ART MCCAFFREY'S GARAGE & TOWING 54 Cannifton Rd N CANNIFTON ON K0K1K0	GEN
Generator No:		ON7817175		Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:		As of Nov 2021		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:		Canada		MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
24	1 of 1	WNW/89.1	94.8 / -2.88	lot 5 con 3 ON	WWIS
Well ID:		2902942		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 11/21/1955	
Sec. Water Use:		0		Selected Flag: TRUE	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 2320	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: HASTINGS	
Elevation (m):				Municipality: THURLOW TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 005	
Well Depth:				Concession: 03	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902942.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1955/10/30			
Year Completed:		1955			
Depth (m):		7.9248			
Latitude:		44.1999911409397			
Longitude:		-77.3932320575617			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Path: 290\2902942.pdf

Bore Hole Information

Bore Hole ID:	10158600	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308768.80
Code OB Desc:		North83:	4896871.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	30-Oct-1955 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931462967
Layer:	1
Color:	
General Color:	
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	26.0
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	962902942
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Pipe ID:	10707170
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930270728
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	26.0
Casing Diameter:	5.0
Casing Diameter UOM:	inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270727			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		5.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902942			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		Yes			
<u>Water Details</u>					
Water ID:		933616479			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		25.0			
Water Found Depth UOM:		ft			

25	1 of 1	SSW/96.2	96.8 / -0.92	ART MCCAFFREY'S GARAGE & TOWING 54 Cannifton Rd N CANNIFTON ON K0K1K0	GEN
--------------------	--------	----------	--------------	---	-----

Generator No:	ON7817175	Status:	Registered
SIC Code:		Co Admin:	
SIC Description:		Choice of Contact:	
Approval Years:	As of Feb 2022	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:	Canada	MHSW Facility:	

Detail(s)

Waste Class:	212 L
Waste Class Desc:	Aliphatic solvents and residues
Waste Class:	221 I
Waste Class Desc:	Light fuels
Waste Class:	252 L

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		Waste crankcase oils and lubricants			
26	1 of 1	SSW/99.5	96.8 / -0.92	54 Cannifton Rd N Belleville ON K8N4T9	EHS
Order No:	20150211078			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	18-FEB-15			Search Radius (km):	.25
Date Received:	11-FEB-15			X:	-77.39202
Previous Site Name:				Y:	44.198149
Lot/Building Size:					
Additional Info Ordered:					
27	1 of 1	ESE/99.7	99.8 / 2.09	lot 5 con 3 ON	WWIS
Well ID:	2905175			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	2/25/1972
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1805
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905175.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	1972/01/21				
Year Completed:	1972				
Depth (m):	18.8976				
Latitude:	44.1986150119675				
Longitude:	-77.3901603621768				
Path:	290\2905175.pdf				
Bore Hole Information					
Bore Hole ID:	10160788			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	309009.80
Code OB Desc:				North83:	4896711.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	21-Jan-1972 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					

Improvement Location Source:
 Improvement Location Method:
 Source Revision Comment:
 Supplier Comment:

**Overburden and Bedrock
 Materials Interval**

Formation ID: 931468870
 Layer: 2
 Color:
 General Color:
 Mat1: 17
 Most Common Material: SHALE
 Mat2: 15
 Mat2 Desc: LIMESTONE
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 2.0
 Formation End Depth: 4.0
 Formation End Depth UOM: ft

**Overburden and Bedrock
 Materials Interval**

Formation ID: 931468869
 Layer: 1
 Color:
 General Color:
 Mat1: 05
 Most Common Material: CLAY
 Mat2:
 Mat2 Desc:
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 0.0
 Formation End Depth: 2.0
 Formation End Depth UOM: ft

**Overburden and Bedrock
 Materials Interval**

Formation ID: 931468871
 Layer: 3
 Color: 2
 General Color: GREY
 Mat1: 15
 Most Common Material: LIMESTONE
 Mat2:
 Mat2 Desc:
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 4.0
 Formation End Depth: 62.0
 Formation End Depth UOM: ft

**Method of Construction & Well
 Use**

Method Construction ID: 962905175
 Method Construction Code: 1
 Method Construction: Cable Tool

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Other Method Construction:

Pipe Information

Pipe ID: 10709358
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930274796
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 6.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930274797
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 62.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992905175
Pump Set At:
Static Level: 20.0
Final Level After Pumping: 40.0
Recommended Pump Depth: 55.0
Pumping Rate: 7.0
Flowing Rate:
Recommended Pump Rate: 7.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934462078
Test Type: Recovery
Test Duration: 30
Test Level: 20.0
Test Level UOM: ft

Draw Down & Recovery

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pump Test Detail ID: 934720141
Test Type: Recovery
Test Duration: 45
Test Level: 20.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934179153
Test Type: Recovery
Test Duration: 15
Test Level: 20.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934973169
Test Type: Recovery
Test Duration: 60
Test Level: 20.0
Test Level UOM: ft

Water Details

Water ID: 933618717
Layer: 1
Kind Code: 3
Kind: SULPHUR
Water Found Depth: 24.0
Water Found Depth UOM: ft

28	1 of 1	NW/102.4	97.6 / -0.10	lot 6 con 3 ON	WWIS
--------------------	--------	----------	--------------	-------------------	------

Well ID: 2902972 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 4/9/1962 Selected Flag: TRUE Abandonment Rec: Contractor: 1806 Form Version: 1 Owner: Street Name: County: HASTINGS Municipality: THURLOW TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902972.pdf

Additional Detail(s) (Map)

Well Completed Date: 1962/02/05
Year Completed: 1962

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		5.7912			
Latitude:		44.2004730495877			
Longitude:		-77.3925757798554			
Path:		290\2902972.pdf			

Bore Hole Information

Bore Hole ID:	10158630	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308822.80
Code OB Desc:		North83:	4896923.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	05-Feb-1962 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931463025
Layer:	2
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	17
Mat2 Desc:	SHALE
Mat3:	
Mat3 Desc:	
Formation Top Depth:	3.0
Formation End Depth:	9.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931463024
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	3.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931463026
Layer:	3

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		9.0			
Formation End Depth:		19.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		962902972			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10707200			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930270788			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930270789			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		19.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		992902972			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		9.0			
Recommended Pump Depth:		15.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:	1				
Water State After Test:		CLEAR			
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616508			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		17.0			
Water Found Depth UOM:		ft			

29	1 of 1	E/102.9	100.8 / 3.12	lot 5 con 3 ON	WWIS
--------------------	--------	---------	--------------	-------------------	------

Well ID:	2905111	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	1/6/1972
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Abandoned-Supply	Abandonment Rec:	
Water Type:		Contractor:	1805
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	005
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905111.pdf

Additional Detail(s) (Map)

Well Completed Date:	1971/12/20
Year Completed:	1971
Depth (m):	22.5552
Latitude:	44.1995197818304
Longitude:	-77.3899466688826
Path:	290\2905111.pdf

Bore Hole Information

Bore Hole ID:	10160725	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	309029.80
Code OB Desc:		North83:	4896811.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	20-Dec-1971 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931468720			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931468719			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962905111			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10709295			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930274686			
Layer:		1			
Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter: 6.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					

30	1 of 1	WSW/106.5	93.8 / -3.93	lot 5 con 3 ON	WWIS
Well ID:	2902923			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/19/1953
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3550
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902923.pdf

Additional Detail(s) (Map)

Well Completed Date: 1952/06/23
Year Completed: 1952
Depth (m): 11.2776
Latitude: 44.1985021940396
Longitude: -77.3933970113941
Path: 290\2902923.pdf

Bore Hole Information

Bore Hole ID:	10158581	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308750.80
Code OB Desc:		North83:	4896706.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	23-Jun-1952 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931462924			
Layer:		1			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462925			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		37.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902923			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707151			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270691			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		37.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270690			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Results of Well Yield Testing

Pump Test ID:	992902923
Pump Set At:	
Static Level:	8.0
Final Level After Pumping:	12.0
Recommended Pump Depth:	
Pumping Rate:	5.0
Flowing Rate:	
Recommended Pump Rate:	
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	0
Pumping Duration MIN:	30
Flowing:	No

Water Details

Water ID:	933616461
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	35.0
Water Found Depth UOM:	ft

[31](#) 1 of 1 E/107.1 100.9 / 3.15 lot 6 con 3 ON **WWIS**

Well ID:	2904656	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	10/5/1970
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1805
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2904656.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 1970/09/03
Year Completed: 1970
Depth (m): 7.3152
Latitude: 44.1990700143671
Longitude: -77.3899284775938
Path: 290\2904656.pdf

Bore Hole Information

Bore Hole ID:	10160279	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	309029.80
Code OB Desc:		North83:	4896761.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	03-Sep-1970 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931467418
Layer: 1
Color:
General Color:
Mat1: 25
Most Common Material: OVERBURDEN
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931467419
Layer: 2
Color: 2
General Color: GREY
Mat1: 17
Most Common Material: SHALE
Mat2: 15
Mat2 Desc: LIMESTONE
Mat3:
Mat3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 8.0
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931467420			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962904656			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10708849			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930273878			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930273879			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		24.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992904656			
Pump Set At:					
Static Level:		10.0			
Final Level After Pumping:		15.0			
Recommended Pump Depth:		15.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934709590			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934459856			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934980149			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934177480			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933618125			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		22.0			
Water Found Depth UOM:		ft			
<hr/>					
32	1 of 1	ENE/112.3	100.7 / 3.03	lot 5 con 3 ON	WWIS
Well ID:	2905112			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	1/6/1972
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Abandoned-Supply			Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Contractor:	1805
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905112.pdf

Additional Detail(s) (Map)

Well Completed Date: 1971/12/20
Year Completed: 1971
Depth (m): 18.288
Latitude: 44.1999695492524
Longitude: -77.389964860595
Path: 290\2905112.pdf

Bore Hole Information

Bore Hole ID:	10160726	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	309029.80
Code OB Desc:		North83:	4896861.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	20-Dec-1971 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931468722
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 10.0
Formation End Depth: 60.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931468721			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962905112			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10709296			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930274687			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

<u>33</u>	1 of 1	S/115.0	96.9 / -0.80	lot 6 con 3 ON	WWIS
Well ID:	2902954			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	2/27/1956
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	2320
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902954.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:		1955/09/21 1955 4.8768 44.1980090265833 -77.3920129856525 290\2902954.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10158612			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 308859.80 4896648.00 9 unknown UTM p9
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		931462990 2 15 LIMESTONE			
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2:		931462989 1 17 SHALE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		962902954			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10707182			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930270752			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930270753			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		16.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		992902954			
Pump Set At:					
Static Level:		11.0			
Final Level After Pumping:		14.0			
Recommended Pump Depth:					
Pumping Rate:		1.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616492			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		12.0			
Water Found Depth UOM:		ft			

34	1 of 1	WSW/116.4	94.8 / -2.88	lot 5 con 3 ON	WWIS
Well ID:		2902940		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	10/12/1966
Sec. Water Use:		0		Selected Flag:	TRUE
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	4901
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902940.pdf

Additional Detail(s) (Map)

Well Completed Date: 1966/09/13
Year Completed: 1966
Depth (m): 9.144
Latitude: 44.1982881409055
Longitude: -77.3933007415278
Path: 290\2902940.pdf

Bore Hole Information

Bore Hole ID:	10158598	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308757.80
Code OB Desc:		North83:	4896682.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	13-Sep-1966 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462963			
Layer:		1			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462964			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962902940			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707168			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270723			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		16.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:	930270724				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	30.0				
Casing Diameter:	6.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	992902940				
Pump Set At:					
Static Level:	9.0				
Final Level After Pumping:	28.0				
Recommended Pump Depth:	27.0				
Pumping Rate:	2.0				
Flowing Rate:					
Recommended Pump Rate:	1.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933616477				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	28.0				
Water Found Depth UOM:	ft				

35	1 of 1	SSW/121.4	96.9 / -0.80	lot 6 con 3 ON	WWIS
Well ID:	2902952		Data Entry Status:		
Construction Date:			Data Src:	1	
Primary Water Use:	Domestic		Date Received:	2/27/1956	
Sec. Water Use:	0		Selected Flag:	TRUE	
Final Well Status:	Water Supply		Abandonment Rec:		
Water Type:			Contractor:	2320	
Casing Material:			Form Version:	1	
Audit No:			Owner:		
Tag:			Street Name:		
Construction Method:			County:	HASTINGS	
Elevation (m):			Municipality:	THURLOW TOWNSHIP	
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:	006	
Well Depth:			Concession:	03	
Overburden/Bedrock:			Concession Name:	CON	
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902952.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1955/09/14			
Year Completed:		1955			
Depth (m):		9.144			
Latitude:		44.1979534827851			
Longitude:		-77.3920858225867			
Path:		290\2902952.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10158610		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 308853.80	
Code OB Desc:				North83: 4896642.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 9	
Date Completed:		14-Sep-1955 00:00:00		UTMRC Desc: unknown UTM	
Remarks:				Location Method: p9	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462986			
Layer:		2			
Color:					
General Color:					
Mat1:		24			
Most Common Material:		PREV. DRILLED			
Mat2:		15			
Mat2 Desc:		LIMESTONE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462985			
Layer:		1			
Color:					
General Color:					
Mat1:		23			
Most Common Material:		PREVIOUSLY DUG			
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902952			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707180			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270748			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		12.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270747			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		8.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270749			
Layer:		3			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		30.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902952			
Pump Set At:					
Static Level:		16.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping:		22.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			

Water Details

Water ID: 933616489
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 28.0
Water Found Depth UOM: ft

36	1 of 4	SSW/122.2	95.8 / -1.91	BLACK DIAMOND CHEESE BELLEVILLE PLANT 1 BLACK DIAMOND ROAD BELLEVILLE CITY ON	SPL
Ref No:	176450			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	//			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	VALVE/FITTING LEAK OR FAILURE			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	51103
Nature of Impact:	Air Pollution			Site Lot:	
Receiving Medium:	AIR			Site Conc:	
Receiving Env:				Northing:	4896600.00
MOE Response:				Easting:	309800.00
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	1/6/2000			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	OVERSTRESS/OVERPRESSURE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	PARMALAT-BLACK DIAMOND CHEESE-132 KG FREON TO BLDG,VENTED.NO IMPACT.				
Contaminant Qty:					

36	2 of 4	SSW/122.2	95.8 / -1.91	BLACK DIAMOND CHEESE 1 BLACK DIAMOND ROAD 1/4 MILE EAST OF HWY 37 AT HWY 401 THURLOW TWP. ON K8N 5A1	GEN
Generator No:	ON0632415			Status:	
SIC Code:	1049			Co Admin:	
SIC Description:	OTHER DAIRY PRODUCT			Choice of Contact:	
Approval Years:	92,93,97			Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country:				Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		243			
Waste Class Desc:		PCB'S			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
36	3 of 4	SSW/122.2	95.8 / -1.91	BLACK DIAMOND CHEESE 08-411 DIV. AULT FOODS 1 BLACK DIAMOND RD. P.O. BOX #1 BELLEVILLE ON K8N 5A1	GEN
Generator No:		ON0632415		Status:	
SIC Code:		1049		Co Admin:	
SIC Description:		OTHER DAIRY PRODUCT		Choice of Contact:	
Approval Years:		94,95,96		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		243			
Waste Class Desc:		PCB'S			
36	4 of 4	SSW/122.2	95.8 / -1.91	BLACK DIAMOND CHE(SEE & USE ON2275708) 1 BLACK DIAMOND ROAD 1/4 MILE EAST OF HWY 37 AT HWY 401 THURLOW TWP. ON K8N 5A1	GEN
Generator No:		ON0632415		Status:	
SIC Code:		1049		Co Admin:	
SIC Description:		OTHER DAIRY PRODUCT		Choice of Contact:	
Approval Years:		98,99		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		243			
Waste Class Desc:		PCB'S			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	1 of 2	SW/127.2	95.9 / -1.85	Pinchin Ltd. 51 Cannifton Road North Belleville ON K0K 1K0	GEN
Generator No:	ON3255002			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	221 B				
Waste Class Desc:	Light fuels				
37	2 of 2	SW/127.2	95.9 / -1.85	Pinchin Ltd. 51 Cannifton Road North Belleville ON K0K 1K0	GEN
Generator No:	ON3255002			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jan 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	221 B				
Waste Class Desc:	Light fuels				
38	1 of 1	E/127.9	100.8 / 3.12	lot 5 con 3 ON	WWIS
Well ID:	2905113			Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:	Domestic			Date Received: 1/6/1972	
Sec. Water Use:	0			Selected Flag: TRUE	
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor: 1805	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: HASTINGS	
Elevation (m):				Municipality: THURLOW TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 005	
Well Depth:				Concession: 03	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905113.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1971/12/20				
Year Completed:	1971				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		16.4592			
Latitude:		44.1989852952825			
Longitude:		-77.3896747623516			
Path:		290\2905113.pdf			

Bore Hole Information

Bore Hole ID:	10160727	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	309049.80
Code OB Desc:		North83:	4896751.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	20-Dec-1971 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931468724
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	6.0
Formation End Depth:	54.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931468723
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	6.0
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	962905113
Method Construction Code:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10709297			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930274688			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930274689			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		54.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992905113			
Pump Set At:					
Static Level:		20.0			
Final Level After Pumping:		54.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		1.0			
Flowing Rate:					
Recommended Pump Rate:		1.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933618647			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		6.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
39	1 of 1	SSW/129.2	95.9 / -1.85	51 cannifton road north Belleville ON K8N 4Z6	EHS
Order No:	20181123025			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	28-NOV-18			Search Radius (km):	.25
Date Received:	23-NOV-18			X:	-77.392593
Previous Site Name:				Y:	44.197911
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

40	1 of 1	N/130.6	99.7 / 2.03	lot 6 con 3 ON	WWIS
Well ID:	2902956			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	5/28/1956
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	2320
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902956.pdf

Additional Detail(s) (Map)

Well Completed Date: 1956/04/14
Year Completed: 1956
Depth (m): 12.192
Latitude: 44.2007334766785
Longitude: -77.3917478331497
Path: 290\2902956.pdf

Bore Hole Information

Bore Hole ID:	10158614	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308889.80
Code OB Desc:		North83:	4896950.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	14-Apr-1956 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462994			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462993			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902956			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707184			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270757			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40.0			
Casing Diameter:		6.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270756			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		3.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902956			
Pump Set At:					
Static Level:		13.0			
Final Level After Pumping:		13.0			
Recommended Pump Depth:					
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616494			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		38.0			
Water Found Depth UOM:		ft			

41	1 of 1	SSW/132.5	95.8 / -1.91	UNKNOWN CANNIFTON AT BLACK DIAMOND ROAD BELLEVILLE CITY ON	SPL
--------------------	--------	-----------	--------------	--	-----

Ref No:	16555	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	3/31/1989	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	51103
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 3/31/1989 Dt Document Closed: Incident Reason: UNKNOWN Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: GASOLINE FOUND WHILE BLASTING FOR SEWER MAIN LINE Contaminant Qty:					
42	1 of 1	SE/135.8	99.1 / 1.43	Hydro One Inc. 38 Black Diamond Road Belleville ON	SPL
Ref No: 7188-9Z4JSN Site No: NA Incident Dt: 8/5/2015 Year: Incident Cause: Incident Event: Contaminant Code: 26 Contaminant Name: TRANSFORMER OIL (GT 50 PPM PCB) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: No Dt MOE Arvl on Scn: MOE Reported Dt: 8/5/2015 Dt Document Closed: Incident Reason: Operator/Human Error Site Name: 38 Black Diamond Road - Retirement Home, transformer hit and spill<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: HydroOne, 75 L transformer oil, PCB suspect to land, cntd, clng Contaminant Qty: 75 L					
43	1 of 2	ESE/138.7	99.8 / 2.12	lot 6 con 3 ON	WWIS
Well ID: 2907947 Construction Date: Primary Water Use: Commerical Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):					
Data Entry Status: Data Src: 1 Date Received: 3/18/1977 Selected Flag: TRUE Abandonment Rec: Contractor: 3516 Form Version: 1 Owner: Street Name: County: HASTINGS Municipality: THURLOW TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2907947.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1976/09/28			
Year Completed:		1976			
Depth (m):		10.668			
Latitude:		44.1982604328284			
Longitude:		-77.3898957343414			
Path:		290\2907947.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10163112		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 309029.80	
Code OB Desc:				North83: 4896671.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:		28-Sep-1976 00:00:00		UTMRC Desc: margin of error : 100 m - 300 m	
Remarks:				Location Method: p5	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931475769			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		74			
Mat2 Desc:		LAYERED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931475768			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		79			
Mat3 Desc:		PACKED			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962907947			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10711682			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930278528			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930278529			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		35.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992907947			
Pump Set At:					
Static Level:		3.0			
Final Level After Pumping:		35.0			
Recommended Pump Depth:		32.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934977566
Test Type: Recovery
Test Duration: 60
Test Level: 3.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934458284
Test Type: Recovery
Test Duration: 30
Test Level: 3.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934725221
Test Type: Recovery
Test Duration: 45
Test Level: 3.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934175947
Test Type: Recovery
Test Duration: 15
Test Level: 3.0
Test Level UOM: ft

Water Details

Water ID: 933621540
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 28.0
Water Found Depth UOM: ft

Water Details

Water ID: 933621539
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 15.0
Water Found Depth UOM: ft

43 **2 of 2** **ESE/138.7** **99.8 / 2.12** **lot 6 con 3** **WWIS**
ON

Well ID: 2907948	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Commerical	Date Received: 3/18/1977
Sec. Water Use: 0	Selected Flag: TRUE
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 3516
Casing Material:	Form Version: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2907948.pdf

Additional Detail(s) (Map)

Well Completed Date: 1976/09/28
Year Completed: 1976
Depth (m): 36.576
Latitude: 44.1982604328284
Longitude: -77.3898957343414
Path: 290\2907948.pdf

Bore Hole Information

Bore Hole ID:	10163113	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	309029.80
Code OB Desc:		North83:	4896671.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	28-Sep-1976 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931475770
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 79
Mat3 Desc: PACKED
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931475771			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		74			
Mat2 Desc:		LAYERED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		120.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962907948			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10711683			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930278530			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		25.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930278531			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		120.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992907948			
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		120.0			
Recommended Pump Depth:		117.0			
Pumping Rate:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate:					
Recommended Pump Rate:		1.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934725222			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		105.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934977567			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		100.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934175948			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		115.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934458285			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		110.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		933621541			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			

[44](#)

1 of 1

NNW/146.3

99.8 / 2.12

lot 6 con 3
ON

WWIS

Well ID: 2902986
Construction Date:
Primary Water Use: Domestic
Sec. Water Use: 0
Final Well Status: Water Supply
Water Type:

Data Entry Status:
Data Src: 1
Date Received: 5/25/1967
Selected Flag: TRUE
Abandonment Rec:
Contractor: 1805

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Form Version: 1 Owner: Street Name: County: HASTINGS Municipality: THURLOW TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902986.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1967/05/01			
Year Completed:		1967			
Depth (m):		18.288			
Latitude:		44.2008912891545			
Longitude:		-77.3923799632554			
Path:		290\2902986.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10158644		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 308839.80	
Code OB Desc:				North83: 4896969.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:		01-May-1967 00:00:00		UTMRC Desc: margin of error : 100 m - 300 m	
Remarks:				Location Method: p5	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931463056			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931463058			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931463057			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902986			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707214			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270816			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		7.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930270817			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		60.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Results of Well Yield Testing

Pump Test ID:	992902986
Pump Set At:	
Static Level:	30.0
Final Level After Pumping:	60.0
Recommended Pump Depth:	55.0
Pumping Rate:	8.0
Flowing Rate:	
Recommended Pump Rate:	4.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	3
Pumping Duration MIN:	0
Flowing:	No

Water Details

Water ID:	933616521
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	48.0
Water Found Depth UOM:	ft

[45](#) 1 of 1 **NNE/160.6** **101.9 / 4.15** **lot 6 con 3 ON** **WWIS**

Well ID:	2902946	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	1/17/1952
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3550
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902946.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 1951/06/07
Year Completed: 1951
Depth (m): 6.7056
Latitude: 44.2009587021044
Longitude: -77.3908809101704
Path: 290\2902946.pdf

Bore Hole Information

Bore Hole ID:	10158604	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308959.80
Code OB Desc:		North83:	4896973.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	07-Jun-1951 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931462976
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 22.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931462975
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902946			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707174			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270736			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		22.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270735			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		4.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902946			
Pump Set At:					
Static Level:		2.0			
Final Level After Pumping:		8.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616483			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	20.0				
Water Found Depth UOM:	ft				

[46](#) 1 of 1 **NW/161.5** **95.8 / -1.88** **lot 6 con 3 ON** **WWIS**

Well ID:	2905616	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	1/3/1973
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1831
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905616.pdf

Additional Detail(s) (Map)

Well Completed Date: 1972/11/28
Year Completed: 1972
Depth (m): 10.3632
Latitude: 44.2008935566278
Longitude: -77.3931309455257
Path: 290\2905616.pdf

Bore Hole Information

Bore Hole ID:	10161212	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308779.80
Code OB Desc:		North83:	4896971.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	28-Nov-1972 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931470107

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931470108			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		34.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962905616			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10709782			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930275490			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930275491			
Layer:		2			
Material:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		34.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992905616			
Pump Set At:					
Static Level:		9.0			
Final Level After Pumping:		26.0			
Recommended Pump Depth:		28.0			
Pumping Rate:		8.0			
Flowing Rate:					
Recommended Pump Rate:		8.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934720738			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		9.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934180192			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		9.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934462548			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		9.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934973633			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		9.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933619191			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:			1		
Kind Code:			1		
Kind:			FRESH		
Water Found Depth:			28.0		
Water Found Depth UOM:			ft		

47	1 of 1	NE/163.9	101.8 / 4.12	lot 6 con 3 ON	WWIS
--------------------	--------	----------	--------------	-------------------	------

Well ID:	2908769	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	11/2/1978
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1831
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2908769.pdf

Additional Detail(s) (Map)

Well Completed Date:	1978/09/29
Year Completed:	1978
Depth (m):	15.24
Latitude:	44.2009459481103
Longitude:	-77.3906300970357
Path:	290\2908769.pdf

Bore Hole Information

Bore Hole ID:	10163922	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308979.80
Code OB Desc:		North83:	4896971.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	29-Sep-1978 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931478181			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931478180			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962908769			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10712492			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930279688			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		12.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992908769			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:		22.0			
Final Level After Pumping:		45.0			
Recommended Pump Depth:		20.0			
Pumping Rate:		20.0			
Flowing Rate:		20.0			
Recommended Pump Rate:		ft			
Levels UOM:		GPM			
Rate UOM:		1			
Water State After Test Code:		CLEAR			
Water State After Test:		2			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		No			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934178071			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934726340			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934459979			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934979242			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933622498			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		47.0			
Water Found Depth UOM:		ft			

48

1 of 1

NE/167.8

101.7 / 4.03

lot 6 con 3
ON

WWIS

Well ID: 2902961
Construction Date:Data Entry Status:
Data Src: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:				Date Received:	9/12/1958
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Abandoned-Supply			Abandonment Rec:	
Water Type:				Contractor:	1821
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902961.pdf

Additional Detail(s) (Map)

Well Completed Date: 1958/09/05
Year Completed: 1958
Depth (m): 9.7536
Latitude: 44.2008556386539
Longitude: -77.3902134536098
Path: 290\2902961.pdf

Bore Hole Information

Bore Hole ID:	10158619	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	309012.80
Code OB Desc:		North83:	4896960.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	05-Sep-1958 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 931463003
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 32.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931463002			
Layer:		1			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902961			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707189			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270767			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		32.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270766			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		5.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
49	1 of 1	SW/176.9	95.1 / -2.58	lot 5 con 2 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	2902759			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/15/1953
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4750
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902759.pdf

Additional Detail(s) (Map)

Well Completed Date: 1952/08/06
Year Completed: 1952
Depth (m): 10.0584
Latitude: 44.1975385610248
Longitude: -77.3929825580004
Path: 290\2902759.pdf

Bore Hole Information

Bore Hole ID:	10158417	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308780.80
Code OB Desc:		North83:	4896598.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	06-Aug-1952 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931462556
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>			5.0		
<i>Formation End Depth:</i>			33.0		
<i>Formation End Depth UOM:</i>			ft		
<u>Overburden and Bedrock Materials Interval</u>					
<i>Formation ID:</i>			931462555		
<i>Layer:</i>			1		
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>			05		
<i>Most Common Material:</i>			CLAY		
<i>Mat2:</i>			09		
<i>Mat2 Desc:</i>			MEDIUM SAND		
<i>Mat3:</i>			12		
<i>Mat3 Desc:</i>			STONES		
<i>Formation Top Depth:</i>			0.0		
<i>Formation End Depth:</i>			5.0		
<i>Formation End Depth UOM:</i>			ft		
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>			962902759		
<i>Method Construction Code:</i>			1		
<i>Method Construction:</i>			Cable Tool		
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>			10706987		
<i>Casing No:</i>			1		
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>			930270378		
<i>Layer:</i>			2		
<i>Material:</i>			4		
<i>Open Hole or Material:</i>			OPEN HOLE		
<i>Depth From:</i>					
<i>Depth To:</i>			33.0		
<i>Casing Diameter:</i>			6.0		
<i>Casing Diameter UOM:</i>			inch		
<i>Casing Depth UOM:</i>			ft		
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>			930270377		
<i>Layer:</i>			1		
<i>Material:</i>			1		
<i>Open Hole or Material:</i>			STEEL		
<i>Depth From:</i>					
<i>Depth To:</i>			5.0		
<i>Casing Diameter:</i>			6.0		
<i>Casing Diameter UOM:</i>			inch		
<i>Casing Depth UOM:</i>			ft		
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:		992902759			
Pump Set At:					
Static Level:		22.0			
Final Level After Pumping:		23.0			
Recommended Pump Depth:					
Pumping Rate:		0.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616316			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		33.0			
Water Found Depth UOM:		ft			

50	1 of 1	NNE/178.5	102.0 / 4.32	lot 6 con 3 ON	WWIS
--------------------	--------	-----------	--------------	-------------------	------

Well ID:	2902985	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	12/2/1966
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1806
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902985.pdf

Additional Detail(s) (Map)

Well Completed Date:	1966/11/01
Year Completed:	1966
Depth (m):	18.288
Latitude:	44.20112856616
Longitude:	-77.3909378432011
Path:	290\2902985.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10158643			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	308955.80
Code OB Desc:				North83:	4896992.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	01-Nov-1966 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931463055				
Layer:	2				
Color:					
General Color:					
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	4.0				
Formation End Depth:	60.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931463054				
Layer:	1				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	4.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	962902985				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10707213			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270815			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		60.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270814			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902985			
Pump Set At:					
Static Level:		52.0			
Final Level After Pumping:		60.0			
Recommended Pump Depth:		57.0			
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616520			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		52.0			
Water Found Depth UOM:		ft			

[51](#)

1 of 1

W/185.9

93.7 / -4.02

131 A PARKS DR
Belleville ON

WWIS

Well ID: 7328449
Construction Date:

Data Entry Status:
Data Src:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Test Hole			Date Received:	11/19/2018
Sec. Water Use:	Monitoring			Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z295301			Owner:	
Tag:	A246436			Street Name:	131 A PARKS DR
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Additional Detail(s) (Map)

Well Completed Date: 2018/09/13
Year Completed: 2018
Depth (m): 6.096
Latitude: 44.1992416795587
Longitude: -77.3946258518832
Path:

Bore Hole Information

Bore Hole ID:	1007362982	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308655.00
Code OB Desc:		North83:	4896791.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	13-Sep-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1007664288
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3: 26
Mat3 Desc: ROCK
Formation Top Depth: 7.0
Formation End Depth: 20.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007664286			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007664287			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		2.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007664299			
Layer:		2			
Plug From:		1.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007664300			
Layer:		3			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007664298			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth UOM:		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Method of Construction & Well Use

Method Construction ID: 1007664297
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 1007664285
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1007664293
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 10.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007664294
Layer: 1
Slot: 10
Screen Top Depth: 10.0
Screen End Depth: 20.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.0999999046325684

Water Details

Water ID: 1007664292
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007664289
Diameter: 6.0
Depth From: 0.0
Depth To: 7.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole Diameter

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1007664291			
Diameter:		3.5			
Depth From:		10.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1007664290			
Diameter:		5.0			
Depth From:		7.0			
Depth To:		10.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

52	1 of 1	SSE/187.6	97.9 / 0.17	lot 6 con 3 ON	WWIS
Well ID:	2908728			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	10/3/1978
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	2562
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2908728.pdf

Additional Detail(s) (Map)

Well Completed Date: 1978/08/01
Year Completed: 1978
Depth (m): 16.764
Latitude: 44.1973347188283
Longitude: -77.3911097045376
Path: 290\2908728.pdf

Bore Hole Information

Bore Hole ID:	10163881	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308929.80
Code OB Desc:		North83:	4896571.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	01-Aug-1978 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931478077			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931478078			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962908728			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10712451			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930279636			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		10.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		992908728			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:					
Recommended Pump Depth:		54.0			
Pumping Rate:		7.0			
Flowing Rate:					
Recommended Pump Rate:		7.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934459958			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		35.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934979221			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		50.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934726319			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		45.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934177632			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		25.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		933622454			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	55.0				
Water Found Depth UOM:	ft				

53	1 of 1	SSW/190.0	95.1 / -2.58	lot 5 con 2 ON	WWIS
Well ID:	2906582			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/5/1974
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1352
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2906582.pdf

Additional Detail(s) (Map)

Well Completed Date: 1974/10/23
Year Completed: 1974
Depth (m): 10.0584
Latitude: 44.1973885491694
Longitude: -77.3928375767959
Path: 290\2906582.pdf

Bore Hole Information

Bore Hole ID:	10162005	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308791.90
Code OB Desc:		North83:	4896581.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	23-Oct-1974 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931472500

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		11.0			
Formation End Depth:		33.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931472499			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962906582			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10710575			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930276770			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		11.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930276771			
Layer:		2			
Material:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		33.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992906582			
Pump Set At:					
Static Level:		4.0			
Final Level After Pumping:		8.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933620164			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		31.0			
Water Found Depth UOM:		ft			

[54](#) 1 of 1 **NNE/190.0** **101.9 / 4.20** **lot 6 con 3 ON** **WWIS**

Well ID:	2905922	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	8/9/1973
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1805
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2905922.pdf

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Well Completed Date: 1973/07/11
Year Completed: 1973
Depth (m): 21.336
Latitude: 44.2012485040467
Longitude: -77.39122928816
Path: 290\2905922.pdf

Bore Hole Information

Bore Hole ID:	10161478	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308932.90
Code OB Desc:		North83:	4897006.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	11-Jul-1973 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931470915
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 17
Mat2 Desc: SHALE
Mat3:
Mat3 Desc:
Formation Top Depth: 6.0
Formation End Depth: 10.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931470916
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 10.0
Formation End Depth: 70.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931470914			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962905922			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10710048			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930275926			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		11.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930275927			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		70.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992905922			
Pump Set At:					
Static Level:		30.0			
Final Level After Pumping:		70.0			
Recommended Pump Depth:					
Pumping Rate:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate:					
Recommended Pump Rate:		2.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
Water Details					
Water ID:		933619526			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		65.0			
Water Found Depth UOM:		ft			

55	1 of 1	NNE/200.8	102.1 / 4.42	lot 6 con 3 ON	WWIS
Well ID:	2902963			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	7/14/1959
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1507
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902963.pdf

Additional Detail(s) (Map)

Well Completed Date: 1959/04/28
Year Completed: 1959
Depth (m): 13.1064
Latitude: 44.2012882947434
Longitude: -77.390618918674
Path: 290\2902963.pdf

Bore Hole Information

Bore Hole ID: 10158621
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:

Elevation:
Elevrc:
Zone: 18
East83: 308981.80
North83: 4897009.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	28-Apr-1959 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931463006			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931463007			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		43.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962902963			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707191			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		930270771			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		43.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270770			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902963			
Pump Set At:					
Static Level:		20.0			
Final Level After Pumping:		43.0			
Recommended Pump Depth:		43.0			
Pumping Rate:		1.0			
Flowing Rate:					
Recommended Pump Rate:		1.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616499			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		30.0			
Water Found Depth UOM:		ft			

56

1 of 1

NNE/204.7

101.9 / 4.20

lot 6 con 3
ON

WWIS

Well ID: 2909287

Construction Date:

Primary Water Use: Domestic

Sec. Water Use: 0

Final Well Status: Abandoned-Quality

Water Type:

Casing Material:

Audit No:

Tag:

Data Entry Status:

Data Src: 1

Date Received: 11/9/1979

Selected Flag: TRUE

Abandonment Rec:

Contractor: 4901

Form Version: 1

Owner:

Street Name:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2909287.pdf

Additional Detail(s) (Map)

Well Completed Date: 1979/08/29
Year Completed: 1979
Depth (m): 20.4216
Latitude: 44.2013826222482
Longitude: -77.3912735123586
Path: 290\2909287.pdf

Bore Hole Information

Bore Hole ID:	10164433	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308929.80
Code OB Desc:		North83:	4897021.00
Open Hole:		Org CS:	5
Cluster Kind:		UTMRC:	5
Date Completed:	29-Aug-1979 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931479665
Layer: 1
Color: 8
General Color: BLACK
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 7.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931479667

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:	65				
Mat2 Desc:	DARK-COLOURED				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	35.0				
Formation End Depth:	67.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931479666				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	7.0				
Formation End Depth:	35.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	962909287				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10713003				
Casing No:	1				
Comment:					
Alt Name:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:	992909287				
Pump Set At:					
Static Level:	10.0				
Final Level After Pumping:	66.0				
Recommended Pump Depth:	64.0				
Pumping Rate:	2.0				
Flowing Rate:					
Recommended Pump Rate:	2.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	2				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934178762				
Test Type:	Draw Down				
Test Duration:	15				
Test Level:	24.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934461077				
Test Type:	Draw Down				
Test Duration:	30				
Test Level:	38.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934980319				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	66.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934718654				
Test Type:	Draw Down				
Test Duration:	45				
Test Level:	52.0				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	933623087				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	35.0				
Water Found Depth UOM:	ft				
<u>Water Details</u>					
Water ID:	933623088				
Layer:	2				
Kind Code:	2				
Kind:	SALTY				
Water Found Depth:	65.0				
Water Found Depth UOM:	ft				

<u>57</u>	1 of 1	NW/204.8	94.4 / -3.27	lot 5 con 3 ON	WWIS
Well ID:	2902928			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/17/1959
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Contractor:	1821
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902928.pdf

Additional Detail(s) (Map)

Well Completed Date: 1959/09/04
Year Completed: 1959
Depth (m): 11.8872
Latitude: 44.2012393942236
Longitude: -77.3933827362611
Path: 290\2902928.pdf

Bore Hole Information

Bore Hole ID:	10158586	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308760.80
Code OB Desc:		North83:	4897010.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	04-Sep-1959 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931462935
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 5.0
Formation End Depth: 39.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931462934			
Layer:		1			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902928			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707156			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270701			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		39.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270700			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902928			
Pump Set At:					
Static Level:		24.0			
Final Level After Pumping:		24.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth: 24.0					
Pumping Rate: 10.0					
Flowing Rate:					
Recommended Pump Rate: 4.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 2					
Water State After Test: CLOUDY					
Pumping Test Method: 1					
Pumping Duration HR: 1					
Pumping Duration MIN: 0					
Flowing: No					
Water Details					
Water ID: 933616466					
Layer: 1					
Kind Code: 3					
Kind: SULPHUR					
Water Found Depth: 33.0					
Water Found Depth UOM: ft					

58	1 of 1	NNW/205.5	100.9 / 3.15	lot 6 con 3 ON	WWIS
--------------------	--------	-----------	--------------	-------------------	------

Well ID:	2902987	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	5/25/1967
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Abandoned-Supply	Abandonment Rec:	
Water Type:		Contractor:	1805
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902987.pdf

Additional Detail(s) (Map)

Well Completed Date:	1967/04/24
Year Completed:	1967
Depth (m):	13.716
Latitude:	44.2014204415119
Longitude:	-77.392476478452
Path:	290\2902987.pdf

Bore Hole Information

Bore Hole ID:	10158645	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	308833.80
Code OB Desc:				North83:	4897028.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	24-Apr-1967 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 931463060
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 17
Mat2 Desc: SHALE
Mat3:
Mat3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 7.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931463059
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931463061
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 7.0
Formation End Depth: 45.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Method of Construction & Well Use

Method Construction ID: 962902987
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10707215
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930270818
Layer: 1
Material:
Open Hole or Material:
Depth From:
Depth To:
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992902987
Pump Set At:
Static Level: 20.0
Final Level After Pumping: 45.0
Recommended Pump Depth: 40.0
Pumping Rate: 0.0
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 4
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933616522
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 20.0
Water Found Depth UOM: ft

59	1 of 1	N/211.0	101.8 / 4.07	lot 6 con 3 ON	WWIS
Well ID:	2902988			Data Entry Status:	
Construction Date:				Data Src:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Livestock			Date Received:	5/25/1967
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1805
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902988.pdf

Additional Detail(s) (Map)

Well Completed Date: 1967/04/27
Year Completed: 1967
Depth (m): 17.3736
Latitude: 44.2014493467962
Longitude: -77.391526511996
Path: 290\2902988.pdf

Bore Hole Information

Bore Hole ID:	10158646	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308909.80
Code OB Desc:		North83:	4897029.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	27-Apr-1967 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 931463064
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 7.0
Formation End Depth: 57.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931463063			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931463062			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902988			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707216			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270819			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		8.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Casing

Casing ID: 930270820
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 57.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992902988
Pump Set At:
Static Level: 20.0
Final Level After Pumping: 30.0
Recommended Pump Depth: 50.0
Pumping Rate: 6.0
Flowing Rate:
Recommended Pump Rate: 3.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 4
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933616523
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 48.0
Water Found Depth UOM: ft

[60](#) 1 of 2 **NNE/211.9** **102.9 / 5.15** **lot 6 con 3** **ON** **WWIS**

Well ID: 2904830 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):	Data Entry Status: Data Src: 1 Date Received: 4/13/1971 Selected Flag: TRUE Abandonment Rec: Contractor: 1805 Form Version: 1 Owner: Street Name: County: HASTINGS Municipality: THURLOW TOWNSHIP Site Info: Lot: 006 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone:
---	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2904830.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1971/02/04			
Year Completed:		1971			
Depth (m):		13.716			
Latitude:		44.2013957151952			
Longitude:		-77.390648294852			
Path:		290\2904830.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10160449		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 308979.80	
Code OB Desc:				North83: 4897021.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 4	
Date Completed:		04-Feb-1971 00:00:00		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: p4	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931467923			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931467924			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		15			
Mat2 Desc:		LIMESTONE			
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		3.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931467925			
Layer:		3			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962904830			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10709019			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930274187			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		16.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930274188			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		45.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:		992904830			
Pump Set At:					
Static Level:		18.0			
Final Level After Pumping:		18.0			
Recommended Pump Depth:		40.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
Water Details					
Water ID:		933618325			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

60	2 of 2	NNE/211.9	102.9 / 5.15	lot 6 con 3 ON	WWIS
--------------------	--------	-----------	--------------	-------------------	------

Well ID:	2909286	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	11/9/1979
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Abandoned-Quality	Abandonment Rec:	
Water Type:		Contractor:	4901
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2909286.pdf

Additional Detail(s) (Map)

Well Completed Date:	1979/08/27
Year Completed:	1979
Depth (m):	15.24
Latitude:	44.2013957151952
Longitude:	-77.390648294852
Path:	290\2909286.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10164432			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	308979.80
Code OB Desc:				North83:	4897021.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	27-Aug-1979 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931479663				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	17				
Mat2 Desc:	SHALE				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	10.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931479664				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	10.0				
Formation End Depth:	50.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	962909286				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID: Casing No: Comment: Alt Name:		10713002	1		
<u>Results of Well Yield Testing</u>					
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		992909286	47.0		
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		933623085	1		
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		933623086	2		

61	1 of 1	NNE/213.5	102.8 / 5.05	lot 6 con 3 ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:	2902934	Abandoned-Supply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:	1 1/2/1964 TRUE 4829 1 HASTINGS THURLOW TOWNSHIP 006 03 CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902934.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1963/10/18				
Year Completed:	1963				
Depth (m):	13.4112				
Latitude:	44.2014510890743				
Longitude:	-77.3910134691711				
Path:	290\2902934.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10158592			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	308950.80
Code OB Desc:				North83:	4897028.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	18-Oct-1963 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931462948				
Layer:	1				
Color:					
General Color:					
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	1.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931462950				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	21				
Most Common Material:	GRANITE				
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462949			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962902934			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707162			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270712			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

[62](#)

1 of 1

NNW/223.3

95.8 / -1.88

lot 5 con 3
ON

WWIS

Well ID: 2902926
Construction Date:
Primary Water Use: Domestic
Sec. Water Use: 0
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:

Data Entry Status:
Data Src: 1
Date Received: 7/14/1959
Selected Flag: TRUE
Abandonment Rec:
Contractor: 1507
Form Version: 1
Owner:
Street Name:
County: HASTINGS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	005
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902926.pdf

Additional Detail(s) (Map)

Well Completed Date: 1959/03/05
Year Completed: 1959
Depth (m): 11.8872
Latitude: 44.201487510191
Longitude: -77.3931424874519
Path: 290\2902926.pdf

Bore Hole Information

Bore Hole ID:	10158584	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308780.80
Code OB Desc:		North83:	4897037.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	05-Mar-1959 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931462931
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 2.0
Formation End Depth: 39.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931462930
Layer: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		962902926			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10707154			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930270697			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		39.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930270696			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		8.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		992902926			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		39.0			
Recommended Pump Depth:		39.0			
Pumping Rate:		0.0			
Flowing Rate:					
Recommended Pump Rate:		0.0			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616464			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		25.0			
Water Found Depth UOM:		ft			

63	1 of 1	E/230.9	100.9 / 3.19	lot 6 con 3 ON	WWIS
--------------------	--------	---------	--------------	-------------------	------

Well ID:	2902949	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	6/8/1955
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	2320
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902949.pdf

Additional Detail(s) (Map)

Well Completed Date:	1955/05/03
Year Completed:	1955
Depth (m):	6.096
Latitude:	44.1996432268422
Longitude:	-77.3883497959789
Path:	290\2902949.pdf

Bore Hole Information

Bore Hole ID:	10158607	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	309157.80
Code OB Desc:		North83:	4896821.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	03-May-1955 00:00:00	UTMRC Desc:	unknown UTM

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462981			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902949			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707177			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270742			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		20.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270741			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		5.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:	992902949				
Pump Set At:					
Static Level:	9.0				
Final Level After Pumping:	16.0				
Recommended Pump Depth:					
Pumping Rate:	1.0				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	0				
Pumping Duration MIN:	30				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933616486				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	20.0				
Water Found Depth UOM:	ft				
64	1 of 1	W/233.9	99.1 / 1.35	131 A PARKS DR Belleville ON	WWIS
Well ID:	7328448			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	11/19/2018
Sec. Water Use:	Monitoring			Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z295055			Owner:	
Tag:	A246417			Street Name:	131 A PARKS DR
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2018/09/13				
Year Completed:	2018				
Depth (m):	6.096				
Latitude:	44.1986359237963				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-77.3951769644471			
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007362979			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	308609.00
Code OB Desc:				North83:	4896725.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	13-Sep-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007664270				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	01				
Most Common Material:	FILL				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	0.0				
Formation End Depth:	2.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007664272				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:	26				
Mat3 Desc:	ROCK				
Formation Top Depth:	5.0				
Formation End Depth:	20.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007664271				
Layer:	2				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		2.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007664283			
Layer:		2			
Plug From:		1.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007664284			
Layer:		3			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007664282			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007664281			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007664269			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007664277			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007664278
 Layer: 1
 Slot: 10
 Screen Top Depth: 10.0
 Screen End Depth: 20.0
 Screen Material: 5
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter: 2.0999999046325684

Water Details

Water ID: 1007664276
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007664274
 Diameter: 5.0
 Depth From: 6.0
 Depth To: 9.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1007664273
 Diameter: 6.0
 Depth From: 0.0
 Depth To: 6.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1007664275
 Diameter: 3.5
 Depth From: 9.0
 Depth To: 20.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

65	1 of 1	WSW/234.4	99.1 / 1.35	ON	WWIS
--------------------	--------	-----------	-------------	----	------

Well ID:	7376897	Data Entry Status:	Yes
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	12/30/2020
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:		Abandonment Rec:	
Water Type:		Contractor:	7444
Casing Material:		Form Version:	7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	Z324571			Owner:	
Tag:	A246417			Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	BELLEVILLE CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1008564106	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	788053.00
Code OB Desc:		North83:	4900255.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	15-Dec-2020 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

66	1 of 1	SSW/245.0	95.8 / -1.88	lot 5 con 3 ON	WWIS
--------------------	--------	-----------	--------------	-------------------	------

Well ID:	2909480	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	6/17/1980
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1352
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	005
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2909480.pdf

Additional Detail(s) (Map)

Well Completed Date:	1980/06/05
Year Completed:	1980
Depth (m):	9.144

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		44.1968495021837			
Longitude:		-77.3923539837931			
Path:		290\2909480.pdf			

Bore Hole Information

Bore Hole ID:	10164626	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308828.80
Code OB Desc:		North83:	4896520.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	05-Jun-1980 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931480270
Layer:	4
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	4.0
Formation End Depth:	30.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931480268
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	12
Mat2 Desc:	STONES
Mat3:	
Mat3 Desc:	
Formation Top Depth:	1.0
Formation End Depth:	2.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931480267
Layer:	1
Color:	6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931480269			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		15			
Mat2 Desc:		LIMESTONE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962909480			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10713196			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930280717			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930280718			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		30.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992909480			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:					
Recommended Pump Depth:		28.0			
Pumping Rate:		1.0			
Flowing Rate:					
Recommended Pump Rate:		1.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933623318			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		24.0			
Water Found Depth UOM:		ft			

67	1 of 1	NE/246.4	102.8 / 5.10	lot 6 con 3 ON	WWIS
Well ID:		2902957		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 2/12/1957	
Sec. Water Use:		0		Selected Flag: TRUE	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1507	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: HASTINGS	
Elevation (m):				Municipality: THURLOW TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 006	
Well Depth:				Concession: 03	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902957.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1956/08/24			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		1956			
Depth (m):		12.192			
Latitude:		44.2012271332772			
Longitude:		-77.3892398036881			
Path:		290\2902957.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10158615			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	309091.80
Code OB Desc:				North83:	4896999.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	24-Aug-1956 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931462995			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962902957			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707185			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270758			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		5.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270759			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902957			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		40.0			
Recommended Pump Depth:					
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933616495			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		37.0			
Water Found Depth UOM:		ft			

[68](#)

1 of 16

WNW/250.3

100.6 / 2.84

MCINROY-MAINES CONSTRUCTION LTD
 LOT 3 & PART LOT 4, CONC. 3
 THURLOW TWP ON K8N 4Z5

GEN

Generator No: ON1615800
SIC Code: 4122
SIC Description: WATERWORKS & SEWAGE
Approval Years: 92,93,97,98
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
68	2 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 26-944 LOT 3 & PART LOT 4, CONC. 3 THURLOW TWP., C/O R.R. #5 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	4122			Co Admin:	
SIC Description:	WATERWORKS & SEWAGE			Choice of Contact:	
Approval Years:	94,95,96			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
68	3 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	4122			Co Admin:	
SIC Description:	WATERWORKS & SEWAGE			Choice of Contact:	
Approval Years:	99,00,01			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
68	4 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	02,03,04,05,06,07,08			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
68	5 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	231320			Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	2009			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
68	6 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	231320			Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	2010			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
68	7 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	231320			Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	2011			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
68	8 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	231320			Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	2012			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
68	9 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON	GEN
Generator No:	ON1615800			Status:	
SIC Code:	231320			Co Admin:	
SIC Description:	WATER AND SEWER CONSTRUCTION			Choice of Contact:	
Approval Years:	2013			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
68	10 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	231320			Co Admin:	CHEYENNE M MacMILLAN
SIC Description:	WATER AND SEWER CONSTRUCTION			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Phone No Admin:	613-962-6605 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
68	11 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	231320			Co Admin:	CHEYENNE M MacMILLAN
SIC Description:	WATER AND SEWER CONSTRUCTION			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Phone No Admin:	613-962-6605 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
68	12 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	
SIC Code:	231320			Co Admin:	CHEYENNE M MacMILLAN
SIC Description:	WATER AND SEWER CONSTRUCTION			Choice of Contact:	CO_ADMIN
Approval Years:	2014			Phone No Admin:	613-962-6605 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
68	13 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
68	14 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
68	15 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Nov 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
68	16 of 16	WNW/250.3	100.6 / 2.84	MCINROY-MAINES CONSTRUCTION LTD. 121 PARKS DRIVE LOT 3 & PART LOT 4, CONCESSION 3 BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1615800			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Feb 2022			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
69	1 of 1	N/253.3	101.8 / 4.07	108 Cannifton Road Belleville ON	EHS
Order No:	20050913020			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Site Report			Client Prov/State:	ON
Report Date:	9/15/2005			Search Radius (km):	0.25
Date Received:	9/13/2005			X:	-77.391939
Previous Site Name:				Y:	44.201846
Lot/Building Size:					
Additional Info Ordered:					

70	1 of 1	N/260.4	100.8 / 3.12	lot 6 con 3 ON	WWIS
Well ID:	2902948			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/7/1954
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3550
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902948.pdf

Additional Detail(s) (Map)

Well Completed Date: 1953/07/14
Year Completed: 1953
Depth (m): 8.5344
Latitude: 44.2019199009036
Longitude: -77.3922714317759
Path: 290\2902948.pdf

Bore Hole Information

Bore Hole ID:	10158606	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308851.80
Code OB Desc:		North83:	4897083.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	14-Jul-1953 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931462979		
Layer:			1		
Color:					
General Color:					
Mat1:			02		
Most Common Material:			TOPSOIL		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			5.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931462980		
Layer:			2		
Color:					
General Color:					
Mat1:			15		
Most Common Material:			LIMESTONE		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			5.0		
Formation End Depth:			28.0		
Formation End Depth UOM:			ft		
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:			962902948		
Method Construction Code:			1		
Method Construction:			Cable Tool		
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			10707176		
Casing No:			1		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			930270740		
Layer:			2		
Material:			4		
Open Hole or Material:			OPEN HOLE		
Depth From:					
Depth To:			28.0		
Casing Diameter:			5.0		
Casing Diameter UOM:			inch		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:	930270739				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	5.0				
Casing Diameter:	5.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	992902948				
Pump Set At:					
Static Level:	6.0				
Final Level After Pumping:	25.0				
Recommended Pump Depth:					
Pumping Rate:	1.0				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	0				
Pumping Duration MIN:	30				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933616485				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	26.0				
Water Found Depth UOM:	ft				

[71](#) 1 of 1 **NNE/260.6** **102.8 / 5.12** **lot 6 con 3 ON** **WWIS**

Well ID:	2909288	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	11/9/1979
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4901
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2909288.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1979/08/31			
Year Completed:		1979			
Depth (m):		16.4592			
Latitude:		44.2018454822385			
Longitude:		-77.3906664930921			
Path:		290\2909288.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10164434		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 308979.80	
Code OB Desc:				North83: 4897071.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:		31-Aug-1979 00:00:00		UTMRC Desc: margin of error : 100 m - 300 m	
Remarks:				Location Method: p5	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931479669			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931479670			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		53.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931479671			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		65			
Mat2 Desc:		DARK-COLOURED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		53.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931479668			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962909288			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10713004			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930280415			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		11.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992909288			
Pump Set At:					
Static Level:		25.0			
Final Level After Pumping:		53.0			
Recommended Pump Depth:		51.0			
Pumping Rate:		2.0			
Flowing Rate:					
Recommended Pump Rate:		2.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934980320			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		54.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934461078			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		39.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934718655			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		46.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934178763			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		32.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933623090			
Layer:		2			
Kind Code:		5			
Kind:		Not stated			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Water Found Depth: 46.0
 Water Found Depth UOM: ft

Water Details

Water ID: 933623089
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 41.0
 Water Found Depth UOM: ft

72	1 of 1	E/265.0	99.8 / 2.09	Black Diamond Road Belleville ON K0K 1K0	EHS
--------------------	--------	---------	-------------	---	-----

Order No:	21080500210	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Custom Report	Client Prov/State:	ON
Report Date:	16-AUG-21	Search Radius (km):	.25
Date Received:	05-AUG-21	X:	-77.3879698
Previous Site Name:		Y:	44.1988247
Lot/Building Size:	1 km long roadway		
Additional Info Ordered:	Aerial Photos		

73	1 of 5	W/268.5	100.8 / 3.12	PENSKE TRUCK LEASING CANADA INC 131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	FST
--------------------	--------	---------	--------------	---	-----

Instance No:	11666998	Manufacturer:	
Status:		Serial No:	
Cont Name:		Ulc Standard:	
Instance Type:	FS Liquid Fuel Tank	Quantity:	
Item:		Unit of Measure:	
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Diesel
Tank Type:	Single Wall UST	Fuel Type2:	NULL
Install Date:	6/10/2009	Fuel Type3:	NULL
Install Year:	1988	Piping Steel:	
Years in Service:		Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	50000	No Underground:	
Tank Material:	Steel	Panam Related:	
Corrosion Protect:	Sacrificial anode	Panam Venue:	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:	FS Gasoline Station - Card/Keylock		
Facility Location:			
Device Installed Location:	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA		

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: PENSKE TRUCK LEASING CANADA INC
Item: FS LIQUID FUEL TANK

73	2 of 5	W/268.5	100.8 / 3.12	PENSKE TRUCK LEASING CANADA INC 131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA ON	FST
--------------------	--------	---------	--------------	---	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance No:	11633238			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:	FS Liquid Fuel Tank			Quantity:	
Item:				Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Single Wall UST			Fuel Type2:	NULL
Install Date:	6/10/2009			Fuel Type3:	NULL
Install Year:	1988			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	25000			No Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:	Sacrificial anode			Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:	FS Gasoline Station - Card/Keylock				
Facility Location:					
Device Installed Location:	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA				

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: PENSKE TRUCK LEASING CANADA INC
Item: FS LIQUID FUEL TANK

[73](#) 3 of 5 W/268.5 100.8 / 3.12 PENSKE TRUCK LEASING CANADA INC
131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA
ON **FST**

Instance No:	11666929			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:	FS Liquid Fuel Tank			Quantity:	
Item:				Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Diesel
Tank Type:	Single Wall UST			Fuel Type2:	NULL
Install Date:	6/10/2009			Fuel Type3:	NULL
Install Year:	1988			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	25000			No Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:	Sacrificial anode			Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:	FS Gasoline Station - Card/Keylock				
Facility Location:					
Device Installed Location:	131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA				

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: PENSKE TRUCK LEASING CANADA INC
Item: FS LIQUID FUEL TANK

[73](#) 4 of 5 W/268.5 100.8 / 3.12 PENSKE TRUCK LEASING CANADA INC
131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA
CA **FST**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

ON

Instance No: 11666965
Status:
Cont Name:
Instance Type: FS Liquid Fuel Tank
Item:
Item Description: FS Liquid Fuel Tank
Tank Type: Single Wall UST
Install Date: 6/10/2009
Install Year: 1988
Years in Service:
Model: NULL
Description:
Capacity: 50000
Tank Material: Steel
Corrosion Protect: Sacrificial anode
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type: FS Gasoline Station - Card/Keylock
Facility Location:
Device Installed Location: 131A PARKS DR RR 5 BELLEVILLE K8N 4Z5 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Diesel
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
No Underground:
Panam Related:
Panam Venue:

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: PENSKE TRUCK LEASING CANADA INC
Item: FS LIQUID FUEL TANK

73	5 of 5	W/268.5	100.8 / 3.12	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	DTNK
--------------------	--------	---------	--------------	---	------

Delisted Fuel Storage Tank

Instance No: 10324784
Status: Active
Instance Type:
Fuel Type:
Cont Name:
Capacity:
Tank Material:
Corrosion Prot:
Tank Type:
Install Year:
Facility Type:
Device Installed Loc:
Fuel Type 2:
Fuel Type 3:
Item: FS GASOLINE STATION - CARD/KEYLOCK
Item Description:
Model:
Description:
Instance Creation Dt:
Instance Install Dt:
Manufacturer:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Parent Fac Type:
TSSA Base Sched Cycle 1:
TSSA Base Sched Cycle 2:

Creation Date:
Overfill Prot Type:
Facility Location:
Piping SW Steel: 4
Piping SW Galvan: 0
Tanks SW Steel: 4
Piping Underground: 4
No Underground: 4
Max Hazard Rank:
Max Hazard Rank 1:
Nxt Period Start Dt:
Program Area 1:
Program Area 2:
Nxt Period Strt Dt 2:
Risk Based Periodic:
Vol of Directives:
Years in Service:
Created Date:
Federal Device:
Periodic Exempt:
Statutory Interval:
Rcomnd Insp Interval:
Recommended Toler:
Panam Venue Name:
External Identifier:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Original Source:		FST			
Record Date:		31-MAY-2021			

[74](#) 1 of 1 S/269.1 96.8 / -0.88 lot 5 con 2 ON [WWIS](#)

Well ID:	2902764	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	10/29/1956
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	2320
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HASTINGS
Elevation (m):		Municipality:	THURLOW TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	005
Well Depth:		Concession:	02
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 1956/10/18
Year Completed: 1956
Depth (m): 6.096
Latitude: 44.1966048780188
Longitude: -77.3915682168487
Path:

Bore Hole Information

Bore Hole ID:	10158422	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308890.80
Code OB Desc:		North83:	4896491.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	18-Oct-1956 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock
Materials Interval

Formation ID: 931462564
Layer: 1
Color:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902764			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10706992			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270385			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		5.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270386			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		20.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902764			
Pump Set At:					
Static Level:		2.0			
Final Level After Pumping:		15.0			
Recommended Pump Depth:					
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	0				
Pumping Duration MIN:	45				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933616319				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	20.0				
Water Found Depth UOM:	ft				

75	1 of 1	W/275.9	100.8 / 3.12	131 A PARKS DR Belleville ON	WWIS
Well ID:	7328446			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	11/19/2018
Sec. Water Use:	Monitoring			Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z291803			Owner:	
Tag:	A211231			Street Name:	131 A PARKS DR
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Additional Detail(s) (Map)

Well Completed Date:	2018/09/14
Year Completed:	2018
Depth (m):	5.6388
Latitude:	44.1993712541748
Longitude:	-77.3957448950202
Path:	

Bore Hole Information

Bore Hole ID:	1007362683	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	308566.00
Code OB Desc:		North83:	4896808.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	14-Sep-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1007664192		
Layer:			1		
Color:			6		
General Color:			BROWN		
Mat1:			01		
Most Common Material:			FILL		
Mat2:			11		
Mat2 Desc:			GRAVEL		
Mat3:			77		
Mat3 Desc:			LOOSE		
Formation Top Depth:			0.0		
Formation End Depth:			2.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1007664194		
Layer:			3		
Color:			2		
General Color:			GREY		
Mat1:			15		
Most Common Material:			LIMESTONE		
Mat2:					
Mat2 Desc:					
Mat3:			26		
Mat3 Desc:			ROCK		
Formation Top Depth:			5.0		
Formation End Depth:			18.5		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1007664193		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:			66		
Mat3 Desc:			DENSE		
Formation Top Depth:			2.0		
Formation End Depth:			5.0		
Formation End Depth UOM:			ft		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1007664205		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	2				
Plug From:	1.0				
Plug To:	7.5				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007664206				
Layer:	3				
Plug From:	7.5				
Plug To:	18.5				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007664204				
Layer:	1				
Plug From:	0.0				
Plug To:	1.0				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1007664203				
Method Construction Code:	5				
Method Construction:	Air Percussion				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1007664191				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1007664199				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0.0				
Depth To:	8.5				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	1007664200				
Layer:	1				
Slot:	10				
Screen Top Depth:	8.5				
Screen End Depth:	18.5				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.0999999046325684				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 1007664198
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007664197
 Diameter: 3.5
 Depth From: 9.0
 Depth To: 18.5
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1007664195
 Diameter: 6.0
 Depth From: 0.0
 Depth To: 5.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1007664196
 Diameter: 5.0
 Depth From: 5.0
 Depth To: 9.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

76	1 of 2	WNW/287.0	99.8 / 2.10	109 Parks Drive Belleville ON K8N 4Z5	EHS
Order No:	20050425011			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:				Client Prov/State:	ON
Report Date:	4/26/2005			Search Radius (km):	0.25
Date Received:	4/25/2005			X:	-77.395993
Previous Site Name:				Y:	44.201303
Lot/Building Size:					
Additional Info Ordered:					

76	2 of 2	WNW/287.0	99.8 / 2.10	Davidson's Blasting & Painting 109 PARKS AVENUE BELLEVILLE ON K8N 4Z5	EASR
Approval No:	R-001-1000000298			MOE District:	Belleville
Status:	REGISTERED			Municipality:	BELLEVILLE
Date:	2012-01-05			Latitude:	44.201015
Record Type:	EASR			Longitude:	-77.394966
Link Source:	MOFA			Geometry X:	
Project Type:	Automotive Refinishing Facility			Geometry Y:	
Full Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Type:		EASR-Automotive Refinishing Facility			
SWP Area Name:		Quinte			
PDF URL:					
PDF Site Location:					

77	1 of 1	ESE/287.3	99.9 / 2.18	lot 6 con 2 ON	WWIS
Well ID:	2904066			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Not Used			Date Received:	1/21/1969
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	2104
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2904066.pdf				

Additional Detail(s) (Map)

Well Completed Date:	1968/12/30
Year Completed:	1968
Depth (m):	19.812
Latitude:	44.1973896785148
Longitude:	-77.3884839676269
Path:	290\2904066.pdf

Bore Hole Information

Bore Hole ID:	10159717	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	309139.80
Code OB Desc:		North83:	4896571.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	30-Dec-1968 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931465702			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931465700			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931465701			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962904066			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10708287			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930272842			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930272843			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		65.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992904066			
Pump Set At:					
Static Level:		5.0			
Final Level After Pumping:		62.0			
Recommended Pump Depth:		60.0			
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:		6.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933617536			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		8.0			
Water Found Depth UOM:		ft			

78

1 of 28

W/288.8

100.8 / 3.13

RENTWAY CANADA LTD
PARKS DR LOT 4 CON 3
THURLOW TWP ON

PRT

Location ID: 14972
Type: retail
Expiry Date: 1995-05-30
Capacity (L): 150000
Licence #: 0055983001

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
78	2 of 28	W/288.8	100.8 / 3.13	RENTWAY CANADA LTD PARKS DR LOT 4 CON 3 ON	PRT
Location ID:		17888			
Type:		retail			
Expiry Date:		1991-03-31			
Capacity (L):		32996			
Licence #:		0000016936			
78	3 of 28	W/288.8	100.8 / 3.13	131 Parks Dr (RR 5, Lot 4) Belleville ON K8N 4Z5	EHS
Order No:		20000519004		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		5/26/00		Search Radius (km): 0.30	
Date Received:		5/19/00		X: -77.395831	
Previous Site Name:				Y: 44.199553	
Lot/Building Size:		Lot 4			
Additional Info Ordered:					
78	4 of 28	W/288.8	100.8 / 3.13	131A Parks Drive Belleville ON K8N 4Z5	EHS
Order No:		20000712009		Nearest Intersection: *	
Status:		C		Municipality: Ontario	
Report Type:		Complete Report		Client Prov/State: IN	
Report Date:		7/24/00		Search Radius (km): 0.30	
Date Received:		7/11/00		X: -77.395831	
Previous Site Name:					
Lot/Building Size:					
Additional Info Ordered:					
78	5 of 28	W/288.8	100.8 / 3.13	RENTWAY CANADA LTD. LOT 4 PARKS DR. THURLOW TWSP BELLEVILLE C/O 736 8TH AVE. S.W. CALGARY AB BELLEVILLE ON T2P 2A7	GEN
Generator No:		ON0148706		Status:	
SIC Code:		9911		Co Admin:	
SIC Description:		IND. MACH. RENTAL		Choice of Contact:	
Approval Years:		88		Phone No Admin:	
PO Box No:					
Country:		Contam. Facility:			
MHSW Facility:					
Detail(s)					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
78	6 of 28	W/288.8	100.8 / 3.13	RENTWAY CANADA LTD. LOT 4 PARKS DR. THURLOW TWSP BELLEVILLE C/O 736 8TH AVE. S.W., CALGARY BELLEVILLE ON T2P 2A7	GEN
Generator No:	ON0148706			Status:	
SIC Code:	9911			Co Admin:	
SIC Description:	IND. MACH. RENTAL			Choice of Contact:	
Approval Years:	89			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
78	7 of 28	W/288.8	100.8 / 3.13	RENTWAY INC. 33-506 LOT 4 PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON0148706			Status:	
SIC Code:	9911			Co Admin:	
SIC Description:	IND. MACH. RENTAL			Choice of Contact:	
Approval Years:	92,93,94,95,96			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
78	8 of 28	W/288.8	100.8 / 3.13	RENTWAY INC LOT 4 PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON0148706			Status:	
SIC Code:	9911			Co Admin:	
SIC Description:	IND. MACH. RENTAL			Choice of Contact:	
Approval Years:	97			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		213			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			

78 9 of 28 W/288.8 100.8 / 3.13 RENTWAY CANADA INC.
LOT 4 PARKS DRIVE R. R. #5
BELLEVILLE ON K8N 4Z5 GEN

Generator No:	ON0148706	Status:	
SIC Code:	9911	Co Admin:	
SIC Description:	IND. MACH. RENTAL	Choice of Contact:	
Approval Years:	98,99	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS

78 10 of 28 W/288.8 100.8 / 3.13 RENTWAY (SEE & USE ON2055704)
LOT 4 PARKS DRIVE R. R. #5
BELLEVILLE ON K8N 4Z5 GEN

Generator No:	ON0148706	Status:	
SIC Code:	9911	Co Admin:	
SIC Description:	IND. MACH. RENTAL	Choice of Contact:	
Approval Years:	00,01	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			

78	11 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
--------------------	----------	---------	--------------	--	------------

Generator No: ON2055704
SIC Code: 9911
SIC Description: IND. MACH. RENTAL
Approval Years: 00,01,02,03,04,05,06,07,08
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 253
Waste Class Desc: EMULSIFIED OILS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

78	12 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC 131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	FSTH
--------------------	----------	---------	--------------	---	-------------

License Issue Date: 4/26/2002
Tank Status: Licensed
Tank Status As Of: August 2007
Operation Type: Retail Fuel Outlet
Facility Type: Gasoline Station - Card/Keylock

--Details--

Status: Active
Year of Installation: 1988
Corrosion Protection:
Capacity: 25000
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1988
Corrosion Protection:
Capacity: 25000
Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel

Status: Active
Year of Installation: 1988

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
Status:		Active			
Year of Installation:		1988			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
78	13 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC 131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	FSTH
License Issue Date: 4/26/2002					
Tank Status: Licensed					
Tank Status As Of: December 2008					
Operation Type: Retail Fuel Outlet					
Facility Type: Gasoline Station - Card/Keylock					
--Details--					
Status: Active					
Year of Installation: 1988					
Corrosion Protection:					
Capacity:		25000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status: Active					
Year of Installation: 1988					
Corrosion Protection:					
Capacity:		25000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
Status: Active					
Year of Installation: 1988					
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
Status: Active					
Year of Installation: 1988					
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
78	14 of 28	W/288.8	100.8 / 3.13	RENTWAY LTD 131A PARKS DR RR 5 BELLEVILLE ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:	10231782			Expired Date:	
Status:	EXPIRED			Max Hazard Rank:	
Instance ID:	14209			Facility Location:	
Instance Type:	FS Facility			Facility Type:	
Instance Creation Dt:				Fuel Type 2:	
Instance Install Dt:				Fuel Type 3:	
Item Description:				Panam Related:	
Manufacturer:				Panam Venue Nm:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2:		External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:		FS Gasoline Station - Full Serve EXP Up to Mar 2012	

78	15 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC 131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	DTNK
--------------------	----------	---------	--------------	--	------

**Delisted Expired Fuel Safety
Facilities**

Instance No: 9825443 Status: EXPIRED Instance ID: Instance Type: FS Facility Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2:	Expired Date: 12/3/2001 Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:
Description: Original Source: EXP Record Date: Up to May 2013	

78	16 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
--------------------	----------	---------	--------------	---	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Generator No: ON2055704
SIC Code: 532120
SIC Description: Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing
Approval Years: 2009
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS
Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES
Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

78	17 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
--------------------	----------	---------	--------------	---	-----

Generator No: ON2055704
SIC Code: 532120
SIC Description: Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing
Approval Years: 2010
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES
Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS
Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

78	18 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
--------------------	----------	---------	--------------	---	-----

Generator No: ON2055704
SIC Code: 532120
SIC Description: Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing
Approval Years: 2011
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

78	19 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON2055704			Status:	
SIC Code:	532120			Co Admin:	
SIC Description:	Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing			Choice of Contact:	
Approval Years:	2012			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

78	20 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON	GEN
Generator No:	ON2055704			Status:	
SIC Code:	532120			Co Admin:	
SIC Description:	TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING			Choice of Contact:	
Approval Years:	2013			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
78	21 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON2055704			Status:	
SIC Code:	532120			Co Admin:	Chris Hawk
SIC Description:	TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Phone No Admin:	610-775-6123 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
78	22 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON2055704			Status:	
SIC Code:	532120			Co Admin:	Chris Hawk
SIC Description:	TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Phone No Admin:	610-775-6123 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
78	23 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON2055704			Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:	532120			Co Admin: Chris Hawk	
SIC Description:	TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING			Choice of Contact: CO_ADMIN	
Approval Years:	2014			Phone No Admin: 610-775-6123 Ext.	
PO Box No:				Contam. Facility: No	
Country:	Canada			MHSW Facility: No	
<u>Detail(s)</u>					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				

<u>78</u>	24 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON2055704			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	213 I				
Waste Class Desc:	Petroleum distillates				
Waste Class:	213 T				
Waste Class Desc:	Petroleum distillates				
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				

<u>78</u>	25 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON2055704			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		213 I			
Waste Class Desc:		Petroleum distillates			
Waste Class:		213 T			
Waste Class Desc:		Petroleum distillates			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			

<u>78</u>	26 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON2055704			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Nov 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Detail(s)

Waste Class:	213 I				
Waste Class Desc:	Petroleum distillates				
Waste Class:	213 T				
Waste Class Desc:	Petroleum distillates				
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				

<u>78</u>	27 of 28	W/288.8	100.8 / 3.13	131A PARKS DR RR 5 BELLEVILLE ON K8N 4Z5	EXP
Instance No:	10324784			Model:	
Status:	Expired-Interim			Quantity:	
Instance ID:				Unit of Measure:	
Instance Type:				Fuel Type2:	
Instance Creation Dt:				Fuel Type3:	
Instance Install Dt:				Piping Steel:	
Item:	FS GASOLINE STATION - CARD/KEYLOCK			Piping Galvanized:	
Item Description:				Tank Single Wall St:	
Facility Type:				Piping Underground:	
Overfill Prot Type:				Tank Underground:	
Creation Date:				Panam Related:	
Expired Date:				Panam Venue Nm:	
Manufacturer:					
Description:					
Serial No:					
Ulc Standard:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Location:					
Source:					
Details					
Tank Underground:	4			Piping Galvanized:	0
Piping Underground:	0			Piping Steel:	0
Tank Single Wall St:	4			Context:	FS Liquid Fuel Tank
Details					
Tank Underground:	0			Piping Galvanized:	0
Piping Underground:	4			Piping Steel:	4
Tank Single Wall St:	0			Context:	FS Piping
78	28 of 28	W/288.8	100.8 / 3.13	PENSKE TRUCK LEASING CANADA INC. 131A PARKS DRIVE BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON2055704			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Feb 2022			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
Detail(s)					
Waste Class:	213 I				
Waste Class Desc:	Petroleum distillates				
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
Waste Class:	213 T				
Waste Class Desc:	Petroleum distillates				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
79	1 of 9	W/289.0	100.8 / 3.12	Quinte Alternator & Starter Ltd. 122 Parks Dr Unit D Belleville ON K8N 4Z5	SCT
Established:	1974				
Plant Size (ft²):	2000				
Employment:	10				
--Details--					
Description:	Battery Manufacturing				
SIC/NAICS Code:	335910				
Description:	Motor Vehicle Electrical and Electronic Equipment Manufacturing				
SIC/NAICS Code:	336320				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
79	2 of 9	W/289.0	100.8 / 3.12	Quinte Alternator & Starter 122 Parks Dr Unit D Belleville ON K8N 4Z5	SCT
Established:		1974			
Plant Size (ft²):		2000			
Employment:					
--Details--					
Description:		Battery Manufacturing			
SIC/NAICS Code:		335910			
Description:		Motor Vehicle Electrical and Electronic Equipment Manufacturing			
SIC/NAICS Code:		336320			
79	3 of 9	W/289.0	100.8 / 3.12	QUINTE ALTERNATOR & STARTER LTD. 122 Parks Drive, Unit D R. R. #5 BELLEVILLE ON K8N 4Z5	GEN
Generator No:		ON1366501	Status:		
SIC Code:		811119	Co Admin:		
SIC Description:		Other Automotive Mechanical and Electrical Repair and Maintenance	Choice of Contact:		
Approval Years:		05,06,07,08	Phone No Admin:		
PO Box No:			Contam. Facility:		
Country:			MHSW Facility:		
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
79	4 of 9	W/289.0	100.8 / 3.12	ACCUTECH MACHINE & TOOL (QUINTE) LTD. 122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	GEN
Generator No:		ON1702400	Status:		
SIC Code:		332710	Co Admin:		
SIC Description:		Machine Shops	Choice of Contact:		
Approval Years:		05,06	Phone No Admin:		
PO Box No:			Contam. Facility:		
Country:			MHSW Facility:		
Detail(s)					
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
79	5 of 9	W/289.0	100.8 / 3.12	QUINTE ALTERNATOR & STARTER UNIT D 122 PARKS DR BELLEVILLE ON K8N 4Z5	AUWR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Headcode:		96400			
Headcode Desc:		Automobile Parts & Supplies-Used & Rebuilt			
Phone:		6139665081			
List Name:					
Description:		Tire, Battery, Parts and Accessories			
79	6 of 9	W/289.0	100.8 / 3.12	QUINTE ALTERNATOR & STARTER LTD. 122 Parks Drive, Unit D R. R. #5 BELLEVILLE ON K8N 4Z5	GEN
Generator No:		ON1366501		Status:	
SIC Code:		811119, 339990, 441310		Co Admin:	
SIC Description:		Other Automotive Mechanical and Electrical Repair and Maintenance, All Other Miscellaneous Manufacturing, Automotive Parts and Accessories Stores		Choice of Contact:	
Approval Years:		2009		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
Detail(s)					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
79	7 of 9	W/289.0	100.8 / 3.12	ACCUTECH MACHINE & TOOL (QUINTE) LTD. 122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	GEN
Generator No:		ON1702400		Status:	
SIC Code:		332710		Co Admin:	
SIC Description:		Machine Shops		Choice of Contact:	
Approval Years:		2009		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
Detail(s)					
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
79	8 of 9	W/289.0	100.8 / 3.12	ACCUTECH MACHINE & TOOL (QUINTE) LTD. 122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	GEN
Generator No:		ON1702400		Status:	
SIC Code:		332710		Co Admin:	
SIC Description:		Machine Shops		Choice of Contact:	
Approval Years:		2010		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail(s)					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

79	9 of 9	W/289.0	100.8 / 3.12	ACCUTECH MACHINE & TOOL (QUINTE) LTD. 122 PARKS DRIVE, UNIT G BELLEVILLE ON K8N 4Z5	GEN
Generator No:	ON1702400			Status:	
SIC Code:	332710			Co Admin:	
SIC Description:	Machine Shops			Choice of Contact:	
Approval Years:	2011			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

Detail(s)					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			

80	1 of 1	NNE/294.7	103.9 / 6.19	lot 6 con 3 ON	WWIS
Well ID:	2902947			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/17/1952
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3550
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HASTINGS
Elevation (m):				Municipality:	THURLOW TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/290\2902947.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1951/06/23			
Year Completed:		1951			
Depth (m):		8.2296			
Latitude:		44.2021746440439			
Longitude:		-77.3908550233205			
Path:		290\2902947.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10158605			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	308965.80
Code OB Desc:				North83:	4897108.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	23-Jun-1951 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931462978				
Layer:	2				
Color:					
General Color:					
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	3.0				
Formation End Depth:	27.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931462977				
Layer:	1				
Color:					
General Color:					
Mat1:	02				
Most Common Material:	TOPSOIL				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962902947			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10707175			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930270738			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		27.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930270737			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		3.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992902947			
Pump Set At:					
Static Level:		5.0			
Final Level After Pumping:		18.0			
Recommended Pump Depth:					
Pumping Rate:		2.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Pumping Duration HR:</i>	1				
<i>Pumping Duration MIN:</i>	0				
<i>Flowing:</i>	No				

Water Details

Water ID: 933616484
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 25.0
Water Found Depth UOM: ft

Unplottable Summary

Total: **82** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	TONY CAMPBELL	CANNIFTON ROAD	BELLEVILLE CITY ON	
CA	GANARASKA DEVELOPMENT CORP. LOT 4 PT. 5	INTERNAL DRIVEWAY/CANNIFTON RD	BELLEVILLE CITY ON	
CA	TONY CAMPBELL	CANNIFTON ROAD	BELLEVILLE CITY ON	
CA	AULT FOODS LTD., BLACK DIAMOND CHEESE	BLACK DIAMOND ROAD	BELLEVILLE CITY ON	
CA	WIMPEY MINERALS CANADA	LOT 4, CONC. 3	THURLOW TWP. ON	
CA	Belleville Watermain Replacement	Cannifton Road	Belleville ON	
CA	GANARASKA DEVELOPMENT CORP. - LOT 4 PT.5	INTERNAL DRIVEWAY/CANNIFTON RD	BELLEVILLE CITY ON	
CA	WIMPEY MINERALS CANADA	LOT 4, CONCESSION 3	BELLEVILLE CITY ON	
DTNK	SHELL CANADA PRODUCTS**	CON 3 OLD HWY 37	THURLOW TWP ON	
DTNK	PUROLATOR COURIER	RR 6 RR 6 STN MAIN	BELLEVILLE ON	
DTNK	BRIAN'S PERFORMANCE CENTRE	LOT 6 CON 3 THURLOW TWP	CANNIFTON ON	K0K 1K0
DTNK	SHELL CANADA PRODUCTS**	CON 3 OLD HWY 37 THURLOW TWP N8T 1G2 ON CA	ON	
DTNK	SUNCOR ENERGY PRODUCTS INC	LOT 4 CON 3	BELLEVILLE ON	
DTNK	PUROLATOR COURIER	RR 6 RR 6 STN MAIN	BELLEVILLE ON	
EBR	Ault Foods Ltd.	Black Diamond Road Belleville CITY OF BELLEVILLE	ON	
EBR	Ault Foods Ltd.	BLACK DIAMOND ROAD CITY OF BELLEVILLE	ON	
ECA	The Corporation of the City of Belleville	Cannifton Road	Belleville ON	K8N 2Y8

ECA	GCL Developments Ltd.	Cannifton Rd	Belleville ON	K8N 4Z5
FST	SHELL CANADA PRODUCTS	CON 3 OLD HWY 37 THURLOW TWP N8T 1G2 ON CA	ON	
FST	TARMAC MINERALS	PRT LOT 4 CON 3 THURLOW TWP BELLEVILLE K8N 5A5 ON CA	ON	
FST	TARMAC MINERALS	PRT LOT 4 CON 3 THURLOW TWP BELLEVILLE K8N 5A5 ON CA	ON	
GEN	AL WHITE CONSTRUCTION CO. LTD.	LOT 5, CON 3, THURLOW TWP. BOX 1193	BELLEVILLE ON	K8N 5E8
GEN	A & B PRECAST MFG. LTD.	PLAN 58 LOT 4, CONCESSION 3	THURLOW TOWNSHIP ON	K8N 4Z5
GEN	A & B PRECAST MFG. LTD.	PLAN 58 LOT 4, CONCESSION 3	THURLOW TOWNSHIP ON	
GEN	A & B PRECAST MFG. LTD.	PLAN 58 LOT 4, CONCESSION 3	THURLOW TOWNSHIP ON	K8N 4Z5
GEN	A & B PRECAST MFG. LTD.	PLAN 58 LOT 4, CONCESSION 3	THURLOW TOWNSHIP ON	
GEN	A & B PRECAST MFG. LTD.	PLAN 58 LOT 4, CONCESSION 3	THURLOW TOWNSHIP ON	
GEN	A & B PRECAST MFG. LTD.	PLAN 58 LOT 4, CONCESSION 3	THURLOW TOWNSHIP ON	
GEN	R.D. COOKSON DISPOSAL LIMITED	LOT 4, CONCESSION 3	NANTICOKE ON	N3Y 4K2
GEN	QUINTE EXCAVATING (BELLEVILLE) LTD.	PART LOT 4&5, CONCESSION 3 PARKS DRIVE, PART 1, PLAN 21R 10714	BELLEVILLE ON	K8N 4Z5
GEN	COPYWRITE OFFICE SYSTEMS (BELLEVILLE)	LOT 5, CONCESSION 3 PARKS DRIVE	THURLOW TWP. ON	K8N 4Z5
GEN	SOUTHFORK EXCAVATING	PART LOT 5, CONCESSION 3	TWP. OF THURLOW ON	
GEN	QUINTE EXCAVATING (BELLEVILLE)LTD. 32-203	PT LOT 4&5,CONC 3,PT 1 PLAN21R10714 PARKS DRIVE, C/O R.R. #5	BELLEVILLE ON	K8N 4Z5
GEN	AL WHITE CONSTRUCTION CO. LTD. 02-207	LOT 5, CON 3, THURLOW TWP. BOX 1193	BELLEVILLE ON	K8N 5E8
GEN	AL WHITE (OUT OF BUS) 02-207	LOT 5, CON 3, THURLOW TWP. BOX 1193	BELLEVILLE ON	K8N 5E8
GEN	MCINTOSH EQUIPMENT LIMITED 26-207	HWY 37 AT BLACK DIAMOND RD.	BELLEVILLE ON	K8N 5J1
GEN	MCINTOSH EQUIPMENT LIMITED	HWY 37 AT BLACK DIAMOND RD.	BELLEVILLE ON	K8N 5J1
GEN	UPPER CANADA OFFICE SYSTEMS 39-247	LOT 5, TWP. OF THURLOW, CONC. 3 MAITLAND DR. RR#5	BELLEVILLE ON	K8N 4Z5

GEN	UPPER CANADA OFFICE SYSTEMS 39-247	RR 5, PARKS DRIVE LOT 5 CONC. 3	THURLOW TOWNSHIP ON	K8N 4Z5
GEN	UPPER CANADA COPY-BELLEVILLE	LOT 5, TWP. OF THURLOW, CONC. 3 MAITLAND DR. RR#5	BELLEVILLE ON	K8N 4Z5
GEN	CANADA (SEE & USE ON0044230) 37-232	BLACK DIAMOND CHEESE DIV. BLACK DIAMOND RD.	BELLEVILLE ON	K8N 5A1
GEN	CANADA (SEE & USE ON0044230)	BLACK DIAMOND CHEESE DIV. BLACK DIAMOND RD.	BELLEVILLE ON	K8N 5A1
GEN	CANADA PACKERS SEE&USE ON0044230	BLACK DIAMOND CHEESE DIV. BLACK DIAMOND RD.	BELLEVILLE ON	K8N 5A1
GEN	THOMAS J. LIPTON INC.	BLACK DIAMOND CHEESE DIV. BLACK DIAMOND RD.	BELLEVILLE ON	K8N 5A1
GEN	CANADA PACKERS (SEE&USE ON0632415) INC.	BLACK DIAMOND CHEESE DIVISION BLACK DIAMOND RD., 1/4 M E. OF HWY 37	BELLEVILLE ON	K8N 5A1
GEN	CANADA (SEE&USE ON0632415) 08-411	BLACK DIAMOND CHEESE DIVISION BLACK DIAMOND RD., 1/4 M E. OF HWY 37	BELLEVILLE ON	K8N 5A1
GEN	CANADA PACKERS INC.	BLACK DIAMOND CHEESE DIVISION BLACK DIAMOND RD., 1/4 M E. OF HWY 37	BELLEVILLE ON	K8N 5A1
GEN	CANADA PACKERS INC.	BLACK DIAMOND CHEESE DIVISION BLACK DIAMOND ROAD	BELLEVILLE ON	K8N 5A1
GEN	A & B PRECAST MFG. LTD.	PLAN 58 LOT 4, CONCESSION 3	THURLOW TOWNSHIP ON	K8N 4Z5
GEN	A & B PRECAST MFG. LTD.	PLAN 58 LOT 4, CONCESSION 3	THURLOW TOWNSHIP ON	K8N 4Z5
LIMO	Township of Huntingdon Huntingdon	Lot 6, Concession 3 Hastings	ON	
NPCB	ALGONQUIN & LAKESHORE CATHOLIC DISTRICT	LOT 5, CONCESSION 3	THURLOW TWP. ON	
NPCB	HASTINGS & PRINCE EDWARD COUNTY RCSSB	LOT 5, CONCESSION 3	THURLOW TOWNSHIP ON	
OPCB	ALGONQUIN & LAKESHORE CATHOLIC DISTRICT	LOT 5, CONCESSION 3	THURLOW TOWNSHIP ON	
OPCB	HASTINGS & PRINCE EDWARD COUNTY RCSSB	LOT 5, CONCESSION 3	THURLOW TOWNSHIP ON	
OPCB	ALGONQUIN & LAKESHORE CATHOLIC DISTRICT	LOT 5, CONCESSION 3	THURLOW TOWNSHIP ON	
OPCB	ALGONQUIN & LAKESHORE CATHOLIC DISTRICT	LOT 5, CONCESSION 3	THURLOW TOWNSHIP ON	
OPCB	HASTINGS & PRINCE EDWARD COUNTY RCSSB	LOT 5, CONCESSION 3	THURLOW TOWNSHIP ON	
OPCB	ALGONQUIN & LAKESHORE CATHOLIC DISTRICT	LOT 5, CONCESSION 3	THURLOW TOWNSHIP ON	

PRT	WIMPEY MINERALS CANADA	PRT LOT 4 CON 3	THURLOW TWP ON	
PRT	PUROLATOR COURIER	RR 6	BELLEVILLE ON	K8N4Z6
PRT	PETRO CANADA PRODUCTS CONSUMER SALES - KELLY VANDE	HWY 62	BELLEVILLE ON	
PRT	BRIAN'S PERFORMANCE CENTRE	LOT 6 CON 3 THURLOW TWP	CANNIFTON ON	
PRT	SHELL CANADA PRODUCTS LTD. BELLEVILLE PLANT	CON 3 OLD HWY 37	THURLOW TWP ON	
PTTW	Quinte Conservation (Moir River Conservation Authority)	Lot 5, Concession 2, City of Belleville, Count of Hastings CITY OF BELLEVILLE	ON	
RST	CHALMERS ROSS FUEL LTD	RR 6 STN MAIN	BELLEVILLE ON	
RST	MCKEOWN AND WOOD LIMITED	HWY 62	BELLEVILLE ON	K8N 4Z5
SCT	MR. RUNNING BOARD SALES	HWY 62	BELLEVILLE ON	K8N 4Z5
SCT	HOLLANDIA UPHOLSTERING	RR 6 STN MAIN	ON	K8N 4Z6
SCT	DEANS QUALITY MEAT LTD	RR 6 STN MAIN	BELLEVILLE ON	K8N 4Z6
SCT	SHERMAN WELDING & MACHINE	RR 6	ON	K8N 4Z6
SPL	CORBY DISTILLERIES LTD.	CORBYVILLE, HWY 37 A FEW MILES NORTH OF BELLEVILLE BELLEVILLE PLANT RIVER ROAD	BELLEVILLE CITY ON	
SPL	ERB TRANSPORT LTD.	HWY 37 AT PLAINFIELD TRANSPORT TRUCK (CARGO)	BELLEVILLE CITY ON	
SPL	TRANSPORT TRUCK	HWY 37 HONEYWELL CORNERS MOTOR VEHICLE (OPERATING FLUID)	BELLEVILLE CITY ON	
SPL	ONTARIO HYDRO	LOT 6 CONC 2 SOUTH PYENDINAGA TWP. TRANSFORMER	HASTINGS COUNTY ON	
SPL	TRANSPORT TRUCK	ON HYW. 37 IN PLAINFIELD MOTOR VEHICLE (OPERATING FLUID)	BELLEVILLE CITY ON	
SPL	TRANSPORT TRUCK	HWY #37 MOTOR VEHICLE (OPERATING FLUID)	BELLEVILLE CITY ON	
SPL	TRANSPORT TRUCK	CANNISTER RD FROM UPPER CANNISTER RD TO HWY 37, NORTHBOUND. MOTOR VEHICLE (OPERATING FLUID)	BELLEVILLE CITY ON	
SPL	ROSEBUSH FUELS	LOT 7, CONC 2, BLACK DIAMOND RD., THURLOW TANK TRUCK (CARGO)	BELLEVILLE CITY ON	
SPL	TRANSPORT TRUCK	HWY 37 BETWEEN BELLEVILLE & ROSLIN MOTOR VEHICLE (OPERATING FLUID)	BELLEVILLE ON	

SPL	Tudhope Cartage Ltd.	MVA, HWY 37 NORTH, NORTH OF PLAINFIELD<UNOFFICIAL>	Belleville ON
SPL	TEXACO	CANNIFTON, HWY 37 & CONC. III BULK STATION	BELLEVILLE CITY ON

Unplottable Report

Site: TONY CAMPBELL
CANNIFTON ROAD BELLEVILLE CITY ON

Database:
CA

Certificate #: 3-0084-91-
Application Year: 91
Issue Date: 3/22/1991
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: GANARASKA DEVELOPMENT CORP. LOT 4 PT. 5
INTERNAL DRIVEWAY/CANNIFTON RD BELLEVILLE CITY ON

Database:
CA

Certificate #: 7-1607-90-
Application Year: 90
Issue Date: 1/16/1991
Approval Type: Municipal water
Status: Approved in 1991
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: TONY CAMPBELL
CANNIFTON ROAD BELLEVILLE CITY ON

Database:
CA

Certificate #: 7-0066-91-
Application Year: 91
Issue Date: 3/22/1991
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: AULT FOODS LTD., BLACK DIAMOND CHEESE
BLACK DIAMOND ROAD BELLEVILLE CITY ON

Database:
CA

Certificate #: 8-4145-96-

Application Year: 96
Issue Date: 8/12/1996
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: BATTERY ROOM EXH., LAB. FUMEHOOD EXH.
Contaminants: Nitrogen Oxides, Sulphur Dioxide
Emission Control: No Controls,

Site: **WIMPEY MINERALS CANADA**
LOT 4, CONC. 3 THURLOW TWP. ON

Database:
CA

Certificate #: 8-4040-93-007
Application Year: 93
Issue Date: 4/1/96
Approval Type: Industrial air
Status: Revised Ammendment
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: USE OF CRUMB RUBBER ADDITIVE
Contaminants:
Emission Control:

Site: **Belleville Watermain Replacement**
Cannifton Road Belleville ON

Database:
CA

Certificate #: 0949-53FRSB
Application Year: 01
Issue Date: 10/15/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: The Corporation of the City of Belleville
Client Address: 169 Front Street
Client City: Belleville
Client Postal Code: K8N 2Y8
Project Description: This application is for the construction of watermains on Cannifton Road, Valleyview Crescent, Macdonald Gardens, Montgomery Boulevard, and Forrest Hill Crescent.
Contaminants:
Emission Control:

Site: **GANARASKA DEVELOPMENT CORP. - LOT 4 PT.5**
INTERNAL DRIVEWAY/CANNIFTON RD BELLEVILLE CITY ON

Database:
CA

Certificate #: 3-1966-90-
Application Year: 90
Issue Date: 1/16/1991
Approval Type: Municipal sewage
Status: Approved in 1991
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: WIMPEY MINERALS CANADA
LOT 4, CONCESSION 3 BELLEVILLE CITY ON

Database:
CA

Certificate #: 8-4040-93-
Application Year: 93
Issue Date: 7/2/1993
Approval Type: Industrial air
Status: Revised
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: NAT.GAS BURNER FOR BG-60 ASPHALT PLANT
Contaminants: Nitrogen Oxides, Suspended Particulate Matter
Emission Control:

Site: SHELL CANADA PRODUCTS**
CON 3 OLD HWY 37 THURLOW TWP ON

Database:
DTNK

Delisted Expired Fuel Safety
Facilities

Instance No:	9550975	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	389751	Facility Location:	
Instance Type:	FS Facility	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:	FS Bulk Plant (Large)		
Original Source:	EXP		
Record Date:	Up to Mar 2012		

Site: PUROLATOR COURIER
RR 6 RR 6 STN MAIN BELLEVILLE ON

Database:
DTNK

Delisted Expired Fuel Safety
Facilities

Instance No: 9964741 **Expired Date:**

Status: EXPIRED
Instance ID: 399353
Instance Type: FS Facility
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Overfill Prot Type:
Creation Date:
Next Periodic Str DT:
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description: FS Propane Refill Cntr - Cylr Fill
Original Source: EXP
Record Date: Up to Mar 2012

Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:
Source:

Site: BRIAN'S PERFORMANCE CENTRE
LOT 6 CON 3 THURLOW TWP CANNIFTON ON K0K 1K0

Database:
DTNK

Delisted Expired Fuel Safety
Facilities

Instance No: 9714204
Status: EXPIRED
Instance ID:
Instance Type: FS Facility
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Overfill Prot Type:
Creation Date:
Next Periodic Str DT:
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description:
Original Source: EXP
Record Date: Up to May 2013

Expired Date: 11/1/1990
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:
Source:

Site: SHELL CANADA PRODUCTS**

Database:

Delisted Expired Fuel Safety Facilities

Instance No:	11002937	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	NULL
Instance ID:		Facility Location:	CON 3 OLD HWY 37 THURLOW TWP N8T 1G2 ON CA
Instance Type:		Facility Type:	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	Fuel Type 2:	NULL
Instance Install Dt:	10/2/1989	Fuel Type 3:	NULL
Item Description:	FS Liquid Fuel Tank	Panam Related:	NULL
Manufacturer:	NULL	Panam Venue Nm:	NULL
Model:	NULL	External Identifier:	NULL
Serial No:	NULL	Item:	
ULC Standard:	NULL	Piping Steel:	
Quantity:	1	Piping Galvanized:	
Unit of Measure:	EA	Tank Single Wall St:	
Overfill Prot Type:	NULL	Piping Underground:	
Creation Date:	7/5/2009 1:22:58 AM	Tank Underground:	
Next Periodic Str DT:	NULL	Source:	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		
TSSA Recd Tolerance:	NULL		
TSSA Program Area:	NULL		
TSSA Program Area 2:	NULL		
Description:	ALL EQUIPMENT REMOVED FROM BULK PLANT ON APRIL 8, 1994		
Original Source:	EXP		
Record Date:	31-JUL-2020		

Site: SUNCOR ENERGY PRODUCTS INC
LOT 4 CON 3 BELLEVILLE ON

Database:
DTNK

Delisted Expired Fuel Safety Facilities

Instance No:	10454132	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	18795	Facility Location:	
Instance Type:	FS Highway Tank - Gas/Diesel	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			

TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description: FS HIGHWAY TANK - GASOLINE/DIESEL
Original Source: EXP
Record Date: Up to Mar 2012

Site: PUROLATOR COURIER
RR 6 RR 6 STN MAIN BELLEVILLE ON

Database:
DTNK

**Delisted Expired Fuel Safety
Facilities**

Instance No: 11120036
Status: EXPIRED
Instance ID: 69647
Instance Type: FS Propane Tank
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Overfill Prot Type:
Creation Date:
Next Periodic Str DT:
TSSA Base Sched Cycle 2:
TSSA Max Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description: FS Propane Tank
Original Source: EXP
Record Date: Up to Mar 2012

Expired Date:
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:
Source:

Site: Ault Foods Ltd.
Black Diamond Road Belleville CITY OF BELLEVILLE ON

Database:
EBR

EBR Registry No: IA7E1808
Ministry Ref No: 8414596 19971208
Notice Type: Instrument Decision
Notice Stage:
Notice Date: August 16, 2001
Proposal Date: December 11, 1997
Year: 1997

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)

Off Instrument Name:

Posted By:

Company Name: Ault Foods Ltd.

Site Address:

Location Other:

Proponent Name:

Proponent Address: Black Diamond Cheese, PO Box 1, Black Diamond Road, Belleville Ontario, K8N 5A1

Comment Period:

URL:

Site Location Details:

Site: *Ault Foods Ltd.*
BLACK DIAMOND ROAD CITY OF BELLEVILLE ON

Database:
EBR

EBR Registry No: IA6E1056
Ministry Ref No: 8414596 19960626
Notice Type: Instrument Decision
Notice Stage:
Notice Date: August 15, 1996
Proposal Date: July 09, 1996
Year: 1996
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Ault Foods Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: Black Diamond Cheese, PO Box 1, Black Diamond Road, Belleville Ontario, K8N 5A1
Comment Period:
URL:

Site Location Details:

BLACK DIAMOND ROAD CITY OF BELLEVILLE

Site: *The Corporation of the City of Belleville*
Cannifton Road Belleville ON K8N 2Y8

Database:
ECA

Approval No: 0949-53FRSB
Approval Date: 2001-10-15
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:
Approval Type: ECA-Municipal and Private Water Works
Project Type: Municipal and Private Water Works
Business Name: The Corporation of the City of Belleville
Address: Cannifton Road
Full Address:
Full PDF Link:
PDF Site Location:

Site: *GCL Developments Ltd.*
Cannifton Rd Belleville ON K8N 4Z5

Database:
ECA

Approval No: 2443-9CHPNA
Approval Date: 2013-12-13
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: GCL Developments Ltd.
Address: Cannifton Rd
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7189-9AJJ78-14.pdf>
PDF Site Location:

Site: SHELL CANADA PRODUCTS
CON 3 OLD HWY 37 THURLOW TWP N8T 1G2 ON CA ON

Database:
FST

Instance No: 11002937
Status:
Cont Name:
Instance Type:
Item:
Item Description: FS Liquid Fuel Tank
Tank Type: Liquid Fuel Single Wall UST
Install Date: 10/2/1989
Install Year: NULL
Years in Service:
Model: NULL
Description:
Capacity: 0
Tank Material: Steel
Corrosion Protect: Coating
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: CON 3 OLD HWY 37 THURLOW TWP N8T 1G2 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
No Underground:
Panam Related:
Panam Venue:

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: SHELL CANADA PRODUCTS
Item: FS LIQUID FUEL TANK

Site: TARMAC MINERALS
PRT LOT 4 CON 3 THURLOW TWP BELLEVILLE K8N 5A5 ON CA ON

Database:
FST

Instance No: 11002975
Status:
Cont Name:
Instance Type:
Item:
Item Description: FS Liquid Fuel Tank
Tank Type: Liquid Fuel Single Wall UST
Install Date: 11/13/1990
Install Year: 1989
Years in Service:
Model: NULL
Description:
Capacity: 9000
Tank Material: Steel
Corrosion Protect: Sacrificial anode
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: PRT LOT 4 CON 3 THURLOW TWP BELLEVILLE K8N 5A5 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
No Underground:
Panam Related:
Panam Venue:

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: TARMAC MINERALS
Item: FS LIQUID FUEL TANK

Site: TARMAC MINERALS
PRT LOT 4 CON 3 THURLOW TWP BELLEVILLE K8N 5A5 ON CA ON

Database:
FST

Instance No: 11002946
Status:

Manufacturer:
Serial No:

Cont Name:		Ulc Standard:	
Instance Type:		Quantity:	
Item:		Unit of Measure:	
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Diesel
Tank Type:	Liquid Fuel Single Wall UST	Fuel Type2:	NULL
Install Date:	11/13/1990	Fuel Type3:	NULL
Install Year:	1989	Piping Steel:	
Years in Service:		Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	22700	No Underground:	
Tank Material:	Steel	Panam Related:	
Corrosion Protect:	Sacrificial anode	Panam Venue:	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	PRT LOT 4 CON 3 THURLOW TWP BELLEVILLE K8N 5A5 ON CA		

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: TARMAC MINERALS
Item: FS LIQUID FUEL TANK

Site: AL WHITE CONSTRUCTION CO. LTD.
 LOT 5, CON 3, THURLOW TWP. BOX 1193 BELLEVILLE ON K8N 5E8

Database:
 GEN

Generator No:	ON0955800	Status:	
SIC Code:	0000	Co Admin:	
SIC Description:	*** NOT DEFINED ***	Choice of Contact:	
Approval Years:	86,87,88,89,90	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

Site: A & B PRECAST MFG. LTD.
 PLAN 58 LOT 4, CONCESSION 3 THURLOW TOWNSHIP ON K8N 4Z5

Database:
 GEN

Generator No:	ON0684101	Status:	
SIC Code:	332118	Co Admin:	Cindy Lucas
SIC Description:	STAMPING	Choice of Contact:	CO_OFFICIAL
Approval Years:	2016	Phone No Admin:	613-962-9111 Ext.
PO Box No:		Contam. Facility:	No
Country:	Canada	MHSW Facility:	No

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

Site: A & B PRECAST MFG. LTD.
 PLAN 58 LOT 4, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
 GEN

Generator No: ON0684101
SIC Code: 332118
SIC Description: STAMPING
Approval Years: 2013
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **A & B PRECAST MFG. LTD.**
PLAN 58 LOT 4, CONCESSION 3 THURLOW TOWNSHIP ON K8N 4Z5

Database:
GEN

Generator No: ON0684101
SIC Code: 332118
SIC Description: Stamping
Approval Years: 2012
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **A & B PRECAST MFG. LTD.**
PLAN 58 LOT 4, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
GEN

Generator No: ON0684101
SIC Code: 332118
SIC Description: Stamping
Approval Years: 2011
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Site: **A & B PRECAST MFG. LTD.**
PLAN 58 LOT 4, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
GEN

Generator No: ON0684101
SIC Code: 332118
SIC Description: Stamping
Approval Years: 2010
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **A & B PRECAST MFG. LTD.**
PLAN 58 LOT 4, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
GEN

Generator No:	ON0684101	Status:	
SIC Code:	332118	Co Admin:	
SIC Description:	Stamping	Choice of Contact:	
Approval Years:	2009	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **R.D. COOKSON DISPOSAL LIMITED**
LOT 4, CONCESSION 3 NANTICOKE ON N3Y 4K2

Database:
GEN

Generator No:	ON1667700	Status:	
SIC Code:	4999	Co Admin:	
SIC Description:	OTHER UTILITY IND.	Choice of Contact:	
Approval Years:	99,00,01	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **QUINTE EXCAVATING (BELLEVILLE) LTD.**
PART LOT 4&5, CONCESSION 3 PARKS DRIVE, PART 1, PLAN 21R 10714 BELLEVILLE ON K8N 4Z5

Database:
GEN

Generator No:	ON1499100	Status:	
SIC Code:	3192	Co Admin:	
SIC Description:	CONSTRUCTION EQUIP.	Choice of Contact:	
Approval Years:	99,00,01	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **COPYWRITE OFFICE SYSTEMS (BELLEVILLE)**
LOT 5, CONCESSION 3 PARKS DRIVE THURLOW TWP. ON K8N 4Z5

Database:
GEN

Generator No:	ON2212700	Status:	
SIC Code:	3362	Co Admin:	
SIC Description:	ELECT. OFFICE, ETC.	Choice of Contact:	
Approval Years:	97,98,99,00,01	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Site: SOUTHFORK EXCAVATING
PART LOT 5, CONCESSION 3 TWP. OF THURLOW ON

Database:
GEN

Generator No:	ON1309301	Status:	
SIC Code:	4569	Co Admin:	
SIC Description:	OTHER TRUCK./TRANS.	Choice of Contact:	
Approval Years:	95,96,97,98,99,00,01,02,03,04	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: QUINTE EXCAVATING(BELLEVILLE)LTD. 32-203
PT LOT 4&5,CONC 3,PT 1 PLAN21R10714 PARKS DRIVE, C/O R.R. #5 BELLEVILLE ON K8N 4Z5

Database:
GEN

Generator No:	ON1499100	Status:	
SIC Code:	3192	Co Admin:	
SIC Description:	CONSTRUCTION EQUIP.	Choice of Contact:	
Approval Years:	94,95,96	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: AL WHITE CONSTRUCTION CO. LTD. 02-207
LOT 5, CON 3, THURLOW TWP. BOX 1193 BELLEVILLE ON K8N 5E8

Database:
GEN

Generator No:	ON0955800	Status:	
SIC Code:	4121	Co Admin:	
SIC Description:	HIGHWAYS, STR., ETC.	Choice of Contact:	
Approval Years:	94	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: AL WHITE (OUT OF BUS) 02-207
LOT 5, CON 3, THURLOW TWP. BOX 1193 BELLEVILLE ON K8N 5E8

Database:
GEN

Generator No:	ON0955800	Status:	
SIC Code:	4121	Co Admin:	
SIC Description:	HIGHWAYS, STR., ETC.	Choice of Contact:	
Approval Years:	92,93,95,96,97,98	Phone No Admin:	
PO Box No:		Contam. Facility:	

Country:

MHSW Facility:

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Site: MCINTOSH EQUIPMENT LIMITED 26-207
HWY 37 AT BLACK DIAMOND RD. BELLEVILLE ON K8N 5J1

Database:
GEN

Generator No: ON0734801
SIC Code: 9911
SIC Description: IND. MACH. RENTAL
Approval Years: 92,93,94,95,96,97,98
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: MCINTOSH EQUIPMENT LIMITED
HWY 37 AT BLACK DIAMOND RD. BELLEVILLE ON K8N 5J1

Database:
GEN

Generator No: ON0734801
SIC Code: 9911
SIC Description: IND. MACH. RENTAL
Approval Years: 86,87,88,89,90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: UPPER CANADA OFFICE SYSTEMS 39-247
LOT 5, TWP. OF THURLOW, CONC. 3 MAITLAND DR. RR#5 BELLEVILLE ON K8N 4Z5

Database:
GEN

Generator No: ON0659102
SIC Code: 3362
SIC Description: ELECT. OFFICE, ETC.
Approval Years: 94
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Site: UPPER CANADA OFFICE SYSTEMS 39-247
RR 5, PARKS DRIVE LOT 5 CONC. 3 THURLOW TOWNSHIP ON K8N 4Z5

Database:
GEN

Generator No: ON0659102
SIC Code: 3362

Status:
Co Admin:

SIC Description: ELECT. OFFICE, ETC.
Approval Years: 92,93,95,96,97,98
PO Box No:
Country:

Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Site: UPPER CANADA COPY-BELLEVILLE
LOT 5, TWP. OF THURLOW, CONG. 3 MAITLAND DR. RR#5 BELLEVILLE ON K8N 4Z5

Database:
GEN

Generator No: ON0659102
SIC Code: 3362
SIC Description: ELECT. OFFICE, ETC.
Approval Years: 88,89,90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Site: CANADA (SEE & USE ON0044230) 37-232
BLACK DIAMOND CHEESE DIV. BLACK DIAMOND RD. BELLEVILLE ON K8N 5A1

Database:
GEN

Generator No: ON0171002
SIC Code: 0007
SIC Description: LETTER ACKNOWLEDG.
Approval Years: 92,93,94
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Site: CANADA (SEE & USE ON0044230)
BLACK DIAMOND CHEESE DIV. BLACK DIAMOND RD. BELLEVILLE ON K8N 5A1

Database:
GEN

Generator No: ON0171002
SIC Code: 0007
SIC Description: LETTER ACKNOWLEDG.
Approval Years: 90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Site: CANADA PACKERS SEE&USE ON0044230
BLACK DIAMOND CHEESE DIV. BLACK DIAMOND RD. BELLEVILLE ON K8N 5A1

Database:
GEN

Generator No: ON0171002
SIC Code: 0007
SIC Description: LETTER ACKNOWLEDG.
Approval Years: 88,89
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Site: THOMAS J. LIPTON INC.
BLACK DIAMOND CHEESE DIV. BLACK DIAMOND RD. BELLEVILLE ON K8N 5A1

Database:
GEN

Generator No: ON0171002
SIC Code: 0007
SIC Description: LETTER ACKNOWLEDG.
Approval Years: 86,87
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Site: CANADA PACKERS (SEE&USE ON0632415) INC.
BLACK DIAMOND CHEESE DIVISION BLACK DIAMOND RD., 1/4 M E. OF HWY 37 BELLEVILLE ON K8N 5A1

Database:
GEN

Generator No: ON0044230
SIC Code: 1049
SIC Description: OTHER DAIRY PRODUCT
Approval Years: 98
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 243
Waste Class Desc: PCB'S

Site: CANADA (SEE&USE ON0632415) 08-411
BLACK DIAMOND CHEESE DIVISION BLACK DIAMOND RD., 1/4 M E. OF HWY 37 BELLEVILLE ON K8N 5A1

Database:
GEN

Generator No: ON0044230
SIC Code: 1049
SIC Description: OTHER DAIRY PRODUCT
Approval Years: 92,93,94,95,96,97
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 243
Waste Class Desc: PCB'S

Site: CANADA PACKERS INC.
BLACK DIAMOND CHEESE DIVISION BLACK DIAMOND RD., 1/4 M E. OF HWY 37 BELLEVILLE ON K8N 5A1

Database:
GEN

Generator No: ON0044230
SIC Code: 1049
SIC Description: OTHER DAIRY PRODUCT
Approval Years: 90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Site: CANADA PACKERS INC.
BLACK DIAMOND CHEESE DIVISION BLACK DIAMOND ROAD BELLEVILLE ON K8N 5A1

Database:
GEN

Generator No: ON0044230
SIC Code: 1049
SIC Description: OTHER DAIRY PRODUCT

Status:
Co Admin:
Choice of Contact:

Approval Years: 88,89
PO Box No:
Country:

Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Site: A & B PRECAST MFG. LTD.
PLAN 58 LOT 4, CONCESSION 3 THURLOW TOWNSHIP ON K8N 4Z5

Database:
GEN

Generator No:	ON0684101	Status:	
SIC Code:	332118	Co Admin:	Cindy Lucas
SIC Description:	STAMPING	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Phone No Admin:	613-962-9111 Ext.
PO Box No:		Contam. Facility:	No
Country:	Canada	MHSW Facility:	No

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: A & B PRECAST MFG. LTD.
PLAN 58 LOT 4, CONCESSION 3 THURLOW TOWNSHIP ON K8N 4Z5

Database:
GEN

Generator No:	ON0684101	Status:	
SIC Code:	332118	Co Admin:	Cindy Lucas
SIC Description:	STAMPING	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Phone No Admin:	613-962-9111 Ext.
PO Box No:		Contam. Facility:	No
Country:	Canada	MHSW Facility:	No

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: Township of Huntingdon Huntingdon
Lot 6, Concession 3 Hastings ON

Database:
LIMO

ECA/Instrument No:	A361802	Natural Attenuation:	
Oper Status 2016:	Closed	Liners:	
C of A Issue Date:		Cover Material:	
C of A Issued to:		Leachate Off-Site:	
Lndfl Gas Mgmt (P):		Leachate On Site:	
Lndfl Gas Mgmt (F):		Req Coll Lndfl Gas:	
Lndfl Gas Mgmt (E):		Lndfl Gas Coll:	
Lndfl Gas Mgmt Sys:		Total Waste Rec:	
Landfill Gas Mntr:		TWR Methodology:	
Leachate Coll Sys:		TWR Unit:	
ERC Est Vol (m3):		Tot Aprv Cap Unit:	
ERC Volume Unit:		Financial Assurance:	
ERC Dt Last Det:		Last Report Year:	
Landfill Type:		MOE Region:	
Source File Type:		MOE District:	
Fill Rate:		Site County:	

Fill Rate Unit:
Tot Fill Area (ha):
Tot Site Area (ha):
Footprint:
Tot Apprv Cap (m3):
Contam Atten Zone:
Grndwtr Mntr:
Surf Wtr Mntr:
Air Emis Monitor:
Approved Waste Type:
Client Site Name:
ERC Methodology:
Site Name:

Township of Huntingdon
Huntingdon

Lot:
Concession:
Latitude:
Longitude:
Easting:
Northing:
UTM Zone:
Data Source:

Site Location Details:
Service Area:
Page URL:

Site: ALGONQUIN & LAKESHORE CATHOLIC DISTRICT
LOT 5, CONCESSION 3 THURLOW TWP. ON

Database:
NPCB

Company Code: F1299
Industry: UNDEFINED
Site Status:
Transaction Date:
Inspection Date:

Site: HASTINGS & PRINCE EDWARD COUNTY RCSSB
LOT 5, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
NPCB

Company Code: F1452
Industry:
Site Status:
Transaction Date: 1/29/1996
Inspection Date:

--Details--

Label:
Serial No.:
PCB Type/Code: Unknown concentration
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 0.00 KG

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 1.00 KG

Label:
Serial No.:
PCB Type/Code: Askarel
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal

Contents: 70.00 KG

Label:

Serial No.:

PCB Type/Code: Askarel

Location:

Item/State:

No. of Items:

Manufacturer:

Status: Stored for Disposal

Contents: 156.00 KG

Label:

Serial No.:

PCB Type/Code: Unknown concentration

Location:

Item/State:

No. of Items:

Manufacturer:

Status: Stored for Disposal

Contents: 270.00 KG

Label:

Serial No.:

PCB Type/Code: Low 50 - 10,000 ppm

Location:

Item/State:

No. of Items:

Manufacturer:

Status: Stored for Disposal

Contents: 900.00 KG

Label:

Serial No.:

PCB Type/Code: Askarel

Location:

Item/State:

No. of Items:

Manufacturer:

Status: Stored for Disposal

Contents: 1000.00 KG

Label:

Serial No.:

PCB Type/Code: Low 50 - 10,000 ppm

Location:

Item/State:

No. of Items:

Manufacturer:

Status: Stored for Disposal

Contents: 2000.00 KG

Site: ALGONQUIN & LAKESHORE CATHOLIC DISTRICT
LOT 5, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
OPCB

Year: 2003

Site Number: 40191A013

Name Owner:

Additional Site Information:

--Details--

Quantity: 7.00

Address Site:

Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1400.00

Address Site:
Description:

Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

Site: HASTINGS & PRINCE EDWARD COUNTY RCSSB
LOT 5, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
OPCB

Year: 1995
Site Number: 40191A013
Name Owner:
Additional Site Information:

--Details--

Quantity: 19.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 3800.00
Address Site:
Description: Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg

Site: ALGONQUIN & LAKESHORE CATHOLIC DISTRICT
LOT 5, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
OPCB

Year: 2004
Site Number: 40191A013
Name Owner:
Additional Site Information:

--Details--

Quantity: 7
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1400
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

Site: ALGONQUIN & LAKESHORE CATHOLIC DISTRICT
LOT 5, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
OPCB

Year: 1999
Site Number: 40191A013
Name Owner:
Additional Site Information:

--Details--

Quantity: 6.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1200.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

Site: HASTINGS & PRINCE EDWARD COUNTY RCSSB
LOT 5, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
OPCB

Year: 1998
Site Number: 40191A013
Name Owner:

Additional Site Information:

--Details--

Quantity: 6.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1200.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

Site: ALGONQUIN & LAKESHORE CATHOLIC DISTRICT
LOT 5, CONCESSION 3 THURLOW TOWNSHIP ON

Database:
OPCB

Year: 2000
Site Number: 40191A013
Name Owner:
Additional Site Information:

--Details--

Quantity: 7.00
Address Site:
Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 1400.00
Address Site:
Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

Site: WIMPEY MINERALS CANADA
PRT LOT 4 CON 3 THURLOW TWP ON

Database:
PRT

Location ID: 14974
Type: private
Expiry Date:
Capacity (L): 32700.00
Licence #: 0001018723

Site: PUROLATOR COURIER
RR 6 BELLEVILLE ON K8N4Z6

Database:
PRT

Location ID: 20225
Type: retail
Expiry Date: 1993-06-30
Capacity (L): 2000
Licence #: 0076366327

Site: PETRO CANADA PRODUCTS CONSUMER SALES - KELLY VANDE
HWY 62 BELLEVILLE ON

Database:
PRT

Location ID: 1542
Type: retail
Expiry Date: 1995-09-30
Capacity (L): 407998
Licence #: 0030050001

Site: BRIAN'S PERFORMANCE CENTRE
LOT 6 CON 3 THURLOW TWP CANNIFTON ON

Database:
PRT

Location ID: 2734

Type: retail
Expiry Date: 1990-10-31
Capacity (L): 0
Licence #: 0051381001

Site: SHELL CANADA PRODUCTS LTD. BELLEVILLE PLANT
CON 3 OLD HWY 37 THURLOW TWP ON

Database:
PRT

Location ID: 14973
Type: retail
Expiry Date: 1993-12-31
Capacity (L): 9928000
Licence #: 0022378001

Site: Quinte Conservation (Moirs River Conservation Authority)
Lot 5, Concession 2, City of Belleville, Count of Hastings CITY OF BELLEVILLE ON

Database:
PTTW

EBR Registry No: IA05E0473
Ministry Ref No: ER-4424-6AQRAY
Notice Type: Instrument\Decision
Notice Stage:
Notice Date: June\07,\2005
Proposal Date: April\12,\2005
Year: 2005
Instrument Type: (OWRA\ss.\s34)\s-\sPermit\sto\sTake\sWater
Off Instrument Name:
Posted By:
Company Name: Quinte\sConservation\s(Moirs\sRiver\sConservation\sAuthority)
Site Address:
Location Other:
Proponent Name:
Proponent Address: RR\s2,\sBelleville\sOntario,\sK8N\s4Z2
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Lot 5, Concession 2, City of Belleville, Count of Hastings CITY OF BELLEVILLE

Site: CHALMERS ROSS FUEL LTD
RR 6 STN MAIN BELLEVILLE ON

Database:
RST

Headcode: 924800
Headcode Desc: Oils-Fuel
Phone: 6139660899
List Name:
Description:

Site: MCKEOWN AND WOOD LIMITED
HWY 62 BELLEVILLE ON K8N 4Z5

Database:
RST

Headcode: 00924800
Headcode Desc: OILS-FUEL
Phone: 6139686004
List Name:
Description:

Site: MR. RUNNING BOARD SALES
HWY 62 BELLEVILLE ON K8N 4Z5

Database:
SCT

Established: 1980
Plant Size (ft²): 2500
Employment: 3

--Details--

Description: TRUCK & BUS BODIES
SIC/NAICS Code: 3713

Description: MOTOR VEHICLE PARTS & ACCESSORIES
SIC/NAICS Code: 3714

Site: HOLLANDIA UPHOLSTERING
RR 6 STN MAIN ON K8N 4Z6

Database:
SCT

Established: 1956
Plant Size (ft²): 1200
Employment: 1

--Details--

Description: WOOD HOUSEHOLD FURNITURE, UPHOLSTERED
SIC/NAICS Code: 2512

Site: DEANS QUALITY MEAT LTD
RR 6 STN MAIN BELLEVILLE ON K8N 4Z6

Database:
SCT

Established: 1971
Plant Size (ft²):
Employment: 3

--Details--

Description: MEAT PACKING PLANTS
SIC/NAICS Code: 2011

Site: SHERMAN WELDING & MACHINE
RR 6 ON K8N 4Z6

Database:
SCT

Established: 1970
Plant Size (ft²): 45200
Employment: 5

--Details--

Description: INDUSTRIAL & COMMERCIAL MACHINERY & EQUIPMENT, N.E.C.
SIC/NAICS Code: 3599

Site: CORBY DISTILLERIES LTD.
CORBYVILLE, HWY 37 A FEW MILES NORTH OF BELLEVILLE BELLEVILLE PLANT RIVER ROAD BELLEVILLE CITY ON

Database:
SPL

Ref No: 18790
Site No:
Incident Dt: 5/19/1989
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:

Environment Impact:
Nature of Impact:
Receiving Medium: LAND / WATER
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 5/19/1989
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: CORBY DISTILLERIES-100 L LIQUEUR TO GROUND AND STORM SEWER
Contaminant Qty:

Site Municipality: 51103
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: ERB TRANSPORT LTD.
 HWY 37 AT PLAINFIELD TRANSPORT TRUCK (CARGO) BELLEVILLE CITY ON

Database:
 SPL

Ref No: 3620
Site No:
Incident Dt: 5/13/1988
Year:
Incident Cause: TRUCK/TRAILER OVERTURN
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact: SOIL CONTAMINATION
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 5/13/1988
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ERB TRANSPORT -300 L. DIESEL TO FIELD, TRUCK ACCIDENT.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 51103
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: TRANSPORT TRUCK
 HWY 37 HONEYWELL CORNERS MOTOR VEHICLE (OPERATING FLUID) BELLEVILLE CITY ON

Database:
 SPL

Ref No: 95329
Site No:
Incident Dt: 1/15/1994
Year:
Incident Cause: OTHER TRANSPORTATION ACCIDENT
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 1/15/1994
Dt Document Closed:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 51103
Site Lot:
Site Conc:
Northing:
Easting: OPP, FIRE DEPT.
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:

Incident Reason: ADVERSE ROAD CONDITION **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: 20 L DIESEL FUEL TO LAND FROM RUPTURED SADDLE TANKON TRANSORT TRUCK.
Contaminant Qty:

Site: ONTARIO HYDRO
LOT 6 CONC 2 SOUTH PYENDINAGA TWP. TRANSFORMER HASTINGS COUNTY ON

Database:
SPL

Ref No: 26660 **Discharger Report:**
Site No: **Material Group:**
Incident Dt: 10/17/1989 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: COOLING SYSTEM LEAK **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: **Nearest Watercourse:**
Contaminant Name: **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: **Site Municipality:** 51000
Nature of Impact: **Site Lot:**
Receiving Medium: LAND **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 10/17/1989 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: STORM/FLOOD/WIND **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ONT.HYDRO TRANSFORMER- 1.5 L OIL TO GROUND.
Contaminant Qty:

Site: TRANSPORT TRUCK
ON HWY. 37 IN PLAINFIELD MOTOR VEHICLE (OPERATING FLUID) BELLEVILLE CITY ON

Database:
SPL

Ref No: 81877 **Discharger Report:**
Site No: **Material Group:**
Incident Dt: 2/15/1993 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: OTHER TRANSPORTATION ACCIDENT **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: **Nearest Watercourse:**
Contaminant Name: **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: NOT ANTICIPATED **Site Municipality:** 51103
Nature of Impact: Other **Site Lot:**
Receiving Medium: LAND **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:** O.P.P., FIRE DEPT., MTO
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 2/15/1993 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: ERROR **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: TRANSPORT TRUCK - 250 L OF DIESEL FUEL TO HWY. DUE TO ACCIDENT.
Contaminant Qty:

Site: TRANSPORT TRUCK
HWY #37 MOTOR VEHICLE (OPERATING FLUID) BELLEVILLE CITY ON

Database:
SPL

Ref No: 131677
Site No:
Incident Dt: 9/9/1996
Year:
Incident Cause: TRUCK/TRAILER OVERTURN
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Groundwater pollution
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/9/1996
Dt Document Closed:
Incident Reason: OTHER
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 51103
Site Lot:
Site Conc:
Northing:
Easting: BELLEVILLE FD.
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

BACK ENTRY-TWEED SALVAGE-700L DIESEL TO DITCH AS RESULT OF ACCIDENT.

Site: TRANSPORT TRUCK
CANNISTER RD FROM UPPER CANNISTER RD TO HWY 37, NORTHBOUND. MOTOR VEHICLE (OPERATING FLUID)
BELLEVILLE CITY ON

Database:
SPL

Ref No: 154266
Site No:
Incident Dt: 4/2/1998
Year:
Incident Cause: UNKNOWN
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 4/6/1998
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 51103
Site Lot:
Site Conc:
Northing:
Easting: BELLEVILLE POLICE, WORKS
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

TRANSPORT TRUCK: UNKNOWN QUANTITY OF DIESEL OR GASOLINE SPILLED TO ROAD.

Site: ROSEBUSH FUELS
LOT 7, CONG 2, BLACK DIAMOND RD., THURLOW TANK TRUCK (CARGO) BELLEVILLE CITY ON

Database:
SPL

Ref No: 166871
Site No:
Incident Dt: 4/20/1999

Discharger Report:
Material Group:
Health/Env Conseq:

Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 4/20/1999
Dt Document Closed:
Incident Reason: VANDALISM
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ROSEBUSH FUELS- FURNACE OIL SPILL TO GRD & DITCH FROM TRUCK LEAK.
Contaminant Qty:

Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 51103
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: **TRANSPORT TRUCK**
HWY 37 BETWEEN BELLEVILLE & ROSLIN MOTOR VEHICLE (OPERATING FLUID) BELLEVILLE ON

Database:
SPL

Ref No: 190718
Site No:
Incident Dt: 11/20/2000
Year:
Incident Cause: OTHER CAUSE (N.O.S.)
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 11/20/2000
Dt Document Closed:
Incident Reason: OTHER
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: TRANSPORT TRUCK;DIESEL FLUID TO GROUND; HWY 37 OPP NOTIFIED
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 51103
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: **Tudhope Cartage Ltd.**
MVA, HWY 37 NORTH, NORTH OF PLAINFIELD<UNOFFICIAL> Belleville ON

Database:
SPL

Ref No: 6000-5VFNH
Site No:
Incident Dt: 1/20/2004
Year:
Incident Cause: Other Transport Accident
Incident Event:
Contaminant Code: 12
Contaminant Name: GASOLINE
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:

Discharger Report:
Material Group: Oil
Health/Env Conseq:
Client Type:
Sector Type: Tank Truck
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Belleville
Site Postal Code:
Site Region: Eastern

Environment Impact: Confirmed
Nature of Impact: Soil Contamination
Receiving Medium: Land
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 1/22/2004
Dt Document Closed:
Incident Reason: Unknown - Reason not determined
Site Name: MVA, HWY 37 NORTH, NORTH OF PLAINFIELD<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: MVA, gasoline spill from cargo, to ditch
Contaminant Qty:

Site Municipality: Belleville
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Spill to Highway (Accident); Spill to Land
Source Type:

Site: **TEXACO** **Database:**
SPL
CANNIFTON, HWY 37 & CONC. III BULK STATION BELLEVILLE CITY ON

Ref No: 1861
Site No:
Incident Dt: 3/31/1988
Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 3/31/1988
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: TEXACO CANADA -7800 LTRS GASOLINE TO CONTAINMENT AREA AND COLLECTORS.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 51103
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Mar 2022

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Apr 2022

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Mar 2022

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - May 31, 2022

Drill Hole Database:Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020**Delisted Fuel Tanks:**Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022**Environmental Activity and Sector Registry:**Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Apr 30, 2022**Environmental Registry:**Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - May 31, 2022**Environmental Compliance Approval:**Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Apr 30, 2022**Environmental Effects Monitoring:**Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Mar 31, 2022**Environmental Issues Inventory System:**Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2021

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2022

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Feb 28, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2022

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - May 31, 2022

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Apr 30, 2022

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - May 31, 2022

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-May 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2020

Anderson's Storage Tanks:

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Apr 30, 2022

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Sep 30, 2021

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



CITY
DIRECTORY

Project Property: *84 Cannifton Road North, Belleville, Ontario*
Report Type: *City Directory*
Order No: *22061700426*
Information Source: *Vernon's Belleville, Ontario, City Directory*
Date Completed: *2022/06/30*

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

City Directory Information Source

Vernon's Belleville, Ontario, City Directory

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 2006/2007	
Site Listing:	Cannifton Road: -St Lawrence Pools Ltd -Dufferin Games At St Lawrence Pools Ltd 84 Cannifton Road North: -Street Not Listed

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 2002/2003	
Site Listing:	Cannifton Road: -St Lawrence Pools Ltd -Dufferin Games At St Lawrence Pools Ltd 84 Cannifton Road North: -Street Not Listed

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1996/1997	
Site Listing:	Cannifton Road: -Address Not Listed 84 Cannifton Road North: -Street Not Listed

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1992	
Site Listing:	Cannifton Road: -Address Not Listed 84 Cannifton Road North: -Street Not Listed

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario

Year: 1988	
Site Listing:	Cannifton Road: -Address Not Listed 84 Cannifton Road North: -Street Not Listed

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1982	
Site Listing:	Cannifton Road: -Address Not Listed 84 Cannifton Road North: -Street Not Listed

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1978	

Site Listing:	<p>Cannifton Road:</p> <p>-Address Not Listed</p> <p>84 Cannifton Road North:</p> <p>-Street Not Listed</p>
----------------------	--

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1972	
Site Listing:	<p>Cannifton Road:</p> <p>-Address Not Listed</p> <p>84 Cannifton Road North:</p> <p>-Street Not Listed</p>

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1966	

Site Listing:	<p>Cannifton Road:</p> <p>-Address Not Listed</p> <p>84 Cannifton Road North:</p> <p>-Street Not Listed</p>
----------------------	--

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1963	
Site Listing:	<p>Cannifton Road:</p> <p>-Address Not Listed</p> <p>84 Cannifton Road North:</p> <p>-Street Not Listed</p>

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1957	

Site Listing:	Cannifton Road: -Address Not Listed 84 Cannifton Road North: -Street Not Listed
----------------------	--

PROJECT NUMBER: 22061700426	
Site Address:	84 Cannifton Road North, Belleville, Ontario
Year: 1992	
Site Listing:	Cannifton Road: -Address Not Listed 84 Cannifton Road North: -Street Not Listed

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as "residential" with the number of tenants. The name of the residential tenant is not listed in the above city directory.

**Ministry of the Environment,
Conservation and Parks**

Access and Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075

**Ministère de l'Environnement, de
la Protection de la nature et des
Parcs**

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075



July 20, 2022

Amanda Gartshore
BluMetric Environmental Inc.
825 Milner Avenue
Scarborough, Ontario M1B 3C3
agartshore@blumetric.ca

Dear Amanda Gartshore:

**RE: MECP FOI A-2022-05557 / Your Reference 220456 –
Acknowledgement Letter**

The Ministry is in receipt of your request made pursuant to the Freedom of Information and Protection of Privacy Act and has received your payment in the amount of \$5.00 (non-refundable application fee).

The search will be conducted on the following: 84 Cannifton Road North, Belleville. If there is any discrepancy, please contact us immediately.

Please note the file number that has been assigned to your request. This number should be referred to in all future communications with our office.

Also, the Ministry's Freedom of Information and Protection of Privacy Office (MECP Access and Privacy Office) is currently providing requesters with decisions/records via email. This allows requesters to obtain decisions containing records in a more timely and efficient way.

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search and preparation time.

Due to the COVID-19 outbreak, requesters may experience some delays with FOI requests at this time.

If you have any questions, please contact Nasreen Salar at or nasreen.salar@ontario.ca.

Yours truly,
MECP Access and Privacy Office

**Ministry of the Environment,
Conservation and Parks**

Access and Privacy Office
12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

**Ministère de l'Environnement, de
la Protection de la nature et des
Parcs**

Bureau de l'accès à l'information et
de la protection de la vie privée
12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075
Télééc.: (416) 314-4285



August 12, 2022

Amanda Gartshore
BluMetric Environmental Inc.
825 Milner Avenue
Scarborough, Ontario M1B 3C3
agartshore@blumetric.ca

Dear Amanda Gartshore:

RE: MECP FOI A-2022-05557, Your Reference 220456 – Decision Letter

This letter is in response to your request made pursuant to the Freedom of Information and Protection of Privacy Act (the Act) relating to 84 Cannifton Road North, Belleville.

After a thorough search through the files of the ministry's Belleville District Office, Environmental Investigations and Enforcement Branch, Sector Compliance Branch and Safe Drinking Water Branch, no records were located responsive to your request. **This file is now closed.**

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions, please contact Dany Briollais at 416-319-7739 or Dany.Briollais@ontario.ca.

Yours truly,

Original signed by

Ryan Gunn
Manager (A), Access and Privacy Office

**Ministry of Labour,
Immigration, Training and
Skills Development**

Freedom of Information,
Privacy and Information
Management Office

400 University Avenue, 10th flr
Toronto ON M7A 1T7
Tel.: 416 326-7786
TTY: 416 314-5811

**Ministère du Travail, de
l'Immigration, de la Formation et
du Développement des
compétences**

Bureau de l'accès à l'information et
de la protection de la vie privée

400, av. University, 10^e étage
Toronto ON M7A 1T7
Tél.: 416 326-7786
ATS: 416 314-5811



Our File – Notre référence
G-2022-00765 / GDD
Your File – Votre référence

August 4, 2022

Ms. Amanda Gartshore
BluMetric Environmental Inc.
825 Milner Avenue
Scarborough, ON M1B 3C3

Dear Ms. Gartshore:

I am responding to your request made under the *Freedom of Information and Protection of Privacy Act (FIPPA)* for a copy of the Ministry of Labour, Immigration, Training and Skills Development's occupational health and safety records which relate to environmental issues concerning premises and projects tied to 84 Cannifton Road North in Belleville. The period covered by your request is from January 1, 1950 to July 19, 2022.

The Ministry's Eastern Region Industrial and Construction Health and Safety Program's as well as our thorough searches on the Ministry's occupational health and safety database show that although a company, Main Event Tent Rental, is registered at the specified address, there are no records that relate to environmental issues.

Under section 50(1) of the *FIPPA*, you may request that the Information and Privacy Commissioner review this decision. Please note that you have 30 days from the receipt of this letter to request a review, and there is a \$25.00 appeal fee. The Commissioner's office is located at 2 Bloor Street East, Suite 1400, Toronto Ontario, M4W 1A8 and can be reached at (416) 326-3333 or 1-800-387-0073.

Should you require alternate forms of communications or if you have any questions, please contact Program Adviser, Gloria Deligero via email at gloria.deligero@ontario.ca.

Sincerely,

Jason Gartshore
A/Manager, Freedom of Information, Privacy and Information Management Office

JG/gd

Jaclyn Kalesnikoff

From: Amanda Gartshore
Sent: Friday, September 29, 2023 9:57 AM
To: Jaclyn Kalesnikoff
Subject: FW: 220456 - Information Request

Good morning,

Attached below is the TSSA response for Cannifton. 😊

Hope this helps.

Thanks
Amanda

Amanda Gartshore - Environmental Scientist - (T) 877-487-8436 x250

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: Wednesday, July 20, 2022 7:05 AM
To: Amanda Gartshore <agartshore@blumetric.ca>
Subject: RE: 220456 - Information Request

Please refrain from sending documents to head office. The Public Information (PI) team works remotely, mailing in applications will lengthen the overall processing time.

NO RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

- We confirm that there are no records in our current database of any fuel storage tanks at the subject address(es).

This is not a confirmation that there are no records in the archives. For a further search in our archives, please submit an application for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

Please follow the steps below to access the new application(s) and Service Prepayment Portal:

1. Click Release of Public Information - TSSA and click "need a copy of a document";
2. Select the appropriate application, download it and complete it in full; and
3. Proceed to page 3 of the application and click the link TSSA Service Prepayment Portal under payment options (the link will take you the secure site to pay for the release via credit card).

Accessing the Service Prepayment Portal:

1. Select new or existing customer (*if you are an existing customer, you will need your account # & postal code to access your account);
2. Select the program area: AD (Amusement Devices), BPV (Boilers and Pressure Vessels), ED (Elevating Devices), FS (Fuels Services), OE (Operating Engineers) or SKI (Ski Lifts) and click continue;
3. Enter the application form number (obtained from bottom left corner of application form) and click continue;
 - a. When selecting the application form number from the drop-down menu, please make sure you select the application that begins with "PI" (i.e. PI-FS, PI-BPV etc.);
4. Complete the primary contact information section;
5. Complete the fees section;
6. Upload your completed application; and
7. Upload supporting documents (if required) and click continue.

Once all steps have been successfully completed, you will receive your receipt via email.

Questions? Please contact TSSA's Public Information Release team at publicinformation@tssa.org.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind Regards,
Kim



Public Information Agent

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformation@tssa.org

www.tssa.org



From: Amanda Gartshore <agartshore@blumetric.ca>

Sent: July 19, 2022 5:14 PM

To: Public Information Services <publicinformation@tssa.org>

Subject: 220456 - Information Request

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hi there,

Can you please conduct a search for fuel storage tanks for the following address and notify me of the results:

84 Cannifton Road North, Belleville

Thanks
Amanda



Amanda Gartshore, CAPM
Environmental Scientist
(T) 905-914-4204
agartshore@blumetric.ca - www.blumetric.ca

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



LEGEND

- Phase One Property Boundary
- Phase One Study Area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT

84 Cannifton Road Phase One ESA

TITLE

1956

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: http://www.blumetric.ca

PROJECT # 220456	DATE March 21, 2023
----------------------------	-------------------------------

DRAWN PB	CHECKED AG	FIG NO. A1	REV 0
--------------------	----------------------	----------------------	-----------------



LEGEND

Phase One Property Boundary

Phase One Study Area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 50 100 Metres

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT


84 Cannifton Road Phase One ESA

TITLE

1962

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: <http://www.blumetric.ca>

PROJECT # 220456		DATE March 21, 2023	
DRAWN PB	CHECKED AG	FIG NO. A2	REV 0



LEGEND

Phase One Property Boundary

Phase One Study Area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT

84 Cannifton Road Phase One ESA

TITLE

1974

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: http://www.blumetric.ca

PROJECT # 220456		DATE March 21, 2023	
DRAWN PB	CHECKED AG	FIG NO. A3	REV 0



LEGEND

- Phase One Property Boundary
- Phase One Study Area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 50 100 Metres

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT

84 Cannifton Road Phase One ESA

TITLE

1981

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: <http://www.blumetric.ca>

PROJECT # 220456		DATE March 21, 2023	
DRAWN PB	CHECKED AG	FIG NO. A4	REV 0



Image © 2022 Maxar Technologies

LEGEND

Phase One Property Boundary

Phase One Study Area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
 PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 50 100 Metres

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT


84 Cannifton Road Phase One ESA

TITLE



2002

825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: http://www.blumetric.ca

PROJECT # 220456		DATE March 21, 2023	
DRAWN PB	CHECKED AG	FIG NO. A5	REV 0





LEGEND

	Phase One Property Boundary
	Phase One Study Area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES
 PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

1:2,500

CLIENT
 2267178 Ontario Inc.

PROJECT
 84 Cannifton Road Phase One ESA

TITLE
 2015

 825 Milner Avenue
 Scarborough ON M1B 3C3
 Tel: 416-383-0957
 Fax: 416-383-0956
 Email: info@blumetric.ca
 Web: http://www.blumetric.ca

PROJECT # 220456		DATE March 21, 2023	
DRAWN PB	CHECKED AG	FIG NO. A6	REV 0



LEGEND

Phase One Property Boundary

Phase One Study Area

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES

PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 50 100 Metres

1:2,500

CLIENT

2267178 Ontario Inc.

PROJECT

84 Cannifton Road Phase One ESA

TITLE

2022

825 Milner Avenue
Scarborough ON M1B 3C3
Tel: 416-383-0957
Fax: 416-383-0956
Email: info@blumetric.ca
Web: http://www.blumetric.ca

PROJECT # 220456		DATE March 21, 2023	
DRAWN PB	CHECKED AG	FIG NO. A7	REV 0

10.5 SITE PHOTOGRAPHS

This appendix includes:

- Site and photographs taken during the site visit on 22 July 2022;
- Aerial photographs of the Phase One Property.



Photographs taken 22 July 2022



Front View of subject property at 84 Cannifton Road N main building.
Picture taken facing east from west side of the Site.



Side View of 84 Cannifton Road N main building.
Picture is taken facing northwest.




Side View of west side of main building at 84 Cannifton Road N.
Picture taken facing north from west side of Site.



East Side View of building at 84 Cannifton Road N.
Picture is taken facing north from east side of Site.



Parking area south of the main building at 84 Cannifton Road N.
Picture is taken facing southeast.



Interior View of Main Event Tent Rental storage area at 84 Cannifton Road N.




Interior View of Main Event Tent Rental work area at 84 Cannifton Road N.



Interior View of Main Event Tent Rental work area at 84 Cannifton Road N.



View of paint booth area located in work area at 84 Cannifton Road N.



View of paint area located in work area at 84 Cannifton Road N.



View of mechanical area located at 84 Cannifton Road N.



View of storage area at 84 Cannifton Road N.
Photo is taken facing northwest, from southeast of main building.



Back of residential house at west portion of 84 Cannifton Road N property.
Photo is taken facing west.



Side of residential house at west portion of 84 Cannifton Road N property.
Photo is taken facing north.



View of northeast corner of residential house, noting the historical vent pipe.
Photograph is taken looking west.

BluMetric Environmental Inc.

1682 Woodward Drive
Ottawa, Ontario
Canada K2C 3R8
Tel: 877.487.8436
ottawa@blumetric.ca

4 Cataragui Street
The Tower, The Woolen Mill
Kingston, Ontario
Canada K7K 1Z7
Tel: 877.487.8436
kingston@blumetric.ca

209 Frederick Street
Unit 3B
Kitchener, Ontario
Canada N2H 2M7
Tel: 877.487.8436
kitchener@blumetric.ca

825 Milner Avenue
Toronto, Ontario
Canada M1B 3C3
Tel: 877.487.8436
toronto@blumetric.ca

410 Falconbridge Road
Unit 6
Sudbury, Ontario
Canada P3A 4S4
Tel: 877.487.8436
sudbury@blumetric.ca

1046 Gorham Street
Thunder Bay, Ontario
Canada P7B 5X5
Tel: 807.707.4736
thunderbay@blumetric.ca

260-15 Taschereau Street
Gatineau, Quebec
Canada J8Y 2V6
Tel: 877.487.8436
gatineau@blumetric.ca

200-1500 Du College Street
Saint-Laurent, Quebec
Canada H4L 5G6
Tel: 877.487.8436
montreal@blumetric.ca

4916 - 49th Street
Yellowknife, NT
Canada X1A 1P3
Tel: 867.873.3500
Fax: 867.873.3499
yellowknife@blumetric.ca

202b Strickland Street
Whitehorse, Yukon
Canada Y1A 2J8
Tel: 867.689.8465
whitehorse@blumetric.ca

www.blumetric.ca